CERTIFICATE NO. 16927

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Clarence P. Stoller (Name of applicant)
of
State ofOragon, do hereby make application for a permit to appropriate
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1 Mb accorded the managed appropriation in Uppaged at norm
1. The source of the proposed appropriation is Unnamed stream (Name of stream)
, a tributary ofChetco River
2. The amount of water which the applicant intends to apply to beneficial use is
embicsfeet per seconds
**3. The use to which the water is to be applied is Irrigation (Arrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 225 ft. North and 950 ft. West from the SE
corner of Section 5. (Section or subdivision)
(Section or subdivision) This point being in Donation Land Claim No. 38
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE_{4}^{\pm} of the SE_{4}^{\pm} of Sec. 5 , Tp. 41 Sout (R. or S.)
R. 13 West, W. M., in the county of Curry
5. The Pipe Line to be 300 feet (Main ditch, canal or pipe line)
in length, terminating in the $SE_{\frac{1}{4}}$ of the $SE_{\frac{1}{4}}$ of Sec. 5 Tp. 41 South (Smallest legal subdivision)
(Smallest legal subdivision) (N. or S.) R. 13. West, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam $\frac{2\frac{1}{2}}{2}$ feet, length on top $\frac{8}{2}$ feet, length at bot
5 feet; material to be used and character of construction Timber
Simple c atch basin design rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate2 inch_pipe
(a) If and in the house of the second many and a
(c) If water is to be pumped give general description linch centringual pump (Size and type of pump)
powered by a 5.4 H.P. gasoline engine; at point of intake (Size and type of engine or motor to be weed total head water is to be lifted, etc.)
(Size and Pass or suffine or motor to se such library used states, is to be fixed sar?)

^{*}A different form of application is provided where storage works are continuplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

eadgate. At hea	dgate: width or	top (at water	line)	feet; width on bottom
ousand feet.	feet; depth of w	ater	feet; grade	feet fall per one
•	. ¥	. miles from he	eadgate: width on top (at wate	r line)
		* * *	feet; depth of u	さん とうしょうしょう
•	,			<i>duel</i> jeet,
rade		•	•	
(c) Length	of pipe,300)ft.;	size at intake,2	in.; size at
rom intake	$1\frac{1}{2}$ in.	; size at place o	of use $\frac{1^{\frac{1}{2}}}{2}$ in.; dif	ference in elevation between
ntake and place (of use,80	ft. I	s grade uniform?Yes.	Estimated capacity,
60 G.P.M.	sec citicx			
	-	irriaated or ol	ace of use In the SE_4^1 of t	the SE_{4}^{1} of Sec. 5.
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
			The second secon	10 De Hillawed
***************************************	See at	ached sheet	for legal description	
	Total	number of	acres to be irrigated	- 3.0
		en to ship termina i		
manantes as - *			ranga na manganan na mangan	
			is a part of that more ract of land, consisting	
			8, Township 41 South, Ra	
ounty, Oregon	, and descr	bed as foll	ows: Beginning at an ir	on pipe marking the
			eeded Bert Tolman by Jam	
n November 17	, 1922, and	which said	deed is recorded in the	record of deeds of Curr
ounty, Oregon	, on Page 32	O of Volume	18 of Deeds, said iron	pipe being 367.06 feet
			heast corner of said Sec	
4 deg. West,	748.4 feet	o the Weste	rly boundary of the Coun	ty Road; Thence along
aid West bour	dary North	deg. 43 mi	n. West, 77.1 feet; Then	ce along said West boun
			et; Thence North 14 deg.	
			. J. Rainey Tract as sam	
./tn, 1910. T	nence East,	4/0.50 Teet	Thence South 15 deg. 5	o min. East, 310.20 fee
			.0 feet; Thence South 76	
			0.80 feet to an iron pip	
eer co.an ir	u brbe! Inel		deg: West: 43.03 feet t	o the place of beginnin
(a) Charac	ter of soilCa	ast Bench: L	oam	
	-		y Bulbs and garden	
₹ 11 · 4 .	• •		y Danso dia Bandon	
Power or Mining			eg en gran konstruit in de en	
9. (a) Tot	il amount of po	ower to be deve	eloped	theoretical horsepower.
(b) Qua	intity of water	to be used for	powers	ec. ft.
(c) Total	ıl fall to be uti	lized	feet.	
			s of which the power is to be	leveloped
	L			of Coo
, (e) suc	n works to de l	vcusea 171	(Legal Subdivision)	oj pec
	, R	, W. A	M.	
p(No. N. or S.)	•	umad to anni at	ream?(Yes or No)	
p(No. N. or S.)	ater to be retu	irried to dity st	(Ves or No)	
p(No. N. or S.)	ater to be retu			
(f) Is u	eater to be retu so, name stream	and locate po	int of return	В 117 ви
(f) Is u	oater to be retu	and locate po	int of return, Tp(No. N. or S.)	, R, W. M.
(f) Is u	oater to be retu	and locate po		, R, W. M.

By Ed K. Humphrey, Assistant mjo

Application No.	21239
Permit No	16646

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

•	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
4.	on the 19th day of October,	
	1945, at1:00.o'clockP M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
, en de la companya d	December 20, 1945	
	Recorded in book No	
	Permits on page 16646	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No15 Page2.C	
	Fees Paid \$9.50	
	PERMIT	
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
County of Marion,	I have examined the foregoing application an	2
	GHTS and the following limitations and condi- ed is limited to the amount of water which ca	
and shall not exceed O.Oli	cubic feet per second measured at th	e point of diversion from the
stream, or its equivalent in	ease of rotation with other water users, from	Innamed Stream
·	<u> </u>	
	water is to be applied isIrrigation	
If for irrigation, this apsecondor its equival diversion of not to exc	ent for each acre irrigated and shall eed 66,000 gallons per growing season	of one cubic foot per be further limited to a of each year,
and shall be subject to such	reasonable rotation system as may be ordered	by the proper state officer.
The priority date of th	is permit is October 19, 1945	
Actual construction w	ork shall begin on or before December 20	, 1946 and shall
thereafter be prosecuted wit	h reasonable diligence and be completed on or b	efore
	1947	
	of the water to the proposed use shall be made	on or before
October 1,	1948	
WITNESS my hand th	is20th day of December	, 194.5
19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CHAS. E. STRICKI	IN