

CERTIFICATE NO. 17091

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Shady Beard (Name of applicant)

of Gaston Rt. 1 (Post office), County of Washington

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Scoggin (Name of stream)

a tributary of Tualatin

2. The amount of water which the applicant intends to apply to beneficial use is 1.875 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of Any point along stream described in item (1) where it borders my property in NW 1/4 NW 1/4 & SW 1/4 NW 1/4 & SE 1/4 NW 1/4 & SW 1/4 NE 1/4 & SE 1/4 NE 1/4 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. 26, Tp. 1 S (Give smallest legal subdivision) (N. or S.)

R. 4 W, W. M., in the county of Washington (E. or W.)

5. The to be in length, terminating in the of Sec. Tp. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

R., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3" centrifugal 22 hp gas or electric - 20' head sprinkler system - Flood - (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	4 W	26	NW $\frac{1}{4}$ NW $\frac{1}{4}$	11
1 S	4 W	26	SW $\frac{1}{4}$ NW $\frac{1}{4}$	3
1 S	4 W	26	SE $\frac{1}{4}$ NW $\frac{1}{4}$	8
1 S	4 W	26	NE $\frac{1}{4}$ NW $\frac{1}{4}$	15
1 S	4 W	26	NW $\frac{1}{4}$ NE $\frac{1}{4}$	8
1 S	4 W	26	SW $\frac{1}{4}$ NE $\frac{1}{4}$	12
1 S	4 W	26	SE $\frac{1}{4}$ NE $\frac{1}{4}$	21
1 S	4 W	26	NE $\frac{1}{4}$ NE $\frac{1}{4}$	10
1 S	4 W	26	NW $\frac{1}{4}$ SE $\frac{1}{4}$	17
1 S	4 W	26	SW $\frac{1}{4}$ SE $\frac{1}{4}$	1
1 S	4 W	26	SE $\frac{1}{4}$ SE $\frac{1}{4}$	1
1 S	4 W	26	NE $\frac{1}{4}$ SE $\frac{1}{4}$	26

(If more space required, attach separate sheet)

Total 133

(a) Character of soil Sandy loam

(b) Kind of crops raised General Farm

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Beginning at a point on the line between the Joshua Dickson Claim No. 45, and the Joseph Davis claim #46 in Section 26, T. 1 S., R. 4 W. Willamette Meridian, Washington County, Oregon, said point being the intersection of the west line of the Southern Pacific Company Railroad right of way and the north line of the Joseph Davis claim, said point being also 13.39 chains west of the northeast corner of said Davis claim; thence west on said claim line 76.02 feet; thence north 22° east 3.24 chains; thence south 88° 40' west 546.02 feet; thence south 22° west 3.24 chains to a point on the north line of the Joseph Davis claim; thence west along the north line of the Davis claim to the center of the Tualatin Valley State Highway; thence southerly along the center line of said highway to the center of Scroggins Creek; thence easterly down the center line of Scroggins Creek to its intersection with the west line of the Florence D. Bryant tract as described in book Q, page 503, Deed Records of Washington County, Oregon; thence south 2° 30' east 5 chains, more or less, to the southwest corner of the Bryant tract; thence north 89° east 4.32 chains to the center of the Southern Pacific Company Railroad right-of-way; thence southerly along the center of said right of way to a point which is north 2° 30' West 916.97 feet and south 89° West 1586.39 feet from the southeast corner of the Joseph Davis D. L. C.; thence North 89° east 1586.39 feet to a point on the east line of the Joseph Davis D.L.C. thence north 2° 30' West along the east line of said Davis claim to the center of Scroggins creek; thence west 50 links; thence north parallel with the east line of said Davis claim to the north line of said claim; thence west to the place of beginning.

Subject to an easement granted on Winnie Hoodenpyl for a pipe line and pumping site as described in book 187, page 147, deed records, Washington County, Oregon.

Excepting the rights of way of the Southern Pacific Company over and across the above described property.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3000.00.....

12. Construction work will begin on or before May 1, 1945.....

13. Construction work will be completed on or before May 1, 1946.....

14. The water will be completely applied to the proposed use on or before May 1, 1948.....

(Sgd) Shady Beard
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of witness)

(2) (Name) (Address of witness)

Remarks:

(For description see attached sheet)

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21256

Permit No. 16658

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 31st day of October, 1945, at 8:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

December 20, 1945

Recorded in book No. 41 of

Permits on page 16658

CHAS. E. S. TRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62 L

Fees Paid \$21.65

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.67 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Scoggin Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 31, 1945

Actual construction work shall begin on or before December 20, 1946 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1947

Complete application of the water to the proposed use shall be made on or before October 1, 1948

WITNESS my hand this 20th day of December, 1945

CHAS. E. S. TRICKLIN

STATE ENGINEER