

CERTIFICATE NO. 20254

\* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Hannah Martin Hanzen ASSIGNED, Sec. Misc. Rec. Vol. 3 Page 163 (Name of applicant)

of Route 3, Box 870 Salem (Post office), County of Marion State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed creek (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1.0 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation, ponds, fire protection, general farm use and operation of ram (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1050 ft. S and 330 ft. E from the NW 1/4 corner of Sec. 12 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 12, Tp. 8 S (Give smallest legal subdivision) (N. or S.)

R. 1/4 W., W. M., in the county of Marion (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)

R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 20 feet, length at bottom 15 feet; material to be used and character of construction timber and earth (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Ram size to be determined later. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....500.00.....

12. Construction work will begin on or before One year after approval.....

13. Construction work will be completed on or before Two " ".....

14. The water will be completely applied to the proposed use on or before Three " ".....

(Sgd) Hannah Martin Hanzen  
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)

(2) \_\_\_\_\_, \_\_\_\_\_  
(Name) (Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 27, 1943.

WITNESS my hand this 27th day of September, 1943.

CHAS. E. STRICKLIN  
STATE ENGINEER

By  
Ed K. Humphrey, Assistant

Application No. 19984

Permit No. 16680

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 19th day of July, 1943, at 4:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

March 18, 1946

Recorded in book No. 41 of Permits on page 16680

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76 L.

Fees Paid \$11.75

STATE OF OREGON

PERMIT

County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Creek

The use to which this water is to be applied is Irrigation, ponds, fire protection, general farm use and operation of ram.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 23, 1943

Actual construction work shall begin on or before March 18, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Extended to Oct. 1, 1951

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

Extended to Oct. 1, 1951

WITNESS my hand this 18th day of March, 1946

CHAS. E. STRICKLIN

STATE ENGINEER