

* APPLICATION FOR PERMIT

3 77-78

To appropriate the Public Waters of the State of Oregon

I, Caribaldi Corporation

(Name of applicant)

of P.O. Box 6245 Portland 9

(Mailing address)

State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Whitney Brook

(Name of stream)

trib. of Tillamook Bay, a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 4.0

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Steam boilers, cooling equipment &

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

other general industrial uses in a plywood plant.

4. The point of diversion is located 330 ft. N. and 1400 ft. W. from the SE

(N. or S.)

(E. or W.)

corner of Section 16, T. 1 N., R. 10 W., W. M. approximately

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of Sec. 16, Tp. 1 N.,

(Give smallest legal subdivision)

(N. or S.)

R. 10 W., W. M., in the county of Tillamook

5. The Pipe & ditch to be about 4000 ft.

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SW 1/4 Sec 21 of Sec. 22, Tp. 1 N.,

(Smallest legal subdivision)

(N. or S.)

R. 10 W., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 92 feet, length on top 50 feet, length at bottom

feet; material to be used and character of construction timber

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	10 W	21	SE 1/4	
Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at a point on the South boundary of the Southern Pacific R. R. Co. right of way S 89° 24' E 58.8 feet from the Meander corner between Sections 21 and 22, T. 1 N., R. 10 W., W.M. in Tillamook County, Oregon, and running thence S 0° 55' E 1070.1 ft; thence S 62° 18' W 290.7 ft; thence N 27° 42' W 90.0 ft; thence S 62° 18' W 617.7 ft; thence N 0° 55' W 507.3 ft. more or less to the South boundary of the Southern Pacific R. R. right of way; thence in a Northeasterly direction along said right of way to place of beginning, containing 14.65 acres more or less, commonly identified as Oceanside Lumber Company Inc. tract."				
"Beginning at a point S 89° 24' E 58.8 ft and S. 0° 55' E 1070.1 ft. from the meander corner between Secs. 21 and 22, T. 1 N., R. 10 W., W.M. in Tillamook County, Oregon, and running thence S 0° 55' E 534.0 ft; thence S 62° 18' W. 952.2 ft; thence N 0° 55' W. 634.0 ft; thence N 62° 18' E. 617.7 ft; thence S 27° 42' E. 90.0 ft; thence N. 02° 18' E 290.7 ft. to place of beginning, containing 11.75 acres more or less, commonly identified as Nicolai Plywood Company tract."				

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 7500.00.....
- 12. Construction work will begin on or before Has been partly constructed.....
- 13. Construction work will be completed on or before Two years after approval.....
- 14. The water will be completely applied to the proposed use on or before 3 " " ".....

(Sgd) Garibaldi Corporation
(Signature of applicant)

(Sgd) By J. G. Bourus, Sec'y.

Remarks: Water will run by gravity through about 1400 ft. of 10 in. wood
stave pipe with a fall of about 100 ft and about 1000 ft of ditch 4 ft. wide
by 2.5 ft. deep with a fall of about 6.0 ft. to a concrete sump about 8 ft. x 10 ft.
x 17 ft. deep.

From sump, water will be pumped to a 10,000 gal. wood tank on S. E. corner of
power house roof for distribution throughout plant. Pump will be sump type
operated by 15 HP electric motor against a total head of 110 ft. Water to be
pumped through 250 ft. of 4 in. wrought iron pipe. Static head about 16 ft.
Capacity 125 GPM.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 21295

Permit No. 16028

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 20th day of November,

1945 at 1:05 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

March 18, 1946

Recorded in book No. 41 of

Permits on page 16028

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 6 D

Fees Paid \$13.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Waitney Brook

The use to which this water is to be applied is steam boilers, cooling equipment and general industrial uses in a plywood plant, and in a sawmill.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 20, 1945

Actual construction work shall begin on or before March 18, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 18th day of March, 1946

CHAS. E. STRICKLIN STATE ENGINEER