

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, S. Roy Matteson (Name of applicant) of Gaston (Postoffice), County of Washington, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Scoggins Creek (Name of stream), a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 10 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Power (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 165 ft. S and 348 ft. W from the NW corner of the Sanford E. Wilcox D.L.G. and being in the NW 1/4 NE 1/4 Section 18, T. 1 S. R. 4. W. W.M. (Section or subdivision) (If preferable, give distance and bearing to section corner.)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the of Sec. 18, Tp. 1 S (Give smallest legal subdivision) (N. or S.)

R. 4 W, W. M., in the county of Washington (E. or W.)

5. The Flume to be 48 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the of Sec. 18, Tp. 1 S (Smallest legal subdivision) (N. or S.)

R. 4 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

DIVERSION WORKS—

6. (a) Height of dam 4 feet feet, length on top 39 feet feet, length at bottom 39 feet feet; material to be used and character of construction Fir log with concrete poured underneath and around ends, removable boards are placed on top. Wasteway over dam. (Leave rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_  
(Name of)  
an estimated population of \_\_\_\_\_ in 193\_\_\_\_\_.

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11,12,13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300 \_\_\_\_\_

12. Construction work will begin on or before \_\_\_\_\_

13. Construction work will be completed on or before \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before \_\_\_\_\_

Being used now. \_\_\_\_\_

(Sgd.) S. Roy Matteson \_\_\_\_\_

Signed in the presence of us as witnesses:

(Sgd) Robert L. Meek \_\_\_\_\_,  
(Name)

Route one Gaston \_\_\_\_\_  
(Address of witness)

(Sgd) Sanford R. Matteson \_\_\_\_\_,  
(Name)

Gaston, Ore. Rt. 1 \_\_\_\_\_  
(Address of witness)

Remarks: \_\_\_\_\_

STATE OF OREGON, )  
) ss.  
County of Marion, )

This is to certify that I have examined the foregoing application, together with the accompanying  
plans and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with  
corrections on or before \_\_\_\_\_, 193\_\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 193\_\_\_\_\_.

STATE ENGINEER

PERMIT

STATE OF OREGON, )  
                          ) ss.  
County of Marion, )

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial and shall not exceed 10.0 cubic feet per second measured at the point of diversion from stream, or its equivalent in case of rotation with other water users, from Scoggins Creek

The use to which this water is to be applied is to develop 8 theoretical horsepower,  
not electrical

If for irrigation, this appropriation shall be limited to - - - of one cubic foot second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is November 30, 1945

Actual construction work shall begin on or before March 18, 1947 and thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before October 1, 1949

WITNESS my hand this 18th day of March 1946

CHAS. E. STRICKLIN  
STATE ENGINEER

Application No. 21318

Permit No. 16717

PERMIT

TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. \_\_\_\_\_ District No. \_\_\_\_\_

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of November, 1945, at 8:30 o'clock A. M.

Returned to applicant: \_\_\_\_\_

Corrected application received: \_\_\_\_\_

Approved: March 18, 1946  
Recorded in Book No. 41 of \_\_\_\_\_

Permits on page 16717

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 2 Page 62 L

Fees Paid \$7.00