

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Rollo L. Kintz (Name of applicant) of Rt. 1, Box 185 B, Gaston (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tanner Creek (Name of stream), a tributary of Scoggins Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1/10 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1000 ft. N. and 660 ft. E. from the S.W. corner of Section 5 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N. 1/2 of S.W. 1/4 of the S.W. 1/4 of Sec. 5, Tp. 1 S., R. 1 W., W. M., in the county of Washington

5. The Pipe line to be 500 feet in length, terminating in the S.W. 1/4 of S.W. 1/4 of Sec. 5, Tp. 1 S., R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Horizontal Cylinder 2 1/2" x 3" (Inlet & Outlet 1 1/2") Water Wheel - Approximately 4' Diameter. Water for wheel taken from Creek approximately 60' above pump & carried in flume, & to be returned to creek below wheel.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 100.

12. Construction work will begin on or before July 1946

13. Construction work will be completed on or before July 1947

14. The water will be completely applied to the proposed use on or before July 1947

Intend to apply water to at least one acre before July 1946

(Sgd) Rollo L. Kintz

(Signature of applicant)

Witness - (Sgd) Orville D. Kintz

Remarks:

STATE OF OREGON, }

County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21109

Permit No. 16783

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of February 1946 at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 18, 1946

Recorded in book No. 41 of

Permits on page 16783

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62 M

Fees Paid \$9.75

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Tanner Creek

The use to which this water is to be applied is Irrigation and the development of one theoretical horsepower

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 8, 1946

Actual construction work shall begin on or before March 18, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948 Extended to Oct. 1, 1950

Complete application of the water to the proposed use shall be made on or before

October 1, 1949 Extended to Oct. 1, 1950

WITNESS my hand this 18th day of March, 1946.

CHAS. E. STRICKLIN

STATE ENGINEER