

CERTIFICATE NO. 21377

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, W. E. Burrows (Name of applicant)
 of 876 South Broadway Street, Coos Bay, Oregon (Mailing address)
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an un-named creek (Name of stream)
, a tributary of Isthmus Slough

2. The amount of water which the applicant intends to apply to beneficial use is 0.02
 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic use and irrigation
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
 (N. or S.) (E. or W.)
 corner of (Section or subdivision)

N. 5° 04' E. 1866.2 feet from the Southeast corner of the Southwest quarter
of Section 34, Township 26 South, Range 13 West of Willamette Meridian.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 6 of Sec. 34, Tp. 26 S.
 (Give smallest legal subdivision) (N. or S.)

R. 13 W., W. M., in the county of Coos.
 (E. or W.)

5. The pipe line to be 175 feet
 (Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the Lot 6 of Sec. 34, Tp. 26 S.
 (Smallest legal subdivision) (N. or S.)
 R. 13 W., W. M., the proposed location being shown throughout on the accompanying map.
 (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate The diversion works is a 36" concrete pipe sunk
 (Timber, concrete, etc., number and size of openings)
in creek bottom, with suction pipe from pump taking water therefrom.

(c) If water is to be pumped give general description Automatic electric pump set
 (Size and type of pump)
for 40 pound pressure, with 1" intake pipe and 3/4" outlet pipe.
 (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At _____ miles from headgate, width on top (at water line) _____
feet; width on bottom _____ feet; depth of water _____ feet;
grade _____ feet fall per one thousand feet.

(c) Length of pipe,175..... ft.; size at intake,1"..... in.; size atpump outlet.....ft.
6' from intake3/4"..... in.; size at place of use3/4"..... in.; difference in elevation between
intake and place of use,14..... ft. Is grade uniform?No..... Estimated capacity,
.....0.02..... sec. ft.

8. Location of area to be irrigated, or place of use

[illegible]

(If more space required, attach separate sheet)

(a) Character of soil Sandy clay

(b) Kind of crops raised Lawn and flowers

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) *The nature of the works by means of which the power is to be developed*

(e) Such works to be located in _____ of Sec. _____
(Legal Subdivision)

Tp. _____, R. _____, W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return _____

....., *Sec.*, *Tp.* (No. N. or S.), *R.* (No. E. or W.), *W. M.*

(h) The use to which power is to be applied is _____

(i) *The nature of the mines to be served*

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 19____.

(b) If for domestic use state number of families to be supplied _____ 1 _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ _____ 150.00 _____
- 12. Construction work will begin on or before _____ March 1, 1946 _____
- 13. Construction work will be completed on or before _____ December 1, 1946 _____
- 14. The water will be completely applied to the proposed use on or before _____ December 1, 1946 _____

(Sgd) W. E. Burrows.
(Signature of applicant)

Remarks: _____ Description of tract owned by Mr. Burrows:-
Beginning at a point on the westerly side of the State Highway through Section 34, _____
Township 26 South, Range 13 West of Willamette Meridian, from which point the _____
quarter section corner of the South boundary of the said Section 34 bears S. 12° 23' _____
W. 1608.1 feet:- and running thence N. 80° W to a stake on the quarter section line _____
running north and south through Section 34; thence North along said quarter section _____
line 385 feet to a stake; thence East to stake on westerly side of State Highway _____
which is 435 feet northerly from the point of beginning; thence East to high water _____
line of Isthmus Slough; thence Southerly along the said high water line to point due _____
East of place of Beginning; thence West to place of Beginning. _____

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 194____.

WITNESS my hand this _____ day of _____, 194____.

STATE ENGINEER

Application No. 21422

Permit No. 16805

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 19th day of February,
1946 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 1, 1946

Recorded in book No. 41 of

Permits on page 16805

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 17 Page 10-B

Fees Paid \$14.50

PERMIT

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from and unnamed creek

The use to which this water is to be applied is domestic and irrigation

If for irrigation, this appropriation shall be limited to of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 19, 1946

Actual construction work shall begin on or before June 1, 1947 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 1st day of June, 1946.

CHAS. E. STRICKLIN
STATE ENGINEER