

\* APPLICATION FOR A PERMIT CERTIFICATE NO. 17057

To appropriate the Public Waters of the State of Oregon

I, Esther Moore Clemmens (Name of applicant) of McMinnville (Post office), County of Yamhill, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Yamhill River (Name of stream), a tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 0.50 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 910 ft. S and 40 ft. East from the N.W. corner of the S.E. 1/4 Section 10 Tp. 4 S. R. 4 W. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the N.W. 1/4 of SE 1/4 of Sec. 10, Tp. 4 S, R. 4 W., W. M., in the county of Yamhill

5. The Pipe Line to be 1500 feet in length, terminating in the S.W. 1/4 of S.E. 1/4 of Sec. 10, Tp. 4 S, R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— No dam

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Typhoon--2 1/2 inch inlet 2" outlet 3 horse power Electric Motor 70 foot head 8 5gpm sprinklers

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	4 W	10	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	25
"	"	"	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	15
				40
Property on which water is to be used is a part of that more explicitly described by applicant as follows: Begin a part of the Joseph R. Young D. L. C., Notification No. 1231, Claim No. 68 in Township 4 South Range 4 West of the Willamette Meridian, Yamhill County, Oregon, and beginning at a point in the center of the North Yamhill River at a point 805.15 feet South and South 37° 50' East 38.22 feet from the North East corner of the Madison Malone Claim; Thence South 1717.55 feet to iron pipe on the North margin of the State Highway; Thence following North margin of said State Highway as follows: South 89° 37' East 237.60 feet; Thence North 83° 52' East 182.23 feet; Thence North 70° 00' East 150.90 feet; Thence North 56° 06' East 182.22 feet; Thence North 46° 40' East 334.96 feet to the center line of the old County road now abandoned at west end of old trestle; Thence North 52° 06' East along center line of old County Road 409.20 feet to the center of the North Yamhill River; Thence up the center of river as follows: Thence North 23° 28' West 246.84 feet; Thence North 6° 08' East 728.71 feet; Thence North 8° 30' West 488.41 feet; Thence North 21° 30' West 244.24 feet; Thence North 78° 45' West 180.89 feet; Thence South 73° 59' West 695.48 feet; Thence South 5° 37' West 355.48 feet; Thence South 27° 57' West 158.54 feet; Thence South 81° 34'				

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil ..... Will. soil .....

(b) Kind of crops raised ..... Trnk gardens and Flowers .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1200.00 .....

12. Construction work will begin on or before Has been commenced .....

13. Construction work will be completed on or before June 1--1946 .....

14. The water will be completely applied to the proposed use on or before June 1--1946 .....

(Sgd) Esther Moore Clemmens

(Signature of applicant)

Signed in the presence of us as witnesses:

(1) ..... (Name) ..... (Address of witness)

(2) ..... (Name) ..... (Address of witness)

Remarks: .....

Continued from Item 8)

West 89.50 feet; Thence North 37° 50' West 86.04 feet to the place of beginning and containing 55.00 acres, more or less, being Lot No. 1 of County Survey No. 2757.

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 194.....

WITNESS my hand this ..... day of ....., 194.....

STATE ENGINEER

Application No. 21426

Permit No. 16808

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 20th day of February, 1946, at 2:50 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 1, 1946

Recorded in book No. 41 of

Permits on page 16808

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 90 J

Fees Paid \$11.00

STATE OF OREGON

County of Marion,

ss

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Yamhill River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 20, 1946

Actual construction work shall begin on or before June 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 1st day of June, 1946

CHAS. E. STRICKLIN STATE ENGINEER