

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Gladys P. Crow (Name of applicant)

of Jacksonville, Rural Route (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring (Name of stream)

Big Applegate watershed, a tributary of Big Applegate River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic, public use and 1/2 ac. garden (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 300 ft. N. and 330 ft. W. from the S. 1/4 corner of Sec. 2 (N. or S.) (E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S. E. 1/4 S. W. 1/4 of Sec. 2, Tp. 1 S. (Give smallest legal subdivision) (N. or S.)

R. 4 W., W. M., in the county of Jackson (E. or W.)

5. The pipeline to be 1560 feet (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the S. E. 1/4 S. W. 1/4 of Sec. 2, Tp. 1 S. (Smallest legal subdivision) (N. or S.)

R. 4 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry,

spring rocked in with iron cover rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate two storage tanks used, one 300 gallons and (Timber, concrete, etc., number and size of openings)

one 2000 gallons, both piped to use separately

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one and public use

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 500.00.....

12. Construction work will begin on or before one year from date of priority

13. Construction work will be completed on or before two years from date of priority

14. The water will be completely applied to the proposed use on or before three years from

..... date of priority.....

(Sgd) Gladys P. Crow.....

(Signature of applicant)

Jacksonville, Ore.....

Rural Rte.

Remarks:

Deed records of Jackson County show that applicant owns the

entire S.E. 1/4 S.W. 1/4 of Sec. 2 T. 41 S. R. 4 W. W.M.

recorded on page 417 in vol. 218

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21430

Permit No. 16812

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of February, 1946 at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 1, 1946

Recorded in book No. 41 of Permits on page 16812

CHAS. F. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 16 C.

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring

The use to which this water is to be applied is domestic, public use and 1/2 acre garden

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 25, 1946

Actual construction work shall begin on or before June 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 1st day of June, 1946.

CHAS. F. STRICKLIN STATE ENGINEER