CERTIFICATE NO. 23982

## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

of Rt. 2 Hillsboro	(Name of applican				
NOT THE RESIDENCE OF THE PROPERTY OF THE PROPE	iress)	o kangang mengang mengan			
State ofOregon	Oregon, do hereby make application for a permit to appropriate the				
following described public was	ters of the State of Oregon, SU	BJECT TO EXISTING RIGHTS:			
If the applicant is a corp	oration, give date and place of	incorporation			
	The first state of the state of				
Carport and					
1. The source of the prop	posed appropriation is an unn	amed spring and unnamed stream (Name of stream)			
)	, a tributary of	Tuelatin River			
		0.13 c.f.s. for irrigation from stree apply to beneficial use is			
cubic feet per second	(If water is to be used from more	then one games give growths from each			
	- Contract of the contract of	gation & Domestic including the			
	s and gardens not exceedi				
28 (4)	6QQ N	1200 E			
4. The point of diversio	n is located 300 ft. N	and 600 ft. E from the SW (S.)			
	and the second s	vision)			
	(Section or subdiv	vision)			
N N N N N N N N N N N N N N N N N N N					
	(If preferable, give distance and bearing to				
	(if preferable, give distance and bearing to	section corner)			
the first contract of the cont	an one point of diversion, each must be describ	and the control of the second control of the contro			
being within theSMASWA&	SELSWIL ive smallest legal subdivision)	of Sec. 10 , Tp. 2 5 , (N. or 5.)			
R3. W, W. M., in the c	ounty ofWashington	<u>alian</u> of the temperature (A)			
•	pips  Lain ditch, canal or pipe line)	to be 3/4 mile			
in length, terminating in the					
	(Smallest legal subdivision)	of Sec, Tp, (N. or s.)			
R, W. M., the	proposed location being shown	throughout on the accompanying map.			
R, W. M., the	proposed location being shown	throughout on the accompanying map.			
R, W. M., the	proposed location being shown	throughout on the accompanying map.			
R, W. M., the	proposed location being shown  DESCRIPTION OF W	throughout on the accompanying map. ORKS			
R, W. M., the	proposed location being shown  DESCRIPTION OF W	throughout on the accompanying map. ORKS			
R, W. M., the  (E. or W.)  Diversion Works—  6. (a) Height of dam	proposed location being shown  DESCRIPTION OF W  feet, length on	throughout on the accompanying map.  ORKS  top feet, length at bottom			
R, W. M., the  (E. or W.)  Diversion Works—  6. (a) Height of dam	proposed location being shown  DESCRIPTION OF W  feet, length on	throughout on the accompanying map. ORKS			
R, W. M., the  (E. or W.)  Diversion Works—  6. (a) Height of dam  feet; material	proposed location being shown  DESCRIPTION OF W  feet, length on to be used and character of con	throughout on the accompanying map.  ORKS  top feet, length at bottom  struction			
R, W. M., the  (E. or W.)  Diversion Works—  6. (a) Height of dam  feet; material	proposed location being shown  DESCRIPTION OF W  feet, length on  to be used and character of con	throughout on the accompanying map.  ORKS  top feet, length at bottom  struction (Loose rock, concrete, masonry,			
R, W. M., the  (E. or W.)  Diversion Works—  6. (a) Height of dam  feet; material	proposed location being shown  DESCRIPTION OF W  feet, length on  to be used and character of con  ver or around dam)  gate  (Timber, con-	ORKS  top feet, length at bottom  struction (Loose rock, concrete, mesonry,			
R, W. M., the  (E. or W.)  Diversion Works—  6. (a) Height of dam  feet; material  rock and brush, timber crib, etc., wasteway of  (b) Description of heads	proposed location being shown  DESCRIPTION OF W  feet, length on  to be used and character of con  wer or around dam)  gate  (Timber, con	ORKS  top feet, length at bottom  struction (Loose rock, concrete, masonry,			
R, W. M., the  (E. or W.)  Diversion Works—  6. (a) Height of dam  feet; material  rock and brush, timber crib, etc., wasteway of  (b) Description of heads	proposed location being shown  DESCRIPTION OF W  feet, length on  to be used and character of con  wer or around dam)  gate  (Timber, con	ORKS  top feet, length at bottom  struction (Loose rock, concrete, masonry,			
R, W. M., the  (E. or W.)  Diversion Works—  6. (a) Height of dam  feet; material  rock and brush, timber crib, etc., wasteway of  (b) Description of heads  (c) If water is to be pun	DESCRIPTION OF W  feet, length on  to be used and character of con  wer or around dam)  gate  (Timber, con  nped give general description	ORKS  top feet, length at bottom  struction (Loose rock, concrete, masonry,			

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

adgate. At headg	jate: width on	top (at water li	ne)	feet; width on bot
fe	et; depth of wa	ter	feet, grade	feet fall per
ousand feet. (b) At		m <del>i</del> les from head	daate: width on too (at we	nter line)
		M) 19 X19	igate: width on top (at wo	f water f
				j water j
ade	feet fall	per one thousa		1½"in.13tze at
(c) Length o	f pipe,	ft.; si	ze at intake,1000 "	in. Aze at
om intake	in.;	size at place of	use in.;	difference in elevation betw
take and place of	use,50	ft. Is g	grade uniform?	Estimated capa
(Authorities)		A CONTRACT CONTRACT	kalaman (1997) ya kata da da kata da k	
		rigated or place	e of use	Programme Allert Andrews Commencer
Township	Range	Section Section	Forty-acre Tract	Number Acres To Be Irrigated
				<del></del>
2 S	3 W	<b>10</b>	NM <sup>‡</sup> NM <sup>‡</sup>	Stock & Domestic
	remail in the		Swłnwł	
		reacted to the con-	se <del>l</del> nwł	11 11
		opin i de de	ne4sn4	11
. Jan Maria Jan Jan Jan Jan Jan Jan Jan Jan Jan Ja			NW1SW1	y de la destate de la companya de l La companya de la co
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SW1SW2	
[No. 1   10   10   10   10   10   10   10	•	/ / / / / / / / / / / / / / / / / / /	and the second of the second o	
			sełswł	" # & 10 a
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	a partir de la companya de la compa	
		ing kanggang lan sa	aut la massa atautha mendala	
	1. Chiamento e no la general de	orange i mar ok kann wasa	Suchable Holly Inc. 1984 (b. 1914)	e eta lugui e e industras espa
7		(If more space req	uired, attach separate sheet)	
	r of soil	shot		
(b) Kind of	crops raised	Alfalfa	Clover	
wer or Mining P	. •			en e
	-	ver to be develo	pped	theoretical horsepo
*			ower	
			(Head)	•
		orks by means (	of which the power is to b	se developed
			7 V V V V V V V V V V V V V V V V V V V	
(e) Such	works to be loc	eated in	(Legal Subdivision)	of Sec
),··	, R	, W. M.		
			am?(Yes or No)	
		<del>-</del>	t of return	
		Sec	, Tp(No. N. or S.	.) , R, W
			·	

STATE ENGINEER

Application	No.	21438

Permit No. 16819

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No. District No.	and the second of the second o
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 28th day of February,	tion of the second
	194.6 at 1:35 o'clock P. M.	
	Returned to applicant:	
	Corrected application received:	
	<u> </u>	
en e	Approved: June 1, 1946	
	Recorded in book No. 41 of	
	Permits on page 16819	
e de la companya de	CHAS, E. STRICKLIN STATE ENGINEER	
All the second second	Drainage Basin No. 2 Page 62 M	
• • • • • • • • • • • • • • • • • • •	Fees Paid \$14.50	
	DEDICATE	
STATE OF OREGON,	PERMIT	
County of Marion,	\{ ss	
This is to certify	that I have examined the foregoing application an	d do hereby grant the same,
	G RIGHTS and the following limitations and condi- granted is limited to the amount of water which car	
	0.19 cubic feet per second measured at th	· ·
, w	t in case of rotation with other water users, from	
unnamed stream	the case of rotation with other water users, from	
	this water is to be applied is irrigation and don	estic including the
•	tic lawns and gardens not exceeding 1 acr	
_	for stock and domestic and 0.13 c.f.s. fr	
	ris appropriation shall be limited to 1/80th	
	lent for each acre irrigated and shall be	
	exceed 23 acre feet per acre for each ac	
irrigation season o	of each year, subject to the terms and con	ditions of an agreement
between A. D. Hill	and Lottie Hill; and G. W. Whitmore; and	L. Meyers dated May 14th,
1945,		
		·
	ruch reasonable rotation system as may be ordered	• • •
, ,	of this permit is February 28, 1946	
Actual construction	on work shall begin on or beforeJune 1. 1947	and shall
thereafter be prosecuted	with reasonable diligence and be completed on or b	efore
October 1, 1948 Complete applicat	3Extended to Oct. 1, 1340ion of the water to the proposed use shall be made o	on or before
	ed this 1st day of June	
secondina april	CHA	
Descrits for norman devalorm	Utility	STATE ENGINEER