*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

W- 40	(Name of applicant)
of Medford (Mailing address)	Hotel Medford
	, do hereby make application for a permit to appropriate
following described public waters of th	ne State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, g	give date and place of incorporation
1. The source of the proposed app	propriation is Rexrood springs No. 1 & No. 2 (Name of stream)
Evans Creek Watershed	, a tributary of East Fork Evans Creek
2. The amount of water which th	e applicant intends to apply to beneficial use is
cubic feet per second. being 0.02 c.f	f.s. from both springs (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is	to be applied is domestic and stock. (Irrigation, power, mining, manufacturing, domestic supplies, etc.
	(Irrigation, power, mining, manufacturing, domestic supplies, etc.
	ted 1125 ft. N. and 450 ft. W. from the Ed
corner of Section 21 from No. 1 S	Spring and 775 ft. S. and 750 ft. W. from the (Section or subdivision)
N.E. corner of Section 21 from	
(If prefer	rable, give distance and bearing to section corner)
	able, give distance and bearing to section corner)
(If the place than one point	of diversion, each must be described. Use separate sheet if necessary)
(If the larger than one point SEANEA LEADER Within the NEANEA (Give smallest leader)	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34. S. gal subdivision) (N. or S.)
being within the NEINEI (Give smallest le	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34. S. egal subdivision) (N. or S.) Jackson
being within the NEINEI (Give smallest le	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34. S. egal subdivision) (N. or S.) Jackson
being within the NEINEI (Give smallest le	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34. S. egal subdivision) (N. or S.) Jackson
(If SEANE PROFE than one point SEANE (Give smallest le (Give smallest le (E. or W.) , W. M., in the county of SEANE (Main direction length, terminating in the NEANE)	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 Sa egal subdivision) to be 300 feet nal or pipe line) to be 300 feet (Miles or feet) of Sec. 21 , Tp. 34 Sa allest legal subdivision) (N. or S.)
(If SEANE PROFE than one point SEANE (Give smallest le (Give smallest le (E. or W.) , W. M., in the county of SEANE (Main direction length, terminating in the NEANE)	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 Segal subdivision) to be 300 feet pal or pipe line) to be 300 feet (Miles or feet) all or size and subdivision) (N. or S.) to be 300 feet (Miles or feet) (N. or S.)
being within the	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 Segal subdivision) to be 300 feet pal or pipe line) of Sec. 21 , Tp. 34 Segal subdivision) (N. or S.) I location being shown throughout on the accompanying map.
being within the	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 Segal subdivision) to be 300 feet pal or pipe line) of Sec. 21 , Tp. 34 Segal subdivision) (N. or S.) I location being shown throughout on the accompanying map.
(If State a racre than one point SEANEA (Give smallest le (Give smallest le (Give smallest le (E. or W.)) 5. The pipe line (Main dire) EANEA (Smallest le (Small	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 S. gal subdivision) to be 300 feet pal or pipe line) (Miles or feet) all or sipe line) for Sec. 21 , Tp. 34 S. hilest legal subdivision) (N. or S.) I location being shown throughout on the accompanying map.
(If State a racre than one point SEANEA (Give smallest le (Give smallest le (Give smallest le (E. or W.) , W. M., in the county of SEANEA (Smallest le (E. or W.)) 5. The pipe line (Main dire) EANEA (Smallest le	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 Segal subdivision) to be 300 feet pal or pipe line) of Sec. 21 , Tp. 34 Segal subdivision) (N. or S.) I location being shown throughout on the accompanying map.
(E. or W.)	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 S. gall subdivision) to be 300 feet pal or pipe line) of Sec. 21 , Tp. 34 S. hillest legal subdivision) l location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at both
(If State a racre than one point SEANEA (Give smallest le (Give smallest le (Give smallest le (Give smallest le (E. or W.)) 5. The pipe line (Maio dire) En length, terminating in the NEANEA (S. (E. or W.)) Diversion Works— 6. (a) Height of dam	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 S (N. or S.) Jackson to be 300 feet pal or pipe line) of Sec. 21 , Tp. 34 S (N. or S.) Allest legal subdivision) (N. or S.) I location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at both and character of construction (Loose rock, concrete, materials)
Can being within the	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 S. gal subdivision) to be 300 feet (Miles or feet) all or pipe line) of Sec. 21 , Tp. 34 S. allest legal subdivision) (N. or S.) d location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at both and character of construction (Leose rock, concrete, mand d dam)
Can being within the	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 Sa egal subdivision) Jackson to be 300 feet (Miles or feet) for Sec. 21 , Tp. 34 Sa allest legal subdivision) Allocation being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at both and character of construction (Leose rock, concrete, made dam) direct (Timber, concrete, etc., number and size of openings)
Diversion Works— 6. (a) Height of dam feet; material to be use Springs boxed in with lumber. (Give smallest le (Main dire) (Main dir	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21, Tp. 34, S. egal subdivision) Jackson to be 300 feet (Miles or feet) all or pipe line) of Sec. 21, Tp. 34, S. hilest legal subdivision) (N. or S.) I location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at both and character of construction (Leose rock, concrete, many direct (Timber, concrete, etc., number and size of openings)
being within the NEINE (Give smallest in R. 2 W. M., in the county of SEANE SE	of diversion, each must be described. Use separate sheet if necessary) of Sec. 21 , Tp. 34 Sa egal subdivision) Jackson to be 300 feet (Miles or feet) for Sec. 21 , Tp. 34 Sa allest legal subdivision) Allocation being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at both and character of construction (Leose rock, concrete, made dam) direct (Timber, concrete, etc., number and size of openings)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

peet; depth of water peet; grade peet; grade peet; grade peet; grade peet; grade peet; grade peet; width on bottom peet; width on bo	eadgate. At head	lgate: width on	top (at water	line)	feet; width on bott
feet; width on bottom feet; depth of water from headgate; width on top (atwater line) feet; width on bottom feet; depth of water feet; depth of water feet; depth of pipe, 300 fs.; size at intake, in.; size at 300 mintake in.; size at place of use 3/4 in.; difference in elevation between take and place of use, ft. Is grade uniform? Estimated capac sec. ft. 8. Location of area to be irrigated, or place of use Trumbing Fances feeting for place of use SELINEL Stock 34 S. 2 N. 21 NEFEE Stock SELINEL Pagnetic & stock SELINEL Pagnetic & stock Of more space required, stack separate about to the original of the power of Mining Purposes— 9. (a) Total amount of power to be developed theoretical horseport (c) Quantity of water to be used for power for Mining Purposes— (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in Gagai Subdivision of Sec. (a) Cons. N. or S. N. or W. M. (f) Is water to be returned to any stream? (No. N. or S.) R. ON. E. or W. M. (g) If so, name stream and locate point of return. Sec. Tp. or N.	f	eet; depth of wa	tet as in a	feet; grade	feet fall per c
feet; width on bottom feet; depth of water feet all per one thousand feet. (c) Length of pipe, 300 ft.; size at thtake, l. in.; size at 300 mintake l. in.; size at place of use 3/4 in.; difference in elevation betw take and place of use, ft. Is grade uniform? Estimated capac sec. ft. 8. Location of area to be irrigated, or place of use Township Range Section Porty-see Tract To Be Irrigated 34 S. 2 W. 21 NEARL Stock SEANL Domestic & Stock SEANL Domestic & Stock SCANL Domestic & Stock Other of the propose sequence, stack separate deep to the correct of the propose sec. ft. (c) Total and unt of power to be developed feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in again Subdivision of Sec. (g) If so, name stream and locate point of return. Sec. T. TP. (No. N. or B.) R. (Mo. E. or W.) W. M. (f) Is voter to be returned to any stream? (No. N. or B.) R. (Mo. E. or W.) W.	ousand feet.	d	miles from he	adaate: width on ton (at an	aton line)
de					
(c) Length of pipe, 200	j	feet; width on b	ottom	feet; depth o	f water fe
om intake 1. in.; size at place of use 3/4 in.; difference in elevation between take and place of use, ft. Is grade uniform? Estimated capac sec. ft. 8. Location of area to be irrigated, or place of use Vowanity Range Section Porty-ters Tract To be irrigated. 34 S. 2 N. 21 NETRE Stock SETATE Stock Digmestic & stock SETATE Stock Digmestic & stock (a) Character of soil (b) Kind of crops raised cover or Mining Purposes— 9. (a) Total amount of power to be developed thought the power of Mining Purposes— (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized season of which the power is to be developed (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in capacity of the works by means of which the power is to be developed (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return (see w. Tp. (No. N. or S.) (No. E or W.) (No. E or W.)	ade	feet fall	per one thous	and feet.	
take and place of use, ft. Is grade uniform? Estimated capace sec. ft. 8. Location of area to be irrigated, or place of use. Township Range Section Porty-dere Tract Township Access 34 S. 2 W. 21 NEARE Stock SEANE STANE Stock SEANE STANE Stock SEANE STANE STOCK SEANE STANE STOCK (a) Character of soil (b) Kind of crops raised (b) Kind of crops raised (c) Character of soil (c) Character of soil (d) The nature of the works by means of which the power is to be developed (d) The nature of the works by means of which the power is to be developed (d) The nature of the works by means of which the power is to be developed (f) Is water to be returned to any stream? (The William Character No. 10 Ch	(c) Length	of pipe, 300	ft.;	size at intake, 1.	in.; size at300
take and place of use, ft. Is grade uniform? Estimated capace sec. ft. 8. Location of area to be irrigated, or place of use. Township Range Section Porty-dere Tract Township Access 34 S. 2 W. 21 NEARE Stock SEANE STANE Stock SEANE STANE Stock SEANE STANE STOCK SEANE STANE STOCK (a) Character of soil (b) Kind of crops raised (b) Kind of crops raised (c) Character of soil (c) Character of soil (d) The nature of the works by means of which the power is to be developed (d) The nature of the works by means of which the power is to be developed (d) The nature of the works by means of which the power is to be developed (f) Is water to be returned to any stream? (The William Character No. 10 Ch	om intake 1.	in.:	size at place o	f use $\frac{3/4}{in}$:	difference in elevation between
Sec. ft. 8. Location of area to be irrigated, or place of use Township Range Section Township Townsh					
8. Location of area to be irrigated, or place of use Township Range Section Forty-sere Tract The brigated 34 S. 2 W. 21 NEARE Stock SEANE Domestic & stock SEANE Domestic & stock (a) Character of soil (b) Kind of crops raised Ower or Mining Purposes— 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (c) Such works to be located in (d) Is water to be returned to any stream? (g) If so, name stream and locate point of return (g) If so, name stream and locate point of return (g) If so, name stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return (g) Res. Name Stream and locate point of return	take ana piace o	j use,	јс. 18	grade unijorm:	Estimated capaci
Township Range Section Forty-acre Truct Number Acree 75 Be Irrigated 34 S. 2 W. 21 NEWNS Stock SERVE Stock SERVE Stock SERVE Department of Stock Other State Stock Other State Stock Other State Stock SERVE Department of Stock Other State Stock Digmestic & Stock Digmestic & Stock Other State Stock Other St		sec. ft.			and the second second
A S. 2 W. 21 NETRE Stock SEARE Domestic & stock Of more space required, stack separate sheet) (a) Character of soil (b) Kind of crops raised ower or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horseport (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (a) The nature of the works by means of which the power is to be developed (b) Such works to be located in the control of the works by means of which the power is to be developed (c) Such works to be located in the control of the works by means of which the power is to be developed (c) Such works to be located in the control of the works by means of which the power is to be developed (c) Such works to be located in the control of the works by means of which the power is to be developed (c) Such works to be located in the control of the works by means of which the power is to be developed (c) Such works to be located in the control of the works by means of which the power is to be developed (c) Such works to be located in the control of the works by means of which the power is to be developed (c) Such works to be located in the control of the works by means of which the power is to be developed (c) Such works to be located in the control of the works by means of which the power is to be developed (c) Such works to be located in the control of the works by means of which the power is to be developed.	8. Location	of area to be ir	rigated, or plo	ice of use	
Climore space required, attach separate sheet) (a) Character of soil (b) Kind of crops raised (c) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (a) Such works to be located in (b) Quantity of water to the works by means of which the power is to be developed (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (f) Is water to be returned to any stream? (Tes or No) (g) If so, name stream and locate point of return Sec. , Tp. (No. N. or S.) , R. (No. E. or W.) , W. M.	Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
Cl'inore space required, attach separate absent) (a) Character of soil (b) Kind of crops raised Ower or Mining Purposes 9. (a) Total amount of power to be developed	34 S.	2 W.	21	ne l ne l	Stock
(a) Character of soil (b) Kind of crops raised Ower or Mining Purposes— 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (a) Clessal (b) Guessian (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (a) Such works to be located in (b) Guessian (c) Such works to be returned to any stream? (c) Such works to be returned to any stream? (c) If so, name stream and locate point of return (c) Sec. (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (f) Is water to be returned to any stream? (res or No) (g) If so, name stream and locate point of return (No. N. or S.) (No. N. or S.)			the state of	criuri	Percetto & stock
(a) Character of soil (b) Kind of crops raised (c) Total amount of power to be developed (d) Total amount of power to be developed (e) Such works to be utilized (f) The nature of the works by means of which the power is to be developed (e) Such works to be located in (e) Such works to be located in (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return Sec. , Tp. (No. N. or S.) , R. (No. E. or W.)			ಷ್ಟ್ರಾಕ್ ಆ ೧೫	DETNET	SOMES CTC SUBJOCE
(a) Character of soil (b) Kind of crops raised ower or Mining Purposes 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (e) Such works to be located in (Read) (g) If so, name stream and locate point of return (No. N. or S.) (No. N. or S.) (No. N. or S.) (g) If so, name stream and locate point of return (No. N. or S.)			£8 £ £		
(a) Character of soil (b) Kind of crops raised ower or Mining Purposes 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (e) Such works to be located in (Read) (g) If so, name stream and locate point of return (No. N. or S.) (No. N. or S.) (No. N. or S.) (g) If so, name stream and locate point of return (No. N. or S.)		in the second with the contract of	·	The same of the sa	•
(a) Character of soil (b) Kind of crops raised ower or Mining Purposes 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (e) Such works to be located in (Read) (g) If so, name stream and locate point of return (No. N. or S.) (No. N. or S.) (No. N. or S.) (g) If so, name stream and locate point of return (No. N. or S.)		• A C. A A CAMPAGA A CAMPA	The state of the state of	r the least the second	
(a) Character of soil (b) Kind of crops raised ower or Mining Purposes 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (e) Such works to be located in (Read) (g) If so, name stream and locate point of return (No. N. or S.) (No. N. or S.) (No. N. or S.) (g) If so, name stream and locate point of return (No. N. or S.)					
(a) Character of soil (b) Kind of crops raised				•	
(a) Character of soil (b) Kind of crops raised					
(a) Character of soil (b) Kind of crops raised	· · · · · · · · · · · · · · · · · · ·		2.00		
(a) Character of soil (b) Kind of crops raised					
(a) Character of soil (b) Kind of crops raised			. 1		· · · · · · · · · · · · · · · · · · ·
(a) Character of soil (b) Kind of crops raised					
(a) Character of soil (b) Kind of crops raised			.: a	2 T 2 W 1	
(a) Character of soil (b) Kind of crops raised		12.525050 (1.15.)	1384 SELL TV- 14		
(b) Kind of crops raised ower or Mining Purposes 9. (a) Total amount of power to be developed	2 7 7 75		(If more space r	equired, attach separate sheet)	
9. (a) Total amount of power to be developed	(a) Charac	ter of soil			
9. (a) Total amount of power to be developed	(b) Kind o	f crops raised			
9. (a) Total amount of power to be developed	ower or Mining	Purposes—	and the		
(b) Quantity of water to be used for powersec. ft. (c) Total fall to be utilized	6 3 c 4 c 2 c 2 c		ver to be deve	loped	theoretical horsepor
(c) Total fall to be utilized					
(d) The nature of the works by means of which the power is to be developed (e) Such works to be located in		• •			
(e) Such works to be located in (Legal Subdivision) p. (No. N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec. , Tp. , R. , W. (No. N. or S.) (No. E. or W.)		•	(
(e) Such works to be located in (Legal Subdivision) p. (No. N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec. , Tp. , R. , W. (No. N. or S.) (No. E. or W.)		_	_	-	be developed
(g) If so, name stream and locate point of return Sec, W. M	estaulite n j i		41, 41, 41,		3.38.3
(g) If so, name stream and locate point of return Sec, W. M	(e) Suc	h works to be lo	cated in	The second second	of Sec
(f) Is water to be returned to any stream?				* '	•
(g) If so, name stream and locate point of return Sec, Tp, R, W	,	•	- · ·		
, Sec. , Tp. , R. , No. E. or W.)	(f) Is w	ater to be retur	ned to any str	ream?(Yes or No)	
	(g) If s	o, name stream	and locate poi	nt of return	
			Sec	Tp.	, R
1 IL 1 I DO 1150 TO 10020 O TO ADDRESS TO DO ADDRESS 10					

. .

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....,

WITNESS my hand this day of, 194, 194

Application No.	21439
Permit No	16820

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

STATE OF OREGON,	PERMIT	
County of Marion,		
	t I have examined the foregoing application and	do homohu amant the came
This is to certify that SUBJECT TO EXISTING F	t I have examined the foregoing application and RIGHTS and the following limitations and condition	do hereby grant the same,
DODUDOL TO BILLDIANG I	ted is limited to the amount of water which can	·
The right herein gran		
	• •	naint of dimension from the
and shall not exceed	4 cubic feet per second measured at the	
and shall not exceed	• •	
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	exrood springs No. 1
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock in	exrood springs No. 1
and shall not exceed	4 cubic feet per second measured at the	exrood springs No. 1
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	being p 0.01 c.f.s.
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	being \$ 0.01 c.f.s.
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	being \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	being \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	being \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	being \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	being \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	being \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	being \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	being p 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	being p 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	being \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	peing p 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from	peing p 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	peing p 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per the proper state officer.
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	peing \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per the proper state officer. and shall
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	peing \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per the proper state officer. and shall
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	peing \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per the proper state officer. and shall
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	peing \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per the proper state officer. and shall
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	peing \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per the proper state officer. and shall fore or before
and shall not exceed	cubic feet per second measured at the case of rotation with other water users, from water is to be applied is domestic and stock c.f.s. for stock from south spring and appropriation shall be limited to	peing \$ 0.01 c.f.s. 0.02 c.f.s. for stock of one cubic foot per the proper state officer. and shall fore or before