

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. P. Hamby (Name of applicant) of Ashland (Mailing address), Route 2, Box 39, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is No. 1 & No. 2 Hamby Springs (Name of stream) Bear Creek Watershed, a tributary of Bear Creek. 2. The amount of water which the applicant intends to apply to beneficial use is 0.12 cubic feet per second, being 0.02 from #1 spring for domestic & stock and 0.10 from #2 spring for irrigation. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic, irrigation & stock. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of No. 1 spring is S. 24° -55' W. 1785 ft. and No. 2 spring is S. 35°-45' E. 2830 ft. from the corner common to Sections 28, 29, 32 & 33. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 Sec. 33 of Sec. 32, Tp. 38 S., R. 1 E., W. M., in the county of Jackson

5. The pipe & ditch to be 7000 feet in length, terminating in the SE 1/4 Sec. 32 - irrigation of Sec. 32, Tp. 38 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Springs boxed in with redwood 4 x 8 x 12 feet deep rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate Direct from springs.

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2. feet; width on bottom 1. feet; depth of water 0.3 feet; grade feet fall per one thousand feet.

(b) At 3200 feet miles from headgate: width on top (at water line) 1.5 feet; width on bottom 1.0 feet; depth of water .5 feet; grade 2. feet fall per one thousand feet.

(c) Length of pipe, 3900 ft.; size at intake, 2. in.; size at 3600 ft. from intake 1. in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 60 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
38 S.	1 E.	32	SE $\frac{1}{4}$ SE $\frac{1}{4}$	6 acres, domestic & stock
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	2 acres

(If more space required, attach separate sheet)

(a) Character of soil black sticky

(b) Kind of crops raised clover

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. ,
(Legal Subdivision)

Tp. , R. , W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
 , Sec. , Tp. , R. , W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied **one**

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ **2000.00**

12. Construction work will begin on or before **one year** from date of priority.

13. Construction work will be completed on or before **two years** from date of priority.

14. The water will be completely applied to the proposed use on or before **three years** from date of priority.

(Sgd) **W. P. Hamby**

(Signature of applicant)

Rt 2 Box 39-

Remarks:

STATE OF OREGON, }

County of Marion, } **ss**

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21441

Permit No. 16822

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of February, 1946 at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 1, 1946

Recorded in book No. 41 of

Permits on page 16822

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 24

Fees Paid \$14.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.12 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hamby Springs

The use to which this water is to be applied is domestic, stock and irrigation, being 0.02 c.f.s. from west spring for domestic and stock and 0.10 c.f.s. from east spring for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 28, 1946

Actual construction work shall begin on or before June 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 1st day of June, 1946

CHAS. E. STRICKLIN

STATE ENGINEER