

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Charles C. Boozier (Name of applicant) of 914 Porter Bldg., Portland (Mailing address), Multnomah State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Boeckman Creek (Name of stream) (formerly Stein Creek), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is .5 cubic feet per second. Supplement water from Willamette River to compensate for any deficiency in Boeckman Creek. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is for irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1000 ft. S and 1000 ft. E from the NW corner of Section 24 T3S R1 West (Section or subdivision)

The above described point of diversion on Boeckman Creek.

Other point will be any point where farm faces Willamette River (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW 1/4 NW 1/4 of Sec. 24, Tp. 3S (Give smallest legal subdivision) (N. or S.)

R. 1 W, W. M., in the county of Clackamas (E. or W.)

5. The See permit #7491. Dam was built in 1926 to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)

R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— No work required.

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Delivery has not been made on equipment. We hope to use 7-1/2 H.P. motor connected to R. M. Wade pump. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3S	1W WM	24	NW $\frac{1}{4}$ NW $\frac{1}{4}$ 13 SW $\frac{1}{4}$ NW $\frac{1}{4}$ 27	40
Part of the Daniel Minkler D.L.C. #44, in Section 24, in T.3S.R. 1. West of W.M. described as: Beginning at a point 10 chains East of the southwest corner of Section 13, in T.3 S.R. 1. West of the W. M., thence east by way of Section line 17.41 chains to a post from which an older 6 inches in diameter bears north 24 $\frac{1}{2}$ degrees East 41 links; thence south 40 chains to the left bank of the Willamette River; thence up said river 21.4 chains to the southwest corner of said claim; thence north 51.75 chains to the place of beginning, also Beginning at the Northeast corner of the above described land which point is S. 89 degrees 32' W. 12.59 chains from the quarter section corner on the north line of section 24, in T. 3.S.R.1. West of W.M., thence S. 27 degrees E. 4.07 chains to a point; thence S. 13 degrees 55' E. to the center of Market Road #12; thence Easterly along said road 118.6 feet; thence S. 10 degrees 05' West 24.75 feet to an iron pipe; thence S. 10 degrees 05' W. 52.3 feet to an iron bar; thence S. 50 degrees 50' W. 82.9 feet; thence S. 8 degrees 59' East 361.26 feet; thence S. 16 degrees 38' West 77.3 feet; thence S. 67 degrees 53' W. 251.4 feet to an iron pipe on the East line of the above described land; thence North on East line of the first above described land 16.37 chains to the place of beginning;				

(If more space required, attach separate sheet)

(a) Character of soil Willamette soil

(b) Kind of crops raised Ladino clover for seed

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... No cost

12. Construction work will begin on or before Not required

13. Construction work will be completed on or before Not required

14. The water will be completely applied to the proposed use on or before July 1946

(Sgd) Charles C. Boozier

(Signature of applicant)

Remarks: In case we cannot secure electric motor we will use a gas engine.

After we secure equipment and cost of pumping can be determined, we wish to take all of the water from Boechman Creek and supplement water from Willamette River. In no case will we use more than .5 cubic feet per second total for the 40 acres.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 15, 1946
April 20, 1946

WITNESS my hand this 15th day of March, 1946
20th March 1946

CHAS. E. STRICKLIN

STATE ENGINEER

By Ed K. Humphrey, Assistant kp

Application No. 21476
Permit No. 16845

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 13th day of March,
1946 at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:
June 1, 1946

Recorded in book No. 41 of
Permits on page 16845
CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 76-P
2 64 B
Fees Paid \$11.00

PERMIT

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Boeckman Creek and
Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year; provided further that water shall be used from the
creek when available and provided that any deficiency in the creek supply shall be
compensated for by diversion from the river,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 13, 1946

Actual construction work shall begin on or before June 1, 1947 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 1st day of June, 1946

CHAS. E. STRICKLIN

STATE ENGINEER