

CERTIFICATE NO. 19561

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Robert Humphrey of Eagle Point State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Reese Creek a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 1.00 cubic feet per second being 0.95 c.f.s. from creek and 0.01 from spring

**3. The use to which the water is to be applied is fish propagation

4. The point of diversion is located 458 ft. N. and 1200 ft. E. from the corner of Section 12 from Reese Creek and 40 ft. S. & 920 ft. E. from the corner of Section 12 from spring

being within the SW 1/4 & NW 1/4 of Sec. 12, Tp. 35 S., R. 1 W., W. M., in the county of Jackson

5. The ditch to be 300 feet in length, terminating in the SW 1/4 NW 1/4 of Sec. 12, Tp. 35 S., R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 200 feet, length at bottom 150 feet; material to be used and character of construction dirt

(b) Description of headgate 2 x 2 x 2 ft. diversion box

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... 100.00

12. Construction work will begin on or before ... One year from date of priority.

13. Construction work will be completed on or before ... Two years from date of priority.

14. The water will be completely applied to the proposed use on or before ... Three years from date of priority.

(Sgd) Robert Humphrey

(Signature of applicant)

Eagle Point

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21481

Permit No. 16848

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of March 1946 at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 1, 1946

Recorded in book No. 41 of Permits on page 16848

Chas. E. Stricklin STATE ENGINEER

Drainage Basin No. 15 Page 78 D

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.00 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Reese Creek and spring being 0.99 c.f.s. from creek and 0.01 from spring

The use to which this water is to be applied is fish propagation

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 15, 1946

Actual construction work shall begin on or before June 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948 Extended to Oct. 1, 1950

Complete application of the water to the proposed use shall be made on or before October 1, 1949 Extended to Oct. 1, 1950

WITNESS my hand this 1st day of June, 1946

CHAS. E. STRICKLIN STATE ENGINEER