

PERMIT NO. 20490

\* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, We, Fred A. Anderson and Verna F. Anderson (Name of applicant) of Lakeview (Post office), County of Lake State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring (unnamed) (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1/20th cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic supply including lawn and household garden sprinkling. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1024.3 ft. N and 1308.2 ft. E from the SW corner of Section 4, Township 41 S. R. 13 W. W. M., Curry County, Oregon, (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 4, Tp. 41 S, R. 13 W., W. M., in the county of Curry (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 200 feet, more or less, (Miles or feet) in length, terminating in the SE 1/4 SW 1/4 of Sec. 4, Tp. 41 S, R. 13 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 1/2 feet, length on top 1 1/2 feet, length at bottom 1 1/2 feet; material to be used and character of construction concrete (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 1 1/2" pipe (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1/2 H/P electric pump (Size and type of pump) Water to be lifted 30 feet. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 200 ..... ft.; size at intake, 1½ ..... in.; size at 200 ..... ft. from intake ..... 1 ..... in.; size at place of use ..... 1 ..... in.; difference in elevation between intake and place of use, 30 ..... ft. Is grade uniform? no ..... Estimated capacity, .07 ..... sec. ft.

8. Location of area to be irrigated, or place of use SE¼SW¼ Sec. 4.

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
41 S	14 W			
No irrigation except sprinkling lawn and household garden.				
Starting from the Southwest corner of the J. G. Benson property which is located in the S. E. Quarter of the S. W. Quarter of Section 4, Township 41 South, Range 13 West, Willamette Meridian, running North 375.4 feet to point of beginning, thence North 185 feet, thence 10 degrees North of East, a distance of 235.5 feet, thence South 185 feet, thence 10 degrees South of West 235.5 feet to point of beginning, containing one acre, more or less, and all lying and being in Curry County, State of Oregon, subject to existing water pipe right of way.				

(If more space required, attach separate sheet)

(a) Character of soil loan

(b) Kind of crops raised No crops. Lawn and household garden.

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... 250.00 .....

12. Construction work will begin on or before Has been begun.....

13. Construction work will be completed on or before October 1, 1946.....

14. The water will be completely applied to the proposed use on or before October 1, 1946.....

(Sgd) Fred A. Anderson.....  
(Signature of applicant)

(Sgd) Verna F. Anderson.....

By Fred A Anderson

Signed in the presence of us as witnesses:

(1) .....  
(Name) (Address of witness)

(2) .....  
(Name) (Address of witness)

Remarks: THIS application covers additional water to that already appropriated to the same applicants under Water Right Certificate No. 14728. Certificate No. 14728 covers only 100 gallons of water per day which is greatly inadequate and which is much less than the amount which is being actually diverted and used. This application is therefore in the nature of a supplemental application for additional water to be used in the same project as that covered in Certificate No. 14728 but the applicant has made some additions to the system and will make certain further additions, including installation of a larger pump, additional pipelines and enlargement of the water intake

The same map which is attached to Application No. 19647 applies to this application. If the map cannot be incorporated in this application by reference only, then will you please cause additional copies of the map to be made and attach the same to this application so as to make it complete?

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 29, 1946.

WITNESS my hand this 28th day of March, 1946.

CHAS. E. STRICKLIN  
STATE ENGINEER

By Ed K. Humphrey, Assistant

Application No. 21497

Permit No. 16860

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 22nd day of March, 1946, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 1, 1946

Recorded in book No. 41 of

Permits on page 16860

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 2 C

Fees Paid \$10.00

STATE OF OREGON

County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from spring (unnamed)

The use to which this water is to be applied is domestic supply, including lawn and household garden sprinkling of an area not exceeding 1/2 acre.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 22, 1946

Actual construction work shall begin on or before June 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before October 1, 1949

WITNESS my hand this 1st day of June, 1946

CHAS. E. STRICKLIN STATE ENGINEER