

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Wava Haga Chesley (Name of applicant) of Bandon (Post office), County of Coos, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream (Name of stream), a tributary of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is 1/100 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic Supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (Section or subdivision) S 1/4 E 360.0' from N.W. Cor. of N.W. 1/4 of N.E. 1/4 Sec. 28, T 28 S. R. 14 W. W.M. Ore. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the N.W. 1/4 of N.E. 1/4 of Sec. 28, Tp. 28 S, R. 14 W, W. M., in the county of Coos

5. The Extending S 66° W 240' to Residence to be 3/4" Gal. Pipe 240' long in length, terminating in the N.W. 1/4 of N.E. 1/4 of Sec. 28, Tp. 28 S, R. 14 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6' feet, length on top 6' feet, length at bottom 6 feet; material to be used and character of construction Concrete Tank 6' x 6' x 6' with small Electric pump & 3/4" pipe line to Wava Haga Chesleys Residence has been in operation for a number of years.

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Small electric pump with Head of 70 feet. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
28 S	14 W	28	NW 1/4 NE 1/4	
Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at a point 308.6 feet South of the North West corner of the North West quarter of the North East quarter of section 28, in Township 28 South of Range No. 14 West of the Willamette Meridian, Coos County Oregon. Thence East 300.0 feet; thence South 375.8 feet; thence West 300.0 feet; thence North 375.8 feet to the place of beginning, containing 2.588 acres, excepting a strip 10.0 feet wide off the entire West side for right of way.				

(If more space required, attach separate sheet)

- (a) Character of soil
- (b) Kind of crops raised

Power or Mining Purposes—

- 9. (a) Total amount of power to be developed theoretical horsepower.
- (b) Quantity of water to be used for power sec. ft.
- (c) Total fall to be utilized feet.
- (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

..... (Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

(Sgd) Wava Haga Chesley.....
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) (Sgd) Voyle Perry....., Bandon Oregon.....
(Name) (Address of witness)

(2) (Sgd) J. Arthur Berg....., Coquille Oregon.....
(Name) (Address of witness)

Remarks: This instillation has been completed and in operation for a number
of years, and was thought by myself to be covered by Application No. 18,569, Permit
No. 14,128, but upon surveys recently made, was found not to be covered by these
Applications and Permits, or any of the filings recorded in the office of the State
Engineer

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21494

Permit No. 16927

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 20th day of March, 1946, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1946

Recorded in book No. 41 of

Permits on page 16927

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 17 Page 22 B

Fees Paid \$10.00

STATE OF OREGON

PERMIT

County of Marion;

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic supplies

If for irrigation, this appropriation shall be limited to - - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 20, 1946

Actual construction work shall begin on or before August 15, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 15th day of August, 1946.

CHAS. E. STRICKLIN

STATE ENGINEER