

CERTIFICATE NO. 20968

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Arthur H. Bone.....
 (Name of applicant)
 of Rt. 4, Box 457 A Salem.....
 (Mailing address)
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed group of springs and an unnamed stream.....
 (Name of stream)

a tributary of Willamette River.....
 (If water is to be used from more than one source, give quantity from each)

2. The amount of water which the applicant intends to apply to beneficial use is 0.89.....
 cubic feet per second. being 0.59 cfs from springs and 0.30 cfs from stream.....
 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and irrigation.....
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
 Domestic use to be from springs.....

4. The point of diversion is located 350 ft. S. and 250 ft. E. from the center
 corner of Sec. 17, T. 7 S., R. 3 W., W.M. approximately.....
 (N. or S.) (E. or W.)
 (Section or subdivision)

18° 03' (If preferable, give distance and bearing to section corner)
 (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW¹₄NE¹₄ & NW¹₄SE¹₄ of Sec. 17, Tp. 7 S.,
 (Give smallest legal subdivision) (N. or S.)

R. 3 W., W.M., in the county of Polk.....
 (E. or W.)

5. The pipe..... to be 1200 ft.
 (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the of Sec., Tp., (N. or S.)

R., W.M., the proposed location being shown throughout on the accompanying map.
 (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 20 feet, length at bottom
 feet; material to be used and character of construction earth.....
 (Loose rock, concrete, masonry,
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
 (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
 (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
 Details not determined.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(i) The nature of the mines to be served

(h) The use to which power is to be applied is

(No. N. or S.), T.P., Sec. (No. E. or W.), W.M.

(g) If so, name stream and locate point of return

(yes or No)

(f) Is water to be returned to any stream?

(No. N. or S.), R., (No. E. or W.), W.M.

(Leave Subdivision)

(e) Such works to be located in

of Sec.

(d) The nature of the works by means of which the power is to be developed

(Head)

(c) Total fall to be utilized

feet.

(b) Quantity of water to be used for power sec. ft.

g. (a) Total amount of power to be developed theoretical horsepower.

Powers or Mining Purposes—

(b) Kind of crops raised orchards pasture grain

(a) Character of soil red

(If more space required, attach separate sheet)

Township	Range	Section	Forty-acre Tract	Number Acres
7 S	3 W	17	S 1/4 N 1/4 E	13 & dom
			S 1/4 N 1/4 W	18 "
			N 1/4 S 1/4 W	13 "
			NW 1/4 SW 1/4	11 "
			SW 1/4 NW 1/4	11 "
			SE 1/4 SW 1/4	13 "
			NE 1/4 SW 1/4	18 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NE 1/4	11 "
			SE 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4 SW 1/4	11 "
			NE 1/4 SE 1/4	13 "
			NE 1/4 SW 1/4	11 "
			SE 1/4 NE 1/4	13 "
			SW 1/4 NW 1/4	11 "
			SW 1/4 SW 1/4	13 "
			NE 1/4 SE 1/4	11 "
			NE 1/4 SW 1/4	13 "
			SE 1/4 NE 1/4	11 "
			SW 1/4 NW 1/4	13 "
			SW 1/4	

Municipal or Domestic Supply—

10. (a) To supply the city of

(Name of County), having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 20

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works. \$...Not estimated...

12. Construction work will begin on or before One year after approval.

13. Construction work will be completed on or before Two yrs " "

14. The water will be completely applied to the proposed use on or before 3" "

(Sgd) Arthur H. Bone

(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 194.....

WITNESS my hand this day of 194.....

STATE ENGINEER

Application No. 21508

Permit No. 16931

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 25th day of March,

1946 at 4:23 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1946

Recorded in book No. 41 of
Permits on page 16931

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 76 Q

Fees Paid \$18.25

PERMIT

STATE OF OREGON, }
County of Marion, }ss

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.89 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from an unnamed group of
springs and unnamed stream

The use to which this water is to be applied is domestic and irrigation, being 0.20
c.f.s. from springs for domestic, 0.39 c.f.s. from springs for irrigation and 0.30
c.f.s. from stream for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 25, 1946

Actual construction work shall begin on or before August 15, 1947 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 15th day of August, 1946.

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.