

* APPLICATION FOR PERMIT

SUPERSEDED
CERTIFICATE NO. 45715

To Appropriate the Public Waters of the State of Oregon

I, L. J. Simonsen (Name of applicant)

of Woodburn (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Turner Creek, an unnamed creek and an unnamed spring, a tributary of North Yamhill R.

2. The amount of water which the applicant intends to apply to beneficial use is 0.27 cubic feet per second, being 0.06 cfs from unnamed str. & .19 cfs from Turner Creek for irrig.

**3. The use to which the water is to be applied is Irrigation, domestic and Stock

4. The point of diversion is located 2400 ft. S and 2150 ft. W from the NE corner of Sec. 22, T. 2 S., R. 5 W., WM. approximately

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4, SE 1/4, Sec 22 & NW 1/4 of Sec. 23, Tp. 2 S, R. 5 W, W. M., in the county of Yamhill

5. The main ditch, canal or pipe line to be _____ in length, terminating in the _____ of Sec. _____, Tp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 30 feet, length at bottom _____ feet; material to be used and character of construction concrete

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____

(c) If water is to be pumped give general description _____

Will use sprinklers details not determined

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	5 W	23	NW $\frac{1}{4}$ NE $\frac{1}{4}$	2
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	1
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	8
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	5
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	dom. & stock
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	$\frac{4}{20}$

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

178.25 Acres.

Section 14-22-23 T 2, R 5 W.M.

At pt lying on West side of Co. Rd. NW $\frac{1}{4}$ ly & SE $\frac{1}{4}$ ly thru Beg W $\frac{1}{4}$ ly NW Cor Elijah Dodson Clm. N 77° E 13 $\frac{82}{50}$ chs; S 53° E 7 $\frac{96}{50}$ chns; S 48° E 3 $\frac{12}{50}$ chs. S. 42 $\frac{1}{2}$ E 1 $\frac{89}{50}$ chs; E 2 $\frac{88}{50}$ chs; S 19 $\frac{56}{50}$ chs; S 47° W 7 $\frac{50}{50}$ chns to Ct Co. Rd. NW 56° W along rd. 9 $\frac{72}{50}$ chs; N 64° W along rd. 5 $\frac{65}{50}$ chs to pt 3 $\frac{50}{50}$ chs N of SE Cor of NW $\frac{1}{4}$ of SE $\frac{1}{4}$

(If more space required, attach separate sheet)

(Continued under Remarks)

(a) Character of soil heavy

(b) Kind of crops raised alfalfa

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

DEEDS BY NOTARIES
1901

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... Not estimated.

12. Construction work will begin on or before One year after approval.

13. Construction work will be completed on or before Two yrs " "

14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) L. J. Simonsen
(Signature of applicant)

Remarks: (Continued from Item 8) Sec 22 W 20 chs to Wln SE 1/4 Sec 22: Non Subdiv
In 34 chs to Wily In Thos. Wilson Clm: S 46° 30' E to SW Cor sd clm: N 77° E along
S ln sd clm 62 chs to beg.

73.25 Acres

Section 14-22-23 T 2 R 5

Beg NW Cor of Elijah Dodson D16-E 26.10 ch S 48.70 ch S 47° W 7 1/2 ch to Co Rd N
57° W 10.11 ch to W side of Moses lane S 14.12 ch to Moses N line W 19.40 ch S 1° 25'
W 21 chs W to W line of Sec. 23 N to S line of Thomas Wilson D16 N 77° E to SE cor
of Wilson D16 N 32° W 21.80 ch to beg. Exc 40 ac Sold Vol. 26.

Also Lots 1-2 & 7 & SE 1/4 NE 1/4 & NE 1/4 SE 1/4 & N 33 ac of NW 1/4 of SE 1/4 of Sec 22 Exc 49.94
ac Sold J. G. Morris Vol 27 p 208 & Exc 74.33 ac to Geo Belt Vol 30-131.—270.16 ac.

Exc 14.09 ac Wm. Shepherd Vol 30-636 leaving 256.07 ac.

Ex 2 1/2 ac Sold, 55-419 Leav. 253.57

Last deed calls for 251 20/100 ac.

Ex sold Vol 122.38 Leav 73.25 ac.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21534

Permit No. 16935

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of April, 1946, at 3:45 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1946

Recorded in book No. 41 of

Permits on page 16935

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 91 J

Fees Paid \$14.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Turner Creek, an unnamed creek and an unnamed spring.

The use to which this water is to be applied is irrigation, domestic, and stock, being 0.06 c.f.s. from unnamed stream and 0.19 c.f.s. from Turner Creek for irrigation and 0.01 c.f.s. for domestic and 0.01 c.f.s. for stock from spring.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 4, 1946

Actual construction work shall begin on or before August 15, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 15th day of August, 1946.

CHAS. E. STRICKLIN

STATE ENGINEER