CERTIFICATE NO. 19737

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1,.	Walter I. Tracy (Name of applicant)
	Rainier Ore, R.F.D.1.
tate of .	Oragon do hereby make application for a permit to appropriate th
ollowing	g described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If	the applicant is a corporation, give date and place of incorporation
1.	The source of the proposed appropriation isBeaver_Creek
***	(Name of stream) , a tributary of Columbia River
- ()	The amount of water which the applicant intends to apply to beneficial use is0.0222 (1/45
•	and a swarpform to be trade of final error or good for fitting but a region of the same of the fitting
uoic jee	(If water is to be used from more than one source, give quantity from each)
. **3.	The use to which the water is to be applied is Irrigation of Lawn & Garden (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	<u>in in an in an an in in an an</u>
4.	The point of diversion is located 760 ft. 1 and 450 ft. E from the Sall.
orner o	f S.N. of the S.W. of of Section 20 in Township 7 N. R. 2 W. of W.M.
	n de la la serie del la completa de la completa de La completa de la comp
•••••	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate theet if necessary)
	thin the Sw2 of the Sw2 (Give smallest legal subdivision) of Sec. 20 , Tp. 7. N. (N. or S.)
Œ.	W. M., in the county of Columbia
	The Pipe Line to be 400! feet (Main ditch, canal or pipe line)
ı length	, terminating in the SW2 of the SW2 of Sec. 20, Tp
Z	, W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversion	n Works—
6.	(a) Height of dam feet, length on top feet, length at botton
	feet; material to be used and character of construction
ock and have	sh, timber crib, etc., wasteway over or around dam)
) Description of headgate
	(Timber, concrete, etc., number and size of openings) Model. 625.44
	entropy of the control of
(r	
	If water is to be pumped give general description Fairbanks, Shallow Well Pump. 625. gs (Size and type of pump) pe P. Flectrict Motor. Lift 10 ft, to Pump then 15 ft. Rise to place of dischart (Size and type of engine or motor to be used, total head water is to be lifted, stc.)

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or F	ipe Line—			
		each point of	canal where materially chan	ged in size, stating miles from
eadgate. At head	lgate: width on	top (at water	line)	feet; width on bottom
	eet; depth of w	ater Mill	feet; grade	feet fall per one
housand feet.				ver line)
r a de	feet fal	l per one thous	sand feet.	
(c) Length	of pipe,40	0 ft.;	size at intake,1	in.; size at20 ft.
				ifference in elevation between
				Estimated capacity,
0.0222(1/45)		and the section		en e ogstaffere <mark>t me</mark> t 1944
		iss cures it is minated on old		one with the King of the
Township	Range	Section	Forty-acre Tract	Number Acres. To Be Irrigated
, '	. 1.			10 be irrigated
		2 i 3 i 3 i 3 i 3 i 3 i 3 i 3 i 3 i 3 i		the second secon
			of the Southwest quarte	of Section 20, Town-
eaver Creek;	thence foll	owing the c	direction 75 feet more enter of Beaver Creek	ence following the south or less to the center of to Its Intersection with
Seaver Creek; South line of said SW of SW or less, to the above tract a	thence foll said Section 4; thence We be place of b private road d recorded i	owing the c 20, which est along the eginning, c 1 20 feet wi n Book 14 c	direction 75 feet more enter of Beaver Creek point is 653.0 feet eas e south line of said Se enteining 20 acres, mor de, heretofore sold to	or less to the center of
Seaver Creek; South line of said SW of SW or less, to the above tract a Surnham by deep	thence foll said Section 4; thence We be place of b private road of recorded i	owing the control 20, which est along the eginning, control 20 feet with Book 14 control 20 road.	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secntaining 20 acres, more de, heretofore sold to f deeds, Columbia Count	or less to the center of to its intersection with sterly of the southwest of the southwest of the center of the cor less. Excepting from the B. Phillips and D. F. ty, Oregon, at page 566,
Seaver Creek; South line of Said SW of SW or less, to the above tract a surnham by dee excepting all	thence foll said Section 14; thence We place of be private road of the count	owing the control 20, which est along the seginning, control 20 feet with Book 14 control 20, road.	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secretaining 20 acres, more de, heretofore sold to f deeds, Columbia Count	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566,
Beaver Creek; South line of Said SW of SW or less, to the above tract a Burnham by dee excepting all	thence foll said Section 4; thence We e place of b private road of recorded i of the count	owing the control 20, which est along the estimate, control 20 feet with a Book 14 control 20	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secontaining 20 acres, more de, heretofore sold to f deeds, Columbia Country acres, attach separate sheet)	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566,
Seaver Creek; South line of said SW of SW or less, to the above tract a Surnham by dee excepting all	thence foll said Section 14; thence We place of be private road of the count ter of soil	owing the control 20, which set along the seginning, control 20 feet with Book 14 control 20 road.	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secretaring 20 acres, more de, heretofore sold to f deeds, Columbia Countered, attach separate sheet)	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566,
Seaver Creek; South line of said SW of SW or lass, to the above tract a Surnham by dee excepting all (a) Charact (b) Kind of	thence foll said Section 14; thence We be place of the private road of the count ter of soil	owing the control 20, which set along the seginning, control 20 feet with Book 14 control 20 feet with	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secontaining 20 acres, more de, heretofore sold to f deeds, Columbia Countaining ade, Loam.	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566,
Courth line of South line of South line of Staid SW of SW or less, to the above tract a Surnham by deep excepting all (a) Character (b) Kind of Sower or Mining State (a) Total	thence foll said Section 14; thence We be place of be private road of the count of the count for private for soil	owing the control 20, which st along the segming, control 20 feet with a Book 14 control 20 f	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secontaining 20 acres, more de, heretofore sold to f deeds, Columbia Countaining ade, Loam.	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower,
Couch line of South line of Said SW of SW of SW or less, to the above tract a Surnham by deep excepting all (a) Charact (b) Kind of Swer or Mining Swer or Mining Swer of Couch (b) Quantity (b) Quantity (b) Quantity (c) Swer or Mining Swer or Mini	thence foll said Section 14; thence We be place of be private road of the count ter of soil	owing the control 20, which est along the second the se	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secretaining 20 acres, more de, heretofore sold to f deeds, Columbia Count ade, Loam. ious Garden Vegetables loped	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower,
Courth line of South line of Said SW of SW of SW or less, to the above tract a Surnham by deep excepting all (a) Charact (b) Kind of Swer or Mining Swer or	thence foll said Section 14; thence We be place of be private road of the count of the count for private and a section for the count of the count for private and amount of pointity of water all fall to be utilized.	owing the control 20, which est along the stalong the seginning, control 20 feet with a Book 14 control 20 feet with a Book	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secretaring 20 acres, more de, heretofore sold to f deeds, Columbia Count ade, Loam. ious Garden Vegetables feet. (Read)	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower, sec. ft.
Couch line of South line of Said SW of SW of SW or less, to the above tract a Surnham by deep excepting all (a) Charact (b) Kind of Swer or Mining Swer or M	thence foll said Section 14; thence We be place of be private road of the count of the count for private and amount of pointity of water all fall to be utilinature of the unitary of the	owing the control 20, which est along the second control 20 feet with a Book 14 control 20 feet were to be developed to be used for sized a books by means to be well as a books by means to be used for sized a books by the used for sized a books by means to be used for sized a books by means to be used for sized a books by means to be used for sized a books by the used for sized a books by the used for sized a books by the used for sized a books by means to be used for sized a books by the used for sized a books	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secretaring 20 acres, more de, heretofore sold to f deeds, Columbia Count ade, Loam. ious Garden Vegetables feet. (Read)	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower, sec. ft. developed
Cower or Mining 1 (a) Charact (b) Kind or (c) Tota (d) The	thence foll said Section 14; thence We be place of be private road of the count of the count for the count for the count of the count of pointity of water all fall to be utilinature of the unit the count of the co	owing the control 20, which set along the set of the segment of th	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secretaring 20 acres, more de, heretofore sold to f deeds, Columbia Count ade, Loam. ious Garden Vegetables loped power feet. (Head) s of which the power is to be	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower, sec. ft. developed
Ceaver Creek; South line of said SW of SI or less, to the above tract a surnham by decay accepting all of Si or less, to the accepting all or less, to the accepting accepting all or less, to the accepting accep	thence foll said Section 14; thence We be place of private road of the count of the count for possible amount of pointity of water al fall to be utilized that the count of the works to be loss and the count of the works to be loss and the count of the works to be loss and the count of the works to be loss and the count of the works to be loss and the count of the works to be loss and the count of the coun	owing the control 20, which est along the selong the seginning, of 20 feet win Book 14 or y road. CH more space record and the seginning of t	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease e south line of said Seenteining 20 acres, more de, heretofore sold to f deeds, Columbia Count equired, attach separate sheet) ade, Loan. ious Garden Vegetables loped power feet. (Head) s of which the power is to be	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m to or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower, sec. ft. developed of Sec.
Ceaver Creek; South line of said SW of SI or less, to the above tract a surnham by deep excepting all (a) Charact (b) Kind of (b) Kind of (c) Tota (d) The (e) Such (e) Such (f)	thence foll said Section 14; thence We be place of be private road of the count of the count for private and amount of pointity of water all fall to be utilinature of the unit works to be lower.	owing the control 20, which est along the stalong the seginning, control 20 feet with a Book 14 control 20 feet with a Book	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secretaring 20 acres, more de, heretofore sold to f deeds, Columbia Count ade, Loam. ious Garden Vegetables loped power (Head) feet. (Head) (Legal Subdivision) f.	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower, sec. ft. developed of Sec.,
Ceaver Creek; South line of said SW of SI or less, to the above tract a surnham by deep excepting all (a) Charact (b) Kind of Sower or Mining South (c) Total (d) The (e) Such (f) Is we said the said surnham by the said surnham	thence foll said Section 14; thence We be place of be private road of the count of the water of the water to be returned at the count of the count o	owing the control 20, which est along the est along the est will also be space of the control of the est along the	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secontaining 20 acres, more de, heretofore sold to f deeds, Columbia Count ade, Loam. ious Garden Vegetables loped power (Head) feet. (Head) (Legal Subdivision) f. ream? (Yes or No)	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower, sec. ft. developed of Sec.,
Ceaver Creek; South line of said SW of SI or less, to the above tract a surnham by decay cepting all surnham by decay cepting all surnham of the surnham of	thence foll said Section 14; thence We be place of be private road of the count of the unity of water of the unity of the unity of the unity of the count of the	owing the control 20, which est along the selong the seginning, of 20 feet win Book 14 or y road. (H more space road. (H more space road. Var wer to be deve to be used for ized for ized for works by means the second road. or w.) rned to any strand and locate poi	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Secretaring 20 acres, more de, heretofore sold to f deeds, Columbia Count deeds, Columbia Count deeds, Columbia Count deeds, Loans deeds de	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m to or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower, sec. ft. developed of Sec.
Ceaver Creek; South line of said SW of SI or less, to the above tract a surnham by decay accepting all surnham by decay (b) Kind of Cower or Mining 9. (a) Total (b) Qual (c) Total (d) The company (e) Such (f) Is we (g) If such (g) If	thence foll said Section 14; thence We place of private road of the count of the co	owing the control 20, which est along the set along the seginning, of 20 feet win Book 14 or y road. Current to be devered to be used for ized experience works by means cated in early strand to any strand to any strand locate points.	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Seenteining 20 acres, more de, heretofore sold to f deeds, Columbia Count ade, Loam. ious Garden Vegetables loped power (Read) s of which the power is to be seen which the power is t	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower, sec. ft. developed of Sec.
Ceaver Creek; South line of said SW of SI or less, to the above tract a surnham by decay accepting all surnham by decay (b) Kind of Cower or Mining 9. (a) Total (b) Qual (c) Total (d) The company (e) Such (f) Is we (g) If such (g) If	thence foll said Section 14; thence We place of private road of the count of the co	owing the control 20, which est along the set along the seginning, of 20 feet win Book 14 or y road. Current to be devered to be used for ized experience works by means cated in early strand to any strand to any strand locate points.	direction 75 feet more enter of Beaver Creek point is 653.0 feet ease south line of said Seenteining 20 acres, more de, heretofore sold to f deeds, Columbia Count ade, Loam. ious Garden Vegetables loped power (Read) s of which the power is to be seen which the power is t	or less to the center of to its intersection with sterly of the southwest of ection 20, 667.0 feet, m re or less. Excepting fr H. B. Phillips and D. F. ty, Oregon, at page 566, theoretical horsepower, sec. ft. developed of Sec.,

	Application Vo. 21570		1,530
Municipal	pal or Domestic Supply—		
10.	O. (a) To supply the city of	***************************************	**************
	estimated population of in 19 in 19	1	
	(b) If for domestic use state number of families to be su	pplied	
	(Answer questions 11, 12, 13, and 14 in all cases)	· · · · · · · · · · · · · · · · · · ·	
11.	. Estimated cost of proposed works, \$ 300.00		
	2. Construction work will begin on or beforeJune: 1st-		•
	3. Construction work will be completed on or beforeJ		
	4. The water will be completely applied to the proposed use		
	(C-3) W-31-		
	(Sgd)Walte	r. I. Tracy. (Signature of applicant)	,
P	emarks: This pumping plant will not pump a stead	T stroom of motor or	······································
		· · · · · · · · · · · · · · · · · · ·	
	se a sprinkler head in Garden & on Lawn & pump w more than > time		
**************************************	MOLE WICK 2. OTHER		
	2772	,	,
ALSO, WILL	ill only be used about 3 months of each year.	······································	***************************************
×		***************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
······································			
			1 111

	· · · · · · · · · · · · · · · · · · ·		
	The first the second of the se	e the gastern start on the	w.
	diskur i di	interación del fina	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
			وانطه نوای و بره سبب بنی .
		······································	
			*
	OF OREGON,	•	
•	ny oj maron,		· · · · · · · · · · · · · · · · · · ·
	his is to certify that I have examined the foregoing applicat		:ompanyin
	d data, and return the same for	114 E. S.	
In or	order to retain its priority, this application must be return	ed to the State Engineer, t	vith corre
	or before, 194,		
WIT	ITNESS my hand this day of	, 194	

rest in a sign

STATE ENGINEER

Permit No. 16949

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	This instrument was first received i office of the State Engineer at Salem, Or	n the
		regon,
	on the 20th day of April	<u>and </u> , and the second
	194.6 at 8:30 o'clock A M.	
	Returned to applicant:	The Same of the Same
and the second s	Corrected application received:	
	·	<u></u>
• • • • • • • • • • • • • • • • • • •	Approved:	
and the second s	August 15, 1946	
	Recorded in book No41	of
*	Permits on page 16949	<u></u>
enter de la companya	CHAS. E. STRICKLII	
	Drainage Basin No	<u>D</u>
	Fees Paid	
e e e e e e e e e e e e e e e e e e e	DEDMIT	
STATE OF OREGON,	PERMIT	2000 March 1990 Company of Carlotter
County of Marion,		•
This is to certify that	I have examined the foregoing applicati	on and do hereby grant the same,
	GHTS and the following limitations and ed is limited to the amount of water whi	
	12 cubic feet per second measured	,
	· · · · · · · · · · · · · · · · · · ·	- •
stream, or its equivalent in c	case of rotation with other water users, fr	rom Beaver Greek
The use to which this v	water is to be applied isirr	igation
······································		
If for irrigation, this ap	propriation shall be limited to1	/80th of one cubic foot per
second or its equivalen	at for each acre irrigated and sh	all be further limited to a
diversion of not to exc	eed 22 acre feet per acre for e	ach acre irrigated during the
irrigation season of ea	ch year,	
		•
		······
and shall be subject to such	reasonable rotation system as may be ore	dered by the proper state officer.
and contact of the grant of the contact of	•	
The priority date of thi	•	
The priority date of thi	ork shall begin on or beforeAugust	13. 1941 and snaw
Actual construction wo		
Actual construction we thereafter be prosecuted with	h reasonable diligence and be completed o	
Actual construction we thereafter be prosecuted withOctober 1, 1948	h reasonable diligence and be completed o	on or before
Actual construction we thereafter be prosecuted withOctober 1, 1948 Complete application o	h reasonable diligence and be completed of the water to the proposed use shall be	on or beforemade on or before
Actual construction we thereafter be prosecuted with October 1, 1948 Complete application of October 1, 1949	h reasonable diligence and be completed of the water to the proposed use shall be	on or beforemade on or before
Actual construction we thereafter be prosecuted with October 1, 1948 Complete application of October 1, 1949	h reasonable diligence and be completed of the water to the proposed use shall be a like to the proposed use to the proposed use shall be a like to the proposed use the like to the like	on or beforemade on or before