## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I,	Ross H. Lin	nville (Nan	and annihomath	
of	Xachats, Li	ncoln County, Orego	n,	***************************************
State of	Mailing (Mailing )	7.74	eby make application fo	or a permit to appropriate the
100		vaters of the State of Or		
		rporation, give date and	•	
- <b>,</b>				
1. T	he source of the pr	roposed appropriation is		
		lle), a tribu		
		•		icial use is0.01
	•	<u>-</u> -	, 22 0	
		SCOURCE) (If water is to be use		_
**3. T	ne use to wnich th	ie water is to be applied	(Irrigation, power, mining, 1	nnimals manufacturing, domestic supplies, etc.)
4. T	he point of divers	ion is located 1173	ft. south and 185	.ftWest from theNE (E. or W.)
				(6. 00 11)
				e_north_edge
	•			
			,	
		(If preferable, give distance a	and bearing to section corner)	
L .::41	••	than one point of diversion, each n		
				7, Tp14.S
(E. OF	w.)	county ofLincol		
		(Main ditch, canal or pipe line)		
				27, Tp. 14.S,
R. 12 W	, W. M., th	ie proposed location bein	ng shown throughout on	the accompanying map.
		DESCRIPTIO	N OF WORKS	
Diversion V	Works—			
6. (6	a) Height of dam		length on top 8 feet	feet, length at bottom
				ders earth & gravel
		de 4 a. 5 a. 6 b. 7 a.		(Loose reck, concrete, masonry,
				er through dam d size of openifige)
		) umped give general desc		rd. Ram 1-2 gal per min.
		,		
		and type of engine or motor to be u	· ·	upprox. 50 feet.
Q.M.G.LQD	iai ylus balladd	W. W		

<sup>\*</sup>A different form of application is provided where storage works are contemplated

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

feet; depth of water					feet; width on bott
(c) Length of pipe, 30 feat. ft., size at intake, 11 in., size at 3/4. in.  feet fall per one thousand feet.  (c) Length of pipe, 30 feat. ft., size at intake, 11 in., size at 3/4. in.  form intake 3/4. in.; size at place of use in.; difference in elevation between take and place of use, 5 feet. ft. Is grade uniform? yee. Estimated capacanter of the contract of th	housand feet	feet; depth of u	aterXC	MON feet, grade	feet fall per o
feet; width on bottom feet; depth of water feet; depth of water feet fall per one thousand feet.  (c) Length of pipe, 30 feat ft.; size at intake, 12 in.; size at 3/4 in. from intake 3/4 in.; size at place of use in.; difference in elevation betworker and place of use, 5 feet ft. Is grade uniform? Yell Estimated capa 0.01 sec. ft.  8. Location of area to be irrigated, or place of use Township Range Section Forty-acre Tract To Be Irrigated  14 S 12 NNM 27 NE 1 of NE 1 2  (If more space required, attach separate sheet)  (a) Character of soil Aluvial Bilt. (lots iof shell)	(h) At	<u> </u>	. miles from hea	dgate: width on top (at wa	ter line)
rade	#14330N	feet; width on	bottom	feet; depth of	water fe
(c) Length of pipe, 30 feet. ft; size at intake, 11 in.; size at 3/4 in.  rom intake 3/4 in.; size at place of use in.; difference in elevation between take and place of use, 6 feet ft. Is grade uniform? Yes Estimated capacally as a location of area to be irrigated, or place of use  Township Range Section Forty-acre Trait Number Acres To Be Irrigated  14 S 12 NUM 27 NE 1 of NE 1					
rom intake 3/4 in.; size at place of use in.; difference in elevation betu ntake and place of use, S. Lesk ft. is grade uniform? Yes Estimated capa.  O.OL sec. ft.  8. Location of area to be irrigated, or place of use  Township Range Section Forty-acre Tract Number Acres To Be Irrigated  14. S. 12 WWW 27 NE 1 of NE 1  (If more space required, attach separate sheet)  (a) Character of soil Aluvial silt (lots of shell)		• •	-	•	ropti at as
ntake and place of use, 6. Lest. ft. Is grade uniform? yes Estimated capacity of the control of area to be irrigated, or place of use  Township Range Section Forty-acre Tract Number Acres to Be Irrigated  14 S 12 NWM 27 NE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					Transfer was a second
Ocol sec. ft.  8. Location of area to be irrigated, or place of use  Township Range Section Forty-acre Tract Tract  14. S. 12 WWM 27 NE. 1 Of NE. 1  27 NE. 1 Of NE. 1  (If more space required, attach separate sheet)  (a) Character of soil Aluvial silt (lots of shell)					
8. Location of area to be irrigated, or place of use  Township  Range  Section  Forty-acre Tract  Number Acres To Be Irrigated  14. S. 12 WWM  27. NE 1 of NE 1  (If more space required, attach separate sheet)  (a) Character of soil  Aluvial silt (lots of shell)	ntake and place	of use, 6.fe	et ft. Is	grade uniform?	Estimated capac
8. Location of area to be irrigated, or place of use  Township  Range  Section  Forty-acre Tract  Number Acres To Be Irrigated  14. S. 12 NWM  27. NE 1 of NE 1  2	0.01	sec. ft.			
14. S 12 WWW 27 NE 1 of NE 1  (If more space required, attach separate sheet)  (a) Character of soil Aluvial silt (lots of shell)	8. Location	n of area to be	irrigated, or pla	ce of use	
14. S 12. WWW 27 NE 1 of NE 1  A 12. WWW 27 NE 2 of NE 1  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27 NE 2 of NE 2  A 12. WWW 27	Township	Range		· · · · · · · · · · · · · · · · · · ·	
(a) Character of soil Aluvial silt. (lots of shell).	14 S	12 WWM	27	NE 1 of NE 1	
(If more space required, attach separate sheet)  (a) Character of soil Aluvial silt (lots of shell)				grandra y	
(2) Character of soil Aluvial silt. (lots of shell)			us for state as	Surgery Comment of the North	the state of the s
(If more space required, attach separate sheet)  (a) Character of soil Aluvial silt (lots of shell)					
(If more space required, attach separate sheet)  (a) Character of soil Aluvial silt (lots of shell)		file time to a time to the control of the control o			
(a) Character of soil Aluvial silt (lots of shell)	fa a bulk gabaken	ose gadore abrosta i s	िक्तिक अस्ति हुन हो। 		
(a) Character of soil Aluvial silt (lots of shell)	****	***************************************			
(a) Character of soil Aluvial silt (lots of shell)		1.49 0 1.75 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		and particularly and Albert 1980 in the Section of the Company of	
(a) Character of soil Aluvial silt (lots of shell)			egel field ja	බාර් . බ්.කා.මේ ද උත්මේ මුත් මාණා	
(a) Character of soil Aluvial silt (lots of shell)					
(a) Character of soil Aluvial silt (lots of shell)					
(a) Character of soil Aluvial silt (lots of shell)					
(a) Character of soil Aluvial silt (lots of shell)			\$ 100 miles   \$60	Marin Marin Marin 1 (1997) 1 (	
(a) Character of soil Aluvial silt (lots of shell)		. N. gryna getanet	e jos j g (j beeg societ	The Branch of American State of the State of	(4) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
	and a second of				ner i jarok i a sama da kebis
(h) Kind of crops raised home garden	(a) Charac	eter of soil	Aluvial si	Lt (lots of shell)	
(O) TOTAL TO	(b) Kind o	f crops raised	home garde	<b>λ</b>	
ower or Mining Purposes— in the none; and the second of the contract of the co	9. (a) Tot	al amount of po	ower to be devel	oped	theoretical horsepor
the first than the second of t					
9. (a) Total amount of power to be developed theoretical horsepo			_	•	•
9. (a) Total amount of power to be developed theoretical horsepower sec. ft.	(0) 100	ui juit to de att		(Head)	n garanta Nijera da ka
9. (a) Total amount of power to be developed theoretical horsepo (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.					
9. (a) Total amount of power to be developed theoretical horsepo  (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.  (d) The nature of the works by means of which the power is to be developed	***************************************				•
9. (a) Total amount of power to be developed theoretical horsepower sec. ft.  (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.  (d) The nature of the works by means of which the power is to be developed	(e) Suc	h works to be l	ocated in	(Legal Subdivision)	of Sec.
9. (a) Total amount of power to be developed theoretical horsepo  (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.  (d) The nature of the works by means of which the power is to be developed of Sec of Sec of Sec	Гр.	, R	, W. M	· -	
9. (a) Total amount of power to be developed theoretical horsepower sec. ft.  (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.  (d) The nature of the works by means of which the power is to be developed of Sec of Sec (Legal Subdivision)					was the early sale of the
9. (a) Total amount of power to be developed theoretical horsepower sec. ft.  (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.  (d) The nature of the works by means of which the power is to be developed of Sec	-		_	(Yes or No)	and the same of th
9. (a) Total amount of power to be developed theoretical horsepond  (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.  (d) The nature of the works by means of which the power is to be developed for more sec. ft.  (e) Such works to be located in feet.  (Legal Subdivision)  (p. (No. N. or S.) (No. E. or W.)  (f) Is water to be returned to any stream?  (Yes or No)	(g) If s	so, name strean	ana locate poin	it of return	er to a District House of the Control
9. (a) Total amount of power to be developed theoretical horsepose  (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.  (d) The nature of the works by means of which the power is to be developed of Sec.  (e) Such works to be located in (Legal Subdivision)  (p, R, W. M (No. N. or S.) (No. E. or W.)  (f) Is water to be returned to any stream? (Yes or No)	MAK.		, Sec	, Tp(No. N. or S.)	(No. E. or W.)
9. (a) Total amount of power to be developed theoretical horsepond  (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.  (d) The nature of the works by means of which the power is to be developed for more sec. ft.  (e) Such works to be located in feet.  (Legal Subdivision)  (p. (No. N. or S.) (No. E. or W.)  (f) Is water to be returned to any stream?  (Yes or No)	. 1	and the second s			transport
9. (a) Total amount of power to be developed theoretical horsepose  (b) Quantity of water to be used for power sec. ft.  (c) Total fall to be utilized feet.  (d) The nature of the works by means of which the power is to be developed of Sec.  (e) Such works to be located in (Legal Subdivision)  (p, R, W. M (No. N. or S.) (No. E. or W.)  (f) Is water to be returned to any stream? (Yes or No)	(16) 116		•		

10. (a) To supply the city of	none
(Name of)	aving a present population of
and an estimated population of	in 19
	ate number of families to be suppliedone
	Answer questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed	works, \$ 100-00
• •	in on or before May 15, 1946
•	completed on or beforeSept. 15, 1946
	ely applied to the proposed use on or beforenow.in.use,except.
cannot put ram into opera	tion pending getting storage tank.
	(Sgd) Ross H. Linnville. (Signature of applicant)
	Witness (Cod) C H Empohance
	Witness- (Sgd) G. H. Freehouse
Remarks: Moved onto this	property June 18, 1945 have been carrying water
from spring to date due to d	ifficulty in procuring mat'ls, have the all but
storage tank. During rainy	season a 2 inch pipe through earth work dam has
carried_all_water_without_to	pping dam. during summer months flow diminishes
	be adequate for one family.
• •	Y;-
west 629.60 feet from thr	one-quarter section corner in the east
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19" east 1816 fee one-half of section 26	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence portherly
west 629.60 feet from thr line of Section 22.,T.14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19' east 1816 fee one-half of section 26., on said east line 311.61	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19" east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19* east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22:,T.14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19" east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22.,T.14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19* east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19* east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19* east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19" east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22.,T.14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19* east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22.,T.14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19* east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22.,T.14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19* east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22.,T.14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19* east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the  STATE OF OREGON, County of Marion,  SSS	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19" east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the  STATE OF OREGON, County of Marion, This is to certify that I have ea	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19" east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the  STATE OF OREGON, County of Marion, This is to certify that I have ex naps and data, and return the same f	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;  camined the foregoing application, together with the accompanying or
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19" east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the  STATE OF OREGON, County of Marion, This is to certify that I have ex maps and data, and return the same f In order to retain its priority,	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;  camined the foregoing application, together with the accompanying or this application must be returned to the State Engineer, with correct
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19" east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the  STATE OF OREGON, County of Marion, This is to certify that I have ex maps and data, and return the same f In order to retain its priority, sions on or before	one-quarter section corner in the east S., R. 12 W., W.M., thence south et to the point of begining of the tract hence south 15 deg.41 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;  camined the foregoing application, together with the accompanying or this application must be returned to the State Engineer, with corrections application must be returned to the State Engineer, with corrections.  194
west 629.60 feet from thr line of Section 22:,T:14 74 deg.19" east 318.27 fe herein to be described; t line of a 30 foot road a 74 deg. 19" east 1816 fee one-half of section 26., on said east line 311.61 feet more or less to the  STATE OF OREGON, County of Marion,  This is to certify that I have ex maps and data, and return the same f In order to retain its priority, tions on or before  WITNESS my hand this	et to the point of begining of the tract hence south 15 deg. 11 west on the easterly distance of 300 feet; thence south t more or less to the east line of the west T. 14 S., R. 12 W., W. M., thence northerly feet; thence north 74 deg. 19 west 1729 point of begining;  camined the foregoing application, together with the accompanying or this application must be returned to the State Engineer, with correcthis application must be returned to the State Engineer, with correcthis application must be returned to the State Engineer, with correcthis application must be returned to the State Engineer, with correcthis application must be returned to the State Engineer, with correcthis application must be returned to the State Engineer, with correct

Application No. 2157	Q
----------------------	---

Permit No. 16957

## **PERMIT**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

, and the second	Division No District No.	<u></u>
	This instrument was first received in the office of the State Engineer at Salem, Orego	
	on the25th day ofApril	
	194 6. at 8:30 o'clock A. M.	ing the second of the second
	Returned to applicant:	
		·····
	Corrected application received:	en e
	Approved:	
and the second s	August 15, 1946	***
	Recorded in book No41	
and the second s	Permits on page <u>16957</u>	•
in the second of the second	CHAS. E. STRICKLIN	
. * * * * * * * * * * * * * * * * * * *	· San	· · · · · · · · · · · · · · · · · · ·
	Drainage Basin No. 18 Page 6.C	
	Fees Paid \$10.00	en e
	PERMIT	
STATE OF OREGON,	58	and the state of
County of Marion,	at I have examined the foregoing application	in the second of
The right herein gra	RIGHTS and the following limitations and con inted is limited to the amount of water which	can be applied to beneficial use
and the second of the second of the second	1.01 cubic feet per second measured at	es level, es alejas
stream, or its equivalent in	a case of rotation with other water users, from	unnamed spring
	s water is to be applied isdomestic.a	
_	lawn and garden.	
	appropriation shall be limited to	
second		
		***************************************
·**		·
***************************************		
•	h reasonable rotation system as may be ordere	
	this permit is April 25, 1946	
the state of the s	work shall begin on or beforeAugu	The second secon
thereafter be prosecuted w	ith reasonable diligence and be completed on o	r before
	8	1
	n of the water to the proposed use shall be mad	
October 1, 194	<b>9</b>	
WITNESS my hand	this15th day ofAugust	, 194.6
SALEST A F		
*	CHAS. E. ST	RICKLIN STATE ENGINEER