A STATE OF THE PARTY OF THE PAR

* APPLICATION FOR PERMIT

GERTIFICATE NO. 12273

To Appropriate the Public Waters of the State of Oregon

I, Robert Phillips (Name of applicant)
of Gaston Rt 1 (Mailing address)
State ofQregon, do hereby make application for a permit to appropriate
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation isTualatin_River
, a tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second
**3. The use to which the water is to be applied isIrrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is locatedftftftftfrom the
corner ofAny_point_where property_described_herein_touches_Tualatin_Biver
(Section or subdivision)
and the second of the second o
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NELSEL Sec. 33 & SWISWI NELSWI of Sec. 34 , Tp. 1 S. (Give smallest legal subdivision)
R, W. M., in the county of
5. Theto beto Miles or feet)
in length, terminating in the of Sec, Tp;
(Smallest legal subdivision) (N. or 5.) R, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)
DESCRIPTION OF WORKS
Diversion Works— No dam
6. (a) Height of dam feet, length on top feet, length at bot
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(limber, comagnes, and, mumber and ame or openings)
(c) If water is to be pumped give general description4.in cent. (Size and type of pump)
7½ HP elec motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.) 20 sprinklers 15 gpm

^{*}A different form of application is provided where storage works are contemplated

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

7 (a) Cia	sa dimambiamba		canal where materially chang	ieu in size, stutting nittes from
		-		feet; width on bottom
_	_		•	•
thousand feet.				feet fall per one
(b) At		miles from he	adgate: width on top (at wate	vaterfeet;
	feet; width on	bottom	feet; depth of ı	vater feet;
grade	feet fa	ıll per one thous	sand feet.	
(c) Length	of pipe,	ft.;	size at intake,	in.; size at ft.
rom intake	in	.; size at place o	f use in.; di	fference in elevation between
ntake and place	of use.	ft. I	s grade uniform?	Estimated capacity,
(Spring)	THE PARTY WA	estate de la companya		
		A Mariana Araba (Mariana)		
8. LOCATIO	n of area to be	Section	ace of useForty-acre Tract	Number Acres To Be Irrigated
			1 10 1	7 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1 S	4_W	33	NE ¹ SE ¹	16
		34	NW4SW4	2
<u> </u>	*		SW#SW#	
*** *** ****	ing of the second	1 . 1.116	to the control of the	
cularly descr section 34 di ning thence N	ibed as foll stant East 1 0° 20' E.	Sections 33 ows: Beginn 5:00 chains 19:30 chains	ing at a stone on the s from the S.W. corner of to the center of Tuele	seld section 34, run- tin River; thence up
cularly descr section 34 di ning thence N center of sai from the line east line of tion 33; then	That part of ibed as foll stant East 1 . 0° 20' E. d river 41.0 between sai said section ce East on I	sections 33 ows: Beginn 5:00 chains 19.30 chains, Mo d sections 3 133 19:80 ch	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the	outh boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec-
cularly descr section 34 di ning thence N center of sai from the line east line of tion 33; then	That part of ibed as foll stant East 1 . 0° 20' E. d river 41.0 between sai said section ce East on I	sections 33 ows: Beginn 5:00 chains 19.30 chains, Mo d sections 3 133 19:80 ch	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place	outh boundary of said said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said seconf beginning, containing
cularly described to a section 34 dining thence Note that the line east line of tion 33; then 60.00 acres,	That part of ibed as foll stant East 1 . 0° 20' E. d river 41.0 between sai said section ce East on I	sections 33 ows: Beginn 5:00 chains 19.30 chains, Mo d sections 3 133 19:80 ch	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place	outh boundary of said said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said seconf beginning, containing
cularly described the section 34 dining thence Note that the line east line of tion 33; then 60.00 acres,	That part of ibed as foll stant East 1 .0° 20' E. d river 41.0 between sais said section ce East on Teore or less	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 13:19:80 ch ownship line	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place	outh boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said seconf beginning, containing (Continued under Remark
cularly described to a section 34 dining thence Note that the line east line of tion 33; then 60.00 acres,	That part of ibed as foll stant East 1 . 0° 20' E. d river 41.0 between sais said section ce East on Twore or less core of soil	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 13:19:80 ch ownship line (More space)	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place	euth boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark
cularly described to a section 34 dining thence Note that the line east line of tion 33; then 60.00 acres, (a) Character (b) Kind (c)	That part of ibed as foll stant East 1 .0° 20' E. d river 41.0 between sais said section ce East on Thore or less cter of soil	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 13:19:80 ch cownship line (More space) sand	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place	euth boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark
cularly described to a section 34 dining thence Note that the line east line of tion 33; then 60.00 acres, (a) Character (b) Kind of the Cower or Mining	That part of ibed as foll stant East 1 0° 20' E. d river 41.0 between sais said section ce East on Theore or less cter of soil cter of soil properties. Purposes—	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 33.19:80 ch ownship line (M more space) sand	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place equired, attach separate sheet)	outh boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark
cularly described the center of sai from the line east line of tion 33; then 60.00 acres, (a) Characa (b) Kind of the content of the center of sai from the line east line of the center of the cente	That part of ibed as foll stant East 1 201 E. d river 41.0 between sais said section ce East on Theore or less corrector of soil	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 33 19:80 ch ownship line sand past	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place	buth boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark theoretical horsepower.
cularly described to a section 34 dining thence Note that the line east line of tion 33; then 60.00 acres, (a) Character (b) Kind (c) Cower or Mining 9. (a) Toto (b) Qu	That part of ibed as foll stant East 1 00 201 E. d river 41.0 between sai said section ce East on Theore or less core of soil	sections 33 ows: Beginn 5:00 chains 19:30 chains 0 chains, Mo d sections 3 33 19:80 ch ownship line sand past ower to be deve	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure cloped power	buth boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark theoretical horsepower.
cularly described contents of said from the line east line of tion 33; then 60.00 acres, (a) Character of Mining 9. (a) Tote (b) Que (c) Tote	That part of ibed as foll stant East 1 00 201 E. detween sais said section ce East on I wore or less cter of soil	sections 33 bws: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 33.19:80 ch bwnship line 3. (M more space a sand past ower to be deve	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure loped power feet. (Head)	tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sectof beginning, containing (Continued under Remark theoretical horsepower.
cularly described contents of said from the line east line of tion 33; then 60.00 acres, (a) Characa (b) Kind (c) Tota (d) The contents of said contents of sa	That part of ibed as foll stant East 1 00 201 E. deriver 41.0 between sais said section ce East on Two or less core of soil	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 33.19:80 ch ownship line sand past ower to be deve	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure lioped power feet. (Head) s of which the power is to be	tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said secof beginning, containing (Continued under Remark theoretical horsepower. Sec. ft.
cularly described to a section 34 dining thence Note that the line east line of tion 33; then 60.00 acres, (a) Characa (b) Kind (c) Tota (d) The section (d)	That part of ibed as foll stant East 1 201 E. d river 41.0 between sais said section ce East on I more or less cter of soil	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 33.19:80 ch ownship line sections constructions send past ower to be deve	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure lloped power feet. (Head) s of which the power is to be	tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sectof beginning, containing (Continued under Remark theoretical horsepower. theoretical horsepower. sec. ft.
cularly described to a section 34 dining thence Note that the line east line of tion 33; then 60.00 acres, (a) Character of Mining 9. (a) Tote (b) Que (c) Tote (d) The control of the section of the se	That part of ibed as foll stant East 1.0 201 E. d river 41.0 between sais said section ce East on Theore or less carry of crops raised. Purposes—tal amount of purposes—tal amount of purposes—tal fall to be utile nature of the ch works to be in the ch works to be in the character of the charact	sections 33 ows: Beginn 5:00 chains 19:30 chains 0 chains, Mo d sections 3 13:19:80 ch ownship line sand past ower to be deve to be used for ilized works by mean located in	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure loped power feet. (Head) s of which the power is to be	tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said secof beginning, containing (Continued under Remark theoretical horsepower. Sec. ft.
cularly described to a section 34 dining thence Note that the line east line of tion 33; then 60.00 acres, (a) Characa (b) Kind (c) Tota (d) The control of	That part of ibed as foll stant East 1	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 33 19:80 ch ownship line sand past ower to be deve to be used for ilized works by mean located in W. M.	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure lloped power feet. (Head) s of which the power is to be (Legal Subdivision) A.	outh boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark theoretical horsepower. sec. ft. developed of Sec.
cularly described to a section 34 dining thence Note that the line east line of tion 33; then 60.00 acres, (a) Characa (b) Kind (c) Tota (d) The control of	That part of ibed as foll stant East 1	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 33 19:80 ch ownship line sand past ower to be deve to be used for ilized works by mean located in W. M.	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure loped power feet. (Head) s of which the power is to be	outh boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark theoretical horsepower. sec. ft. developed of Sec.
cularly described center of sai from the line east line of tion 33; then 60.00 acres, (a) Charac (b) Kind (c) Tot (d) The (e) Suc (f) Is a (g) If	That part of ibed as foll stant East 1	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 33 19:80 ch ownship line sand past ower to be deve to be used for ilized works by mean located in Lorw.) urned to any stand and locate point	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure feet. (Head) s of which the power is to be (Legal Subdivision) A. ream? (Yes or No) int of return	outh boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark theoretical horsepower. sec. ft. developed of Sec.
cularly described center of sai from the line east line of tion 33; then 60.00 acres, (a) Charac (b) Kind (c) Tot (d) The (e) Suc (f) Is a (g) If	That part of ibed as foll stant East 1	sections 33 ows: Beginn 5:00 chains 19.30 chains 0 chains, Mo d sections 3 33 19:80 ch ownship line sand past ower to be deve to be used for ilized works by mean located in Lorw.) urned to any stand and locate point	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure feet. (Head) s of which the power is to be (Legal Subdivision) A. ream? (Yes or No) int of return	outh boundary of said said section 34, run- tin River; thence up distant West 15.00 chain 35' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark theoretical horsepower. sec. ft. developed of Sec.
cularly described center of said from the line east line of tion 33; then 60.00 acres, (a) Characa (b) Kind (c) Tota (d) The (e) Succession (e) Succession (f) Is a (g) If	That part of ibed as foll stant East 1	sections 33 ows: Beginn 5:00 chains 19:30 chains 0 chains, Mo d sections 3 33:19:80 ch ownship line sand past ower to be deve to be used for ilized works by mean located in E. or W.) urned to any stand n and locate point Sec.	ing at a stone on the s from the S.W. corner of to the center of Tuela re or less, to a point 3 and 34; thence S. 0° ains to a stone on the 30 chains to the place required, attach separate sheet) y ure (Head) feet. (Head) (Legal Subdivision) A. ream? (Yes or No) int of return (No. N. or S.)	tin River; thence up distant West 15.00 chain 5' W. parellel with the south line of said sec- of beginning, containin (Continued under Remark theoretical horsepower. sec. ft. developed of Sec,

tions on or before, 194....., 194..... STATE ENGINEER

Application	No. 21593	
Permit No.	16967	

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	OF OREGON	
•	Division No. District No.	S. Communication of the Commun
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
,	on the29thday ofApril,	
r Light section of the section of	194.6. at 1:04 o'clock P. M.	
	Returned to applicant:	
, , , , , , , , , , , , , , , , , , ,		
	Corrected application received:	
	Approved:	
	August 15, 1946	
	Recorded in book No 41 of	
	Permits on page16967	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 2. Page 54 B	
	Fees Paid	
	And the second of the second o	ing the second of the second o
STATE OF OREGON,	PERMIT	
County of Marion,	n de la composition de la composition La composition de la	
SUBJECT TO EXISTING RI	I have examined the foregoing application an GHTS and the following limitations and condi	tions:
The right herein grant	ed is limited to the amount of water which car	n be applied to beneficial use
and shall not exceed0.4	4 cubic feet per second measured at th	e point of diversion from the
stream, or its equivalent in c	ase of rotation with other water users, from	Tualatin River
	2 '	
The use to which this a	vater is to be applied isirrigation	<u></u>
	· · · · · · · · · · · · · · · · · · ·	
.,	manufation of all he limited to 1/00th	-f 1!- f /
	propriation shall be limited to1/80th	
•	eed 23 acre feet per acre for each ac	
irrigation season of ea	ch year,	
		c
		······································
	······	***************************************
and shall be subject to such	reasonable rotation system as may be ordered	he the manage state officer
-		/ ••
	s permit is April 29, 1946	
	ork shall begin on or beforeAugust 1	
THE REPORT OF THE PROPERTY.	n reasonable diligence and be completed on or b	etore
October 1, 1948		
	f the water to the proposed use shall be made o	
Complete application of	f the water to the proposed use shall be made o	on or before
Complete application of October 1, 1949		on or before
Complete application of October 1, 1949		on or before