

\* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Fred H. Peters, of Eugene, County of Lane, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring Creek, a tributary of Willamette River.

2. The amount of water which the applicant intends to apply to beneficial use is 1.80 cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation.

4. The point of diversion is located 1360 ft. S and 540 ft. W from the NE corner of Howard Maupin D.L.C. No. 43 in Township 16 S. R. 4 West of Willamette Meridian.

being within the northwest quarter of Sec. 35, Tp. 16 S., R. 4 West, W. M., in the county of Lane.

5. The [blank] to be [blank] in length, terminating in the [blank] of Sec. [blank], Tp. [blank], R. [blank], W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam [blank] feet, length on top [blank] feet, length at bottom [blank] feet; material to be used and character of construction [blank].

(b) Description of headgate [blank].

(c) If water is to be pumped give general description two-inch centrifugal pump 10 h.p. electric.

\* A different form of application is provided where storage works are contemplated.

\*\* Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,000.00.....

12. Construction work will begin on or before ..... completed.....

13. Construction work will be completed on or before ..... is completed.....

14. The water will be completely applied to the proposed use on or before June 1, 1946.....

(Sgd) Fred H. Peters  
(Signature of applicant)

Signed in the presence of us as witnesses:

(1) .....  
(Name) (Address of witness)

(2) .....  
(Name) (Address of witness)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 194.....

WITNESS my hand this ..... day of ....., 194.....

STATE ENGINEER

Application No. 21642

Permit No. 17003

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 13th day of May, 1946, at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1946

Recorded in book No. 42 of

Permits on page 17003

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76 C

Fees Paid \$9.50

STATE OF OREGON

PERMIT

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Spring Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 13, 1946

Actual construction work shall begin on or before August 15, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before October 1, 1949

WITNESS my hand this 15th day of August, 1946

CHAS. E. STRICKLIN STATE ENGINEER