

* APPLICATION FOR PERMIT

CERTIFICATE NO. 19977

To appropriate the Public Waters of the State of Oregon

I, George H. Beeler (Name of applicant) of Rt. 1, Gaston (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tualatin River (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.38 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1950 ft. N and 1550 ft. W from the SE corner of Sec. 34, T. 1 S., R. 4 W., W.M. approximately (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 & NW 1/4 SE 1/4 of Sec. 34, Tp. 1 S., R. 4 W., W.M., in the county of Washington & NW 1/4 SW 1/4 Sec. 35 (N. or S.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam No dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Will use sprinklers—details not determined

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	4 W	34	NE $\frac{1}{4}$ SE $\frac{1}{4}$	18
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	8
		35	NW $\frac{1}{4}$ SW $\frac{1}{4}$	4
				30
<p>The property on which water is to be used is more explicitly described by applicant as follows: Beginning at an iron bar at the most northerly NE corner of Beeler Land in Section 34, Township 1 South, Range 4 West of the Willamette Meridian and on the line of the Don McLeod Donation Land Claim 560.0 feet north of the center line of the Tualatin River; thence S 85° 34' E. 1270.1 feet to an iron pipe on the east line of the B. S. Jones farm; thence S 2° 30' E. 782.75 ft. to an iron pipe on said east line which was set as a reference point at safe distance from river wash; thence continuing S 2° 30' E 36.2 feet to the center line of the Tualatin River; thence S 84° 40' W 392.0 feet to a meander point on the river center line; thence on the center line meander courses N 51° 55' W 286.0 feet; thence N 77° 10' W 118.9 feet; thence N 53° 16' W 102.0 feet; thence S 82° 36' W 106.4 feet; thence N 57° 0' W 250.4 feet; thence S 84° 45' W 145.0 feet to a point on the intersection of the Don McLeod east line and the center line of the Tualatin River; thence N 2° 30' W 38.4 feet to an iron pipe; thence continuing N 2° 30' W 521.6 feet to the point of beginning, enclosing twenty-one (21) acres, more or less.</p>				
				(Continued under "Remarks")

(If more space required, attach separate sheet)

(a) Character of soil Willamette

(b) Kind of crops raised Onions Carrots Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... Not estimated

12. Construction work will begin on or before One year after approval

13. Construction work will be completed on or before two yrs " "

14. The water will be completely applied to the proposed use on or before 3" " "

(Sgd) George H. Bealer
(Signature of applicant)

Remarks: (Continued from Item 8)

Being in Section 34, T. 1 S., R. 4 W., Will. Mer., and particularly described thus: Beginning at a point in the center of the County Road, where it crosses the County line of Washington and Yamhill Counties, about 5 chs. West of the southeast corner of Section 34, T. 1 S., R. 4 W., Will. Mer., running thence West on Section line 26.95 chains to the southeast corner of J. T. Gerrish land, thence north 1° East along the east line of said Gerrish land, 32.42 chains to the northeast corner thereof, thence north 73° 50' E. 18.25 chains to the West line of the Donald McLeod D.L.C., thence southerly on said Claim line 16.50 chains to the southwest corner thereof; thence easterly on the south line 22 chains to Section line, between Sections 34 and 35, T. 1 S., R. 4 W., thence south about 16 chains to center of above County Road, thence southerly with meander of said Road to place of beginning, and containing 69 acres, more or less, save and except that certain acre of land conveyed to Ray Chapman and wife, which conveyance is recorded in Book 168, at page 507, Deed Records of Washington County, Oregon.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21647

Permit No. 17005

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of May, 1946 at 1:50 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1946

Recorded in book No. 42 of

Permits on page 17005

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 54 B

Fees Paid \$9.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Tualatin River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 14, 1946

Actual construction work shall begin on or before August 15, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 15th day of August, 1946.

CHAS. E. STRICKLIN STATE ENGINEER