

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Clara B. Young

(Name of applicant)

of 314 South Fifth Street, Grants Pass

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring (unnamed)

(Name of stream)

, a tributary of None

2. The amount of water which the applicant intends to apply to beneficial use is

~~cubic feet per second~~ entire flow of spring

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 520 ft South and 3 ft West from the N. E. corner of the S. W. 1/4 of the S. E. 1/4 of Section 21, T. 36 South, Range 5 West of the Willamette Meridian, Josephine County, Oregon.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. , Tp. R. , W. M., in the county of

(Give smallest legal subdivision)

(N. or S.)

5. The pipe line to be about 400-500 ft.

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the S. W. 1/4 of S. E. 1/4 of Sec. 21, Tp. 36 South, R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.

(Smallest legal subdivision)

(N. or S.)

R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity flow

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate; width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 400 ft.; size at intake, 1 inch in.; size at ft. from intake 1 in.; size at place of use 1 inch in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? Yes Estimated capacity, don't know sec. ft.

8. Location of area to be irrigated, or place of use 400 ft from spring on same property.....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	5 W WM	21	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	Domestic Use No Irrigation

"Tract No. 10 of "The Mount Baldy Heights Subdivision", being a Subdivision of a portion of the West Half of the Southeast Quarter of Section 21, Township 36 South, Range 5 West of the Willamette Meridian, containing 3.08 acres, according to the plat of said Subdivision on file and of record in the office of the County Clerk of Josephine County, Oregon." Also the following: "Tracts one (1) Two (2) and Eleven (11) of "The Mount Baldy Heights Subdivision" a Subdivision of a portion of W $\frac{1}{2}$ of SE $\frac{1}{4}$ of Section 21, Township 36 S, Range 5 West of Willamette Meridian according to the plat of said subdivision on file and of record in the office of the county clerk of Josephine County, Oregon, less and Excepting a fifty foot strip of ground which is to be used for road purposes only and described as follows: beginning at the Northwestern corner of Tract eleven, in the Mount Baldy Heights Subdivision, said point being at the intersection of the North line of of said Tract eleven the North line of the high line canal of the Grants Pass Irrigation District and running Northeastly along the North line of said Tract eleven a distance of fifty feet; thence running in a Southeasterly and Northernly direction to and fifty feet distant from the Northernly line of the said High line canal to a point on the north line of said tract eleven, which point is fifty feet westerly from the Northeast corner of said Tract eleven."

(If more space required, attach separate sheet)

(a) Character of soil Clay

(b) Kind of crops raised None

Power or Mining Purposes—

9. (a) Total amount of power to be developed None theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of None

(Name of) County, having a present population of

and an estimated population of in 19

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 400⁰⁰

12. Construction work will begin on or before Jan. 1, 1947

13. Construction work will be completed on or before July 1, 1947

14. The water will be completely applied to the proposed use on or before July 1, 1947

(Sgd) Clara B. Young
(Signature of applicant)

Remarks:

[Lined area for remarks]

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 10, 1946

WITNESS my hand this 11th day of June, 1946

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant ve

Application No. 21697

Permit No. 17039

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of May, 1946, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1946

Recorded in book No. 42 of

Permits on page 17039

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 78E

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from A Spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 31, 1946

Actual construction work shall begin on or before August 15, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 15th day of August, 1946.

CHAS. E. STRICKLIN STATE ENGINEER