

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

We, Ernest A. Peterson and Fred A. Bessey (Name of applicant)

of North Bend, Route 1 (Mailing address), State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an un-named creek (Name of stream)

a tributary of Coos Bay

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (Section or subdivision)

S. 60° 15' E. 2202.25 feet from the Northwest corner of the Northeast quarter of Section 2, Township 25 South, Range 13 West, W. M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NE 1/4 of Sec. 2, Tp. 25 S., R. 13 W., W. M., in the county of Coos

(E. or W.)

5. The pipe line to be 680 (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the NE 1/4 NE 1/4 of Sec. 2, Tp. 25 S., R. 13 W., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 4 feet, length on top 10 feet, length at bottom

3 feet; material to be used and character of construction earth and boards (Loose rock, concrete, masonry,

with spillway over top of dam rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 2" pipe (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 680 ft.; size at intake, 2" in.; size at 20 ft. from intake 1 1/2" in.; size at place of use 2 3/4" in. branching difference in elevation between intake and place of use, 80 ft. Is grade uniform? No Estimated capacity, 0.03 sec. ft.

8. Location of area to be irrigated, or place of use East half of N.E. 1/4 Section 2

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
25 S	13 W	2	NE 1/4 NE 1/4	0.65
25 S	13 W	2	SE 1/4 NE 1/4	0.21

(If more space required, attach separate sheet)

(a) Character of soil Sandy clay
 (b) Kind of crops raised Gardens and grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized (Head) feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in (Legal Subdivision) of Sec.
 Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

Description of the Erneast A? Peterson lands,

Beginning at a point on the northeasterly boundary of the County Road through the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian, from which point the iron pipe at the quarter section corner on the north boundary of the said Section 2 bears N. $49^{\circ} 15\frac{1}{2}'$ W. a distance of 1823.6 feet; and also from which point the Southeast corner of Block 15 of the Townsite of Glasgow, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County, as the same existed prior to the street vacations made in the said plat in 1936, bears S. $35^{\circ} 37'$ W. a distance of 208.9 feet; the said point being at the approximate center of the channel of a small creek:- and running thence N. $75^{\circ} 42'$ E. for a distance of 349.02 feet; thence North for a distance of 172.0 feet to the southwest corner of the one acre reservoir site owned by the Glasgow Water Association; thence N. $14^{\circ} 52'$ W. for a distance of 148.69 feet; thence S. $78^{\circ} 23'$ W. for a distance of 182.60 feet; thence S. $67^{\circ} 42'$ W. for a distance of 134.25 feet to a point on the easterly boundary of a 30 foot private roadway; thence following along the said roadway boundary as follows:- S. $43^{\circ} 17'$ W. for a distance of 52.67 feet; thence S. $65^{\circ} 43'$ W. for a distance of 60.56 feet; thence S. $54^{\circ} 48'$ W. for a distance of 90.13 feet; thence S. $29^{\circ} 17'$ W. for a distance of 86.52 feet; thence S. $55^{\circ} 44'$ W. for a distance of 41.12 feet more or less, to a point of the northerly boundary of the County Road right of way; thence S. $76^{\circ} 15'$ E. along the said County Road boundary for a distance of 22.13 feet, more or less, to a point on the north boundary of Avenue B in the above mention Townsite of Glasgow, as the same existes following the street vacations as made in 1936; thence East along the said boundary of Avenue B for a distance of 101.87 feet, more or less, to a point on the west boundary of the vacated Sixteenth Street in the said Townsite of Glasgow; thence South along the said westerly boundary of the vacated Sixteenth Street for a distance of 29.71 feet, more or less, to a point on the said northerly boundaty of the County Road right of way; thence Southeasterly along the said right of way boundary (the long chord of which bears S. $61^{\circ} 33'$ E. 137.38 feet) to the point of beginning.

Containing 3.32 acres, more or less, and being a portion of Lots 6, 7, 8, 9, 10 and 11 of Block 26, Townsite of Glasgow, a portion of the vacated portion of Avenue B and of Sixteenth Street in the said Townsite of Glasgow, and a portion of the Northeast quarter of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian.

Also. Beginning at an iron pipe in the Northeast quarter of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian, from which point the quarter section corner at the Northwest corner of the said Northeast quarter of Section 2 bears N. $61^{\circ} 31.4'$ W. a distance of 1956.9 feet, the said point being the southeast corner of the acre tract owned by the Glasgow Water Association:- and running thence South for a distance of 388.06 feet to an iron pipe; thence East for a distance of 200.0 feet to an iron pipe; thence North for a distance of 388.06 feet to a point on the south boundary of the Glasgow Water Association's acre tract; thence West for a distance of 200.0 feet to the point of beginning.

Containing 1.79 acres, more or less, and being a portion of the Northeast quarter of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian.

Description of the Fred Bessey tracts.

Beginning at a point on the northeasterly boundary of the County Road through the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian, from which point the quarter section corner on the North boundary of the said Section 2 bears N. $49^{\circ} 15\frac{1}{2}'$ W. a distance of 1823.6 feet; and also from which point the Southeast corner of Block 15 of the Townsite of Glasgow, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County, as the same existed prior to the street vacations therein made in 1936, bears S. $35^{\circ} 37'$ W. a distance of 208.9 feet; the said point being at the approximate center of the channel of a small creek:- and running thence N. $75^{\circ} 42'$ E. for a distance of 349.02 feet; thence South for a distance of 216.06 feet; thence West for a distance of 310.31 feet to a point on the easterly boundary of the said County Road; thence Northwesterly along the said County Road boundary on a curve to the left, the long chord of which bears N. $12^{\circ} 10'$ W. 132.83 feet, to the point of beginning.

Containing 1.30 acres, more or less, and being a portion of the East half of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian.

Also. beginning a a point in the Southeast quarter of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian, from which point the iron pipe at the quarter section corner on the north boundary of the said Section 2 bears N. $45^{\circ} 00'$ W. a distance of 1866.76 feet; and also, from which point the Southeast corner of Block 15 of the Townsite of Glasgow, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County, as the same existed prior to the street vacations in the said Townsite of Glasgow as made in 1936, bears S. $56^{\circ} 19'$ W. a distance of 72.11 feet;- and running thence East for a distance of 600.0 feet; thence South for a distance of 159.75 feet; thence West for a distance of 600.0 feet; thence North for a distance of 159.75 feet to the point of beginning, but subject to the right of way easement for a County Road right of way 60 feet in width which crosses the above described tract in a northerly and southerly direction..

Containing 1.98 acres, more or less, exclusive of the County road right of way, and being a portion of the southeast quarter of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 2

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before June 1, 1947

13. Construction work will be completed on or before June 1, 1948

14. The water will be completely applied to the proposed use on or before June 1, 1948

(Sgd) Fred A. Bessey
(Signature of applicant)

(Sgd) Ernest A. Peterson

Remarks: This water developement is intended for the joint use of two families each holding equal rights to the water developed. From the small dam the water will be led by gravity into a 500 gallon wooden tank nearby, which will serve as a settling basin from which the pipe line down to the places of use will draw the water, the tank also serving as a reserve supply for emergency use. The two houses to be supplied are at approximately the same elevation.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 194.....

WITNESS my hand this day of 194.....

STATE ENGINEER

Application No. 21719

Permit No. 17048

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 14 day of June,

1946, at 8 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 15, 1946

Recorded in book No. 42 of

Permits on page 17048

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 10 B

Fees Paid \$14.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Creek

The use to which this water is to be applied is Domestic and Irrigation, being 0.02 c.f.s. for domestic and 0.01 c.f.s. for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 14, 1946

Actual construction work shall begin on or before August 15, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 15th day of August, 1946.

CHAS. E. STRICKLIN STATE ENGINEER