

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, O. W. Castle and Charlotte L. Whitaker (Name of applicant)

of Enterprise (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring branch and springs (Name of stream)

a tributary of no well defined channel

2. The amount of water which the applicant intends to apply to beneficial use is 0.3 cu. ft. from spring branch and 1.5 cu. ft. from springs cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic and stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 100 ft. S. and 50 ft. W. from the N. E. corner of SW 1/4 of NW 1/4

(Section or subdivision)

4 springs situated 80 ft. E., 350 ft. S. from the NW corner of SW 1/4 of NW 1/4

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of NW 1/4 of Sec. 28, Tp. 3S, R. 45 E., W. M., in the county of Wallawa

(Give smallest legal subdivision)

(N. or S.)

5. The Pipe line to be 1000 ft. in length, terminating in the SW 1/4 of NW 1/4 of Sec. 28, Tp. 3S, R. 45 E., W. M., the proposed location being shown throughout on the accompanying map.

(Main ditch, canal or pipe line)

(Miles or feet)

(Smallest legal subdivision)

(N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

Reservoir of undetermined size to be placed on spring branch

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Water from 4 springs to be collected in reservoir and pumped to cabin sites

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 12.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$...750.00.....

12. Construction work will begin on or before Aug. 1, 1946.....

13. Construction work will be completed on or before as soon as materials are available.....

14. The water will be completely applied to the proposed use on or before Aug. 1, 1950.....

(Sgd) Charlotte L Whitaker

(Signature of applicant)

(Sgd) x O. W. Castle

Remarks: The development of water from spring/ and four springs is to
branch
be used to supply cabins at lake resort.

Water to be used for 20 head of stock

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 11....., 194 6.....

WITNESS my hand this 11th day of June 194 6.....

CHAS. E. STRICKLIN

STATE ENGINEER

(Sgd) Ed K Humphrey

By Ed K. Humphrey, Assistant vc

Application No. 21704

Permit No. 17095

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of June, 1946, at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 1, 1946

Recorded in book No. 42 of Permits on page 17095

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 8 Page 37

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring branch and 4 springs, being 0.02 c.f.s. from branch and 0.11 c.f.s. from springs.

The use to which this water is to be applied is domestic and stock, being 0.12 c.f.s. for domestic and 0.01 c.f.s. for stock

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 6, 1946

Actual construction work shall begin on or before October 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948 Extended to Oct. 1, 1951

Complete application of the water to the proposed use shall be made on or before

October 1, 1949 Extended to Oct. 1, 1953

WITNESS my hand this 1st day of October, 1946.

CHAS. E. STRICKLIN STATE ENGINEER

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... Not estimated

12. Construction work will begin on or before One year after approval

13. Construction work will be completed on or before Two yrs " "

14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) Thomas E. Twigg
(Signature of applicant)

Remarks: Use of water as contemplated in this application will not interfere
with existing rights for stock or other uses.

(Sgd) Thomas E. Twigg

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21707

Permit No. 17096

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of June 1946, at 3:15 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

October 1, 1946

Recorded in book No. 42 of

Permits on page 17096

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 62 M

Fees Paid \$9.50

PERMIT

STATE OF OREGON,

County of Marion,

} ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 6, 1946

Actual construction work shall begin on or before October 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948 Extended to Oct. 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 1st day of October, 1946

CHAS. E. STRICKLIN

STATE ENGINEER