

ASSIGNED, See also Vol. 3 page 436

ASSIGNED, See also Vol. 3 page 1262 to 1267

* APPLICATION FOR PERMIT

24100

To appropriate the Public Waters of the State of Oregon

I, James E. Stephens (Name of applicant) of Scappoose (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Scappoose Creek (Name of stream) South Fork, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 1/4 of 1 Cu. Foot per second (100 gals minute) (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. 250 and ft. 1450 from the 1/4 corner of West line of Section 12 Tp. 3 N. Rge 2 W. W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 12 acres of Sec. 12, Tp. 3 N., R. 2 W., W. M., in the county of Columbia

5. The pipe line to be 900 in length, terminating in the 12 acres of Sec. 12, Tp. 3 N., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2" cent. pump 5 horse electric motor. water to be lifted 15 feet. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ----- feet; width on bottom ----- feet; depth of water ----- feet; grade ----- feet fall per one thousand feet.

(b) At ----- miles from headgate: width on top (at water line) ----- feet; width on bottom ----- feet; depth of water ----- feet; grade ----- feet fall per one thousand feet.

(c) Length of pipe, 900 ft.; size at intake, 3" in.; size at 900 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes Estimated capacity, 100 gals. per minute sec. ft.

8. Location of area to be irrigated, or place of use joining city of Scappoose - West.

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 N	2 W	12		
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	7
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	4
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	1
Tracts 1-2-3-4-5-6-7-8-9 Hallodoy Orchard Tracts. Tracts running south 87° 28' East 149' North 3° 32' west 643.3' to center line then southerly along center line 641.11 feet to the point of beginning. Containing 15 acres more or less.				

(If more space required, attach separate sheet)

(a) Character of soil 8 acres sandy soil; 4 acres clay soil

(b) Kind of crops raised Mixed pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ----- theoretical horsepower.

(b) Quantity of water to be used for power ----- sec. ft.

(c) Total fall to be utilized ----- feet.
(Head)

(d) The nature of the works by means of which the power is to be developed -----

(e) Such works to be located in ----- of Sec. -----
(Legal Subdivision)

Tp. -----, R. -----, W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? -----
(Yes or No)

(g) If so, name stream and locate point of return -----

-----, Sec. -----, Tp. -----, R. -----, W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is -----

(i) The nature of the mines to be served -----

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 19_____.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 1100.00
- 12. Construction work will begin on or before June 1/46
- 13. Construction work will be completed on or before June 20/46
- 14. The water will be completely applied to the proposed use on or before June 20/46

(Sgd) James E. Stephens
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 6, 1946.

WITNESS my hand this 6th day of July, 1946.

CHAS. E. STRICKLIN

(Sgd) Ed K Humphrey

STATE ENGINEER

By Ed K. Humphrey, Assistant vc

Application No. 21755

Permit No. 17113

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 25th day of June

1946 at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

October 1, 1946

Recorded in book No. 42 of

Permits on page 17113

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 3 Page 16

Fees Paid \$9.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Fork Scappoose Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 25, 1946

Actual construction work shall begin on or before October 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before October 1, 1949

WITNESS my hand this 1st day of October, 1946

CHAS. E. STRICKLIN STATE ENGINEER