On the strength of a certified copy of Title Insurance Policy, the name of B. T. and Nora Mae Wallace was changed to G. G. and Blanche Beckner under Permit No. 17116.

## MIT

## the State of Oregon

We, B. T. and Nora Mae Wallace and Hans Selfors both (Name of applicant)
of Route No. 1, North Bend (Mailing address)
State ofOregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is an un-named spring
an un-neffect titeen flowing
2. The amount of water which the applicant intends to apply to beneficial use is 0.023
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is Domestic use and irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
S. 45° 38° E. 2169.0 feet  4. The point of diversion is locatedft andft from the
corner of NW 1/4 of NE 1/4 of Section 2, Township 25 South, Range 13 (Section or subdivision)
(Section or subdivision) West of Willamette Meridian
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the SE 1/4 of NE 1/4 of SE 1/4 of NE 1/4 (Give smallest legal subdivision)  (Since Similar to section corner)
R. 13 W , W. M., in the county of Coos
in length, terminating in the Lot 3 of Sec. 2 , Tp. 25 S. (Smallest legal subdivision) (N. or S.)
R. 13 W, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works
6. (a) Height of damnone feet, length on top feet, length at bottom
feet; material to be used and character of construction
A concrete casing will be sunk around the spring rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate 2" pipe into a tank to supply the Wallace (Timber, concrete, etc., number and size of openings)
right with an overflow pipe into a tank for the Selfors supply.
(c) If water is to be pumped give general description An automatic electric pump.  (Size and type of pump)
will supply the Wallace water under constant pressure  (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
The Selfors supply will flow by gravity

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

~ · · · · · · · · · · · · · · · · · · ·	<b>a</b> : , ,	77.	T *
Canal	System	or Pin	e Line

neaagate. At nea	agate: wiath on	top (at water in	ne)	feet; width on bottom
47	feet; depth of wa	ıter	feet; grade	feet fall per one
thousand feet.		miles from hea	daata: width on ton (at wat	er line)
	feet; width on b	oottom	feet; depth of t	water feet;
grade	feet fall Wallace 150	per one thousa	nd feet.	
(c) Length	of pipe,Self	cons750. ft.; s	ize at intake, $1\frac{1}{4}$ " pir	oin.; size at 100 ft.
from intake 1	" in.:	size at place of	use l" in:di	fference in elevation between
•		jt. 18 j	grade uniform?No	Estimated capacity
0.01	sec. ft.		Wallace, S E	NE 1
8. Location	n of area to be in	rrigated, or plac	e of use Selfors Lat	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
25 g	13 W	2	SFINF1	0.25
				-
				-
· · · · · · · · · · · · · · · · · · ·				
	-			
***************************************				
		ł		
			•••••••••••••••••••••••••••••••••••••••	
			uired, attach separate sheet)	
( ) CT	4			
	•			·
(b) Kind o	f crops raised	Vegetabl <b>e</b> s	and grass	
Power or Mining	_			
9. (a) Tota	al amount of por	ver to be devel	oped	theoretical horsepower
(b) Qua	intity of water t	to be used for p	ower	sec. ft.
(c) Tota	al fall to be utili	zed	feet.	
				developed
(4) 110	· nature of the w	orne og meane	of which the power is to be	woodopow
(e) Suc	h works to be lo	cated in	(Legal Subdivision)	of Sec
Tp(No. N. or S.)	, R(No. E.	or W.)		
(=====================================	<b>,</b>		am?(Yes or No)	
			(Yes or No) t of return	4 - 44 - 444 - 44 - 4
			y a	
				(No. E. or W.)
(h) The	use to which p	ower is to be ap	oplied is	•••••••••••••••••••••••••••••••••••••••
			·	
(i) The r	nature of the mi	nes to be served	l <u></u>	
1	<b></b>			

Description of tract held under purchase contract by B. T. Wallace and Nora Mae Wallace, husband and wife.

Beginning at a point in the Southeast quarter of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian, from which point the iron pipe at the quarter section corner on the north boundary of the said Section 2 bears N. 41° 32½ W. a distance of 1990.41 feet; and also from which point the Southeast corner of Block 15 of the plat of Townsite of Glasgow, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County, as the same existed prior to the vacations on the said Townsite of Glasgow as made in 1936, bears N. 26° 36 3/4! W. a distance of 133.94 feet:— and running thence East for a distance of 600.0 feet; thence South for a distance of 340.25 feet; thence West for a distance of 300.0 feet; thence South for a distance of 440.25 feet to the place of beginning, but subject to the right of way easement for a County Road right of way 60 feet in width which crosses the above described tract in a northerly and southerly direction.

Containing 4.97 acres, more or less, exclusive of the County Road right of way, and being a portion of the Southeast quarter of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian

Description of tract owned by Hans Selfors.

Beginning at the Northwest corner of Block 12 of the plat of Townsite of Glasgow, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County, as the same existed prior to the street vacations made during 1936,; the said point being 1440 feet South and 50 feet East of the quarter section corner on the North boundary of Section 2, Township 25 South, Range i3 West of Willamette Meridian: - and running thence East along the south boundary of Avenue A in the said Townsite of Glasgow for a distance of 1270 feet to a point on the east boundary of the said Townsite of Glasgow; thence South along the said East boundary of the vacated Sixteenth Street in the said Townsite of Glasgow for a distance of 465.0 feet, more or less, to a point on the westerly boundary of the Glasgow- Kwntuck Slough County Road; thence Southwesterly along the said County Road boundary for a distance of 410 feet, more or less, to a point on the center line of a certain un-named street lying between Blocks 1 and 2 of the said Townsite of Glasgow; thence West along the center line of the said street for a distance of 195 feet, more or less, to a point on the center line of Fifteenth Street in the said Townsite of Glasgow; thence South along the said center line of Fifteenth Street for a distance of 40.0 feet; thence West for a distance of 407.0 feet; thence N. 43° W. for a distance of 335.0 feet; thence N. 71° W. for a distance of 107.5 feet to a point on the south boundary of Oregon Avenue in the said Townsite of Glasgow as the same existed prior to the street vacations made in 1936; thence West along the said south boundary of Oregon Avenue in the Townsite of Glasgow for a distance of 207.89 feet; thence North, parallel to and 25.0 feet East of the center line of Central Avenue in the said Townsite of Glasgow for a distance of 330.0 feet to a point on the south boundary of the un-vacated portion of Michigan Avenue in the said Townsite of Glasgow; thence East along the sais south boundary of the un-vacated portion of Michigan Avenue for a distance of 325.0 feet to the east end of the said unvacated portion of Michigan Avenue; thence North for a distance of 50.0 feet to the north boundary of the said un-vacated portion of Michigan Avenue; thence West along the north boundary of the said un-vacated portion of Michigan Avenue for a distance of 275.0 feet to the southeast corner of Lot 1 of Block 12 of the said Townsite of Glasgow; thence North for a distance of 100.0 feet to the northeast corner of the said Lot 1 of Block 12; thence West for a distance of 50.0 feet to the northwest corner of the said Lot 1 of Block 12 as existing subsequent to the street vacations made during 1936; thence North, parallel to and 25.0 feet east of the center line of Central Avenue in the said Townsite of Glasgow for a distance of 100.0 feet to a point on the south boundary of Avenue A in the said Townsite of Glasgow; thence East for a distance of 25.0 feet to the point of beginning.

Being Lots 2 to 12 inclusive and Lots 21 to 32 inclusive, in Blockl2 of the Townsite of Glasgow, Coos County, Oregon, all of vacated Block 2 of the said Townsite of Glasgow lying west of the Glasgow-Kentuch Slough County Road; all of vacated Blocks 3, 4, 5, 13 and 14 of the said Townsite of Glasgow; vacated Lots 13 to 20 inclusive of Block 12 of the said Townsite of Glasgow, and vacated portions of F Fourteenth Street, Fifteenth Street, Sixteenth Street, Michigan Avenue, Oregon Avenue and an un-named street lying between Blocks 1 and 2 in the said Townsite of Glasgow, as vacated during 1936 and additional vacations made during 1940, also a portion of Lot 3 of Section 2, Township 25 South, Range 13 West of Willamette Meridian lying outside of the Townsite of Glasgow and a portion of the tide lands fronting and abutting upon the said Lot 3 of Section 2.

THIS AGREEMENT made and entered into by and between B. T. WALLACE and NORA MAE WALLACE, husband and wife, hereinafter referred to as First Parties, and HANS SELFORS, hereinafter referred to as Second Party, WITNESSETH:

That Whereas, the First Parties are the purchasers under contract of sale of the following described real property to-wit:

Beginning at a point in the Southeast quarter of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian, from which point the iron pipe at the quarter section corner on the north boundary of the said Section 2 bears N. 41 32½ W. s distance of 1990.41 feet; and also from which point the southeast corner of Block 15 of the plat of Townsite of Glasgow, Coos County, Oregon, according to the map and plat thereof on file and of record in the office of the County Clerk of the said County, as the same existed prior to the vacation in the said Township of Glasgow as made in 1936, bears N. 26° 34-3/4 W. a distance of 133.94 feet; and running thence East for a distance of 600. feet; thence South for a distance of 340.25 feet; thence west for a distance of 300.0 feet; thence South for a distance of 100.0 feet; thence West for a distance of 300.0 feet; thence North for a distance of 440.25 feet to the place of beginning, but subject to the right of way easement for a County Road right of way 60 feet in width which crosses the above described tract in a northerly and southerly direction.

Containing 4.97 acres, more or less, exclusive of the County Road right of way, and being a portion of the southeast quarter of the Northeast quarter of Section 2, Township 25 South, Range 13 West of Willamette Meridian.

And, Whereas, there is situated upon said property a spring, and Whereas, the Second Party is the owner of Lots 2 to 12 inclusive, Lots 21 to 32 inclusive, in Block 12 of the Townsite of Glasgow, Coos County, Oregon; all of vacated Block 2 of the said Townsite of Glasgow lying west of the Glasgow-Kentuck Slough County Road, all of the vacated blocks 3, 4, 5, 13 and 14 of said Townsite; vacated Lots 13 to 20 inclusive of Block 12, of said Townsite, and vacated portions of Fourteenth, Fifteenth and Sixteenth Streets, Michigan Avenue, Oregon Avenue, and an unnamed street lying between Lots 1 and 2 in said Townsite as vacted during the years 1936 and 1940, all as more fully appears from the records and files in the office of the County Clerk of Coos County, Oregon; also, a portion of Lot 8, Section 2, Township 25 South, Range 13 West of Willamette Meridian, lying outside of the Townsite of Glasgow and the portion of the tidelands fronting and abutting upon said Lot 3 of Section 2 in Township and range aforesaid.

And, Whereas, the Second Party has installed at said spring a concrete retaining basin of approximately 450 gallon capacity, which said basin is connected to said spring by means of a pipe and that to first of said basins connecting said spring there is a like basin connected by means of an over flow pipe to the first of said basins, and

Whereas, the said First and Second Parties have applied for a water right in the full capacity of the water from said spring with the State Engineer of the State of Oregon, for domestic and irrigation purposes, and

NOW, THEREFORE, for and in consideration of the sum of Ten Dollars and other good and valuable considerations in hand paid by the Second Party unto the First Parties, receipt whereof is hereby acknowledged, and in consideration of the improvements above referred to made by the Second Party unto said spring as hereinabove stated, it is hereby agreed between the parties as follows:

- (1) That the First Parties shall have their pipe line connected to the first basin connecting the spring from which said First Parties shall draw such water as is needed for their domestic and other useful uses upon the First Parties' property more particularly hereinbefore set forth and described, and the Second Parties shall have his pipe line attached to the second retaining basin, which second retaining basin is connected by means of an over flow pipe to the first basin to which the First Parties' pipe is attached, from which said second basin said Second Party shall be entitled to the full use of the water.
- (2) It is further agreed between the parties hereto that the Second Party shall have a permanent and perpetual pipe line easement over and across the First Parties' land hereinabove described for the purposes of laying a water pipe from said second basin herein referred to situated upon the First Parties' property as near the following point to-wit:

S. 45° 38' E 2169.0 feet from the Northwest corner of the Northwest quarter of the Northeast quarter, Section 2, Township 25 South, Range 13 West of Willamette Meridian, and from said point following the present course of the ditch which Second Party has at present dug across the First Parties' property to the premises of the Second Party hereinabove described,

said pipeline easement to be permanent and perpetual and to be for the benefit of the Second Parties, his heirs and assigns, with the right of said Second Parties, their heirs and assigns, to ingress and egress to and from said property for the purpose of keeping in repair said pipe line and water basins.

(3) It is further understood and agreed between the parties hereto that each of said parties shall mutually cooperate between themselves in keeping their respective water systems in a good state of repair so as to avoid any leakage or waste of the waters therefrom.

IN WITNESS WHEREOF the parties have hereunto settheir hands and seals this 21 day of June, 1946.

STATE OF OREGON | ss COUNTY OF COOS |

On this the 21 day of June, 1946, before me, the undersigned, a Notary Public in and for said county and state, personally appeared B. T. WALLACE and NORA MAE WALLACE, husband and wife, and HANS SELFORS, known to me to be the persons whose names are subscribed to the within instrument and acknowledged that they executed the same for the purposes therein contained.

IN WITNESS WHEREOF, I have hereunto set my hand and official seal.

SEAL

(Sgd) Ben G. Flaxel
Notary Public for Oregon

My Commission Expires: Nov 6, 1946

Municipal of	r Domestic Supply—
10. (a	a) To supply the city of
(Nz	
	nated population of in 19
(	(b) If for domestic use state number of families to be supplied2
	(Answer questions 11, 12, 13, and 14 in all cases)
11. E:	stimated cost of proposed works, \$400.00.
12. C	onstruction work will begin on or before June 30, 1946
	onstruction work will be completed on or beforeJune 30, 1947
14. T	he water will be completely applied to the proposed use on or beforeJune_30, 1947
	(Sgd) B. T. Wallace
	(Sgd) Nora Mae Wallace (Signature of applicant)
	.(.Sgd). Hans Selfors
Remar	rks: Under an agreement entered into between the two applicants
named her	rein, a copy of which agreement is attached hereto, the first
applicant	t named, who is thw owner of the land on which the spring rises,
is to have	ve his full amount of water first, and the second applicant
named, Ha	ans Selfors, is to have any water remaining above that amount,
and to ac	complish the above, the water is to be led into one 450
gallon ta	ank near the spring, from which Mr. Wellace will pump his
supply as	s needed, and from the top of this first tank an overflow pipe
will lead	d into a second 450 gallon tank, from which a pipe line will
	overfow by gravity down to the Selfors residence, so that,
	nortage shall develope at any time, the shortage will affect
	ors right first, up to the full emount of his right.
	(A. 22. A. B. 33. 12. B. 13. A. 3. B. 13. A. 3. B. 13. B. 13. B. 13. B. 14. B. 14. B. 14. B. 14. B. 14. B. 14.
	· · · · · · · · · · · · · · · · · · ·
STATE OF	OREGON, }ss f Marion,
This is	s to certify that I have examined the foregoing application, together with the accompanying
maps and da	ta, and return the same for
$In \ ord$	er to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or b	pefore, 194
WITN	ESS my hand this day of, 194,
	STATE ENGINEER

Application 1	Vo. 21758
Permit No	17116

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE

*	WATERS OF THE STATE OF OREGON
. '	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the26th day ofIune,
	194.6 at 1:00o'clock P. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	October 1, 1946
	Recorded in book No 42 of
	Permits on page17116
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 17 Page 10 B
	Fees Paid \$14.50
COLUMN ON ODECON	PERMIT
	SS
SUBJECT TO EXISTING	at I have examined the foregoing application and do hereby grant the same RIGHTS and the following limitations and conditions:
· ·	nted is limited to the amount of water which can be applied to beneficial use
	O.023 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in	n case of rotation with other water users, from an unnemed spring
	s water is to be applied is domestic and irrigation, being 0.02 c.f.s
If for irrigation, this	appropriation shall be limited to
	ent for each acre irrigated and shall be further limited to a
diversion of not to e	exceed $2rac{1}{2}$ acre feet per acre for each acre irrigated during the
irrigstion sesson of	each year,
and shall be subject to suc	
and shall be subject to suc The priority date of t	h reasonable rotation system as may be ordered by the proper state officer.
and shall be subject to suc  The priority date of t  Actual construction	h reasonable rotation system as may be ordered by the proper state officer. this permit is
and shall be subject to suc  The priority date of t  Actual construction thereafter be prosecuted w  October 1, 1948	h reasonable rotation system as may be ordered by the proper state officer.  this permit isIune_26, 1946  work shall begin on or beforeOctober_1, 1947 and shal  with reasonable diligence and be completed on or before
and shall be subject to suc  The priority date of t  Actual construction  thereafter be prosecuted w  October 1, 1948  Complete application	h reasonable rotation system as may be ordered by the proper state officer.  this permit is June 26, 1946 and shal  work shall begin on or before October 1, 1947 and shal  with reasonable diligence and be completed on or before  n of the water to the proposed use shall be made on or before
and shall be subject to suc  The priority date of t  Actual construction thereafter be prosecuted w  October 1, 1948  Complete application October 1, 1949	h reasonable rotation system as may be ordered by the proper state officer.  this permit is
and shall be subject to suc  The priority date of t  Actual construction thereafter be prosecuted w  October 1, 1948  Complete application October 1, 1949	h reasonable rotation system as may be ordered by the proper state officer.  this permit is June 26, 1946 and shal  work shall begin on or before October 1, 1947 and shal  with reasonable diligence and be completed on or before  n of the water to the proposed use shall be made on or before