

Partially

CLASSIFICATION NO 15683
3 Page 223

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Charles Taylor (Name of applicant) of Rt. 4 Box 118a (Mailing address), Grants Pass, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Cold Springs Creek and unnamed Spr. (Name of stream) Savage Creek, a tributary of Rogue River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.14 cubic feet per second, being 0.13 c.f.s. from Cold Spr. Cr. & 0.01 c.f.s. from unnamed Spring (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic, irrigation, & stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 610 ft. S and 1848 ft. E from the W 1/4 corner of S. 31 to diversion from Cold Sprs. Creek (Section or subdivision) Also 932 feet South and 1040 feet east of same corner to Spring used for domestic purposes.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 NW 1/4 SW 1/4 of Sec. 31, Tp. 36S, R. 4W, W. M., in the county of Jackson (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 250 feet (Miles or feet) in length, terminating in the NE 1/4 SW 1/4 NW 1/4 SW 1/4 of Sec. 31, Tp. 36S, R. 4W, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 3/4 Jaccuzzi direct connected (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) 1/4 H.P. Electric; total lift 18 Feet (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 300.00.....
- 12. Construction work will begin on or before one year from date of priority
- 13. Construction work will be completed on or before two years from date of "
- 14. The water will be completely applied to the proposed use on or before three Year from date of priority

(Sgd) Charles Taylor
(Signature of applicant)

Rte #4 Box 118 a
Grants Pass.

Remarks:

..... Volume 251, Page 345, of the Deed Records of Jackson County, Oregon
describes the following land belonging to Charles Taylor and wife: Beginning
at the SW corner of the N $\frac{1}{2}$ of the SW $\frac{1}{4}$ of S.31 T. 36S R4W, W.M; thence running 160
rods east; thence 60 rods north; thence 160 rods west; thence south 60 rods to
point of beginning, containing 60 acres more or less, all in Jackson County
Oregon.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 21766

Permit No. 17122

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 1st day of July

1946 at 8:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

October 1, 1946

Recorded in book No. 42 of

Permits on page 17122

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 78 E

Fees Paid \$14.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.14 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Cold Springs Creek and unnamed spring

The use to which this water is to be applied is irrigation, domestic and stock, being 0.13 c.f.s. from creek for irrigation and stock and 0.01 c.f.s. from spring for stock domestic

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2, to October 31, of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 1, 1946

Actual construction work shall begin on or before October 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 1st day of October, 1946.

CHAS. E. STRICKLIN STATE ENGINEER