

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Jesse Ott and Florence A. Ott of Allegany, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an un-named creek, a tributary of The East Fork of the Millicoma River

2. The amount of water which the applicant intends to apply to beneficial use is four gallons per minute cubic feet per second.

**3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 753.9 ft. North and 20.0 ft. West from the S.W. corner of the N.E. 1/4 of the S.W. 1/4 of Section 5, Twp 25S., R. 11 W.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N.W. 1/4 of the S.W. 1/4 of Sec. 5, Tp. 25 S., R. 11 W. M., in the county of Coos

5. The pipe line to be 950 feet in length, terminating in the N.E. 1/4 of the S.W. 1/4 of Sec. 5, Tp. 25 S., R. 11 W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam No Dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate water to be diverted by four inch trough in bed of creek and passing through four iron settling barrels (oil drums)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 950 ft.; size at intake, one in.; size at ft. from intake in.; size at place of use one in.; difference in elevation between intake and place of use, 100 ft. Is grade uniform? Yes Estimated capacity, 9.8 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
Beginning at a point on the 1/4 section line 9.05 chains West from the 1/4 section corner which is N. 0° 54' W. 18.65 chains from the 1/4 Section corner on the line between Sections 5 and 8, Twp. 25 S. R. 11 W. W.M. thence running North 11.12 chains, thence West 4.50 chains, thence South 11.12 chains to the 1/4 section line, thence East 4.50 chains along said line to the place of beginning, containing five acres, more or less.				
25 S	11 W	5	NE 1/4 SW 1/4	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 350.00

12. Construction work will begin on or before Sept. 1, 1946

13. Construction work will be completed on or before Sept. 1, 1947

14. The water will be completely applied to the proposed use on or before Sept 1, 1947

(Sgd) Florence A. Ott
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21856

Permit No. 17190

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of August, 1946 at 8:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

October 1, 1946

Recorded in book No. 42 of Permits on page 17190

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 10 c

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4 gallons per minute measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 8, 1946

Actual construction work shall begin on or before October 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before October 1, 1949

WITNESS my hand this 1st day of October, 1946

CHAS. E. STRICKLIN STATE ENGINEER