

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. W. Mendenhall, of Rt. 3 Box 729, Salem, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Croisan Creek and an unnamed spring, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.11 cubic feet per second.

\*\*3. The use to which the water is to be applied is irrigation and domestic being 0.1 cfs from creek for irrig and 0.01 cfs from spring for dom

4. The point of diversion is located 500 ft. S and 600 ft. W from the NE corner of Sec 19, T 8 S., R 3 W., WM. from spring. Any point where Croisan Creek touches property described herein, from creek. Diversion points are on property described herein. Distances are approximate.

being within the NE 1/4 of Sec. 19, Tp. 8S, R. 3W, W. M., in the county of Marion

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 4 feet, length on top 4 feet, length at bottom ... feet; material to be used and character of construction sacks of sand

(b) Description of headgate

(c) If water is to be pumped give general description

5 sprinklers - details not determined

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 8 S, 3 W, 19, NE 1/4 NE 1/4, 8 Dom. Below table: Property on which water is to be used is a part of that more explicitly described by applicant as follows: Lots Five (5) Six (6) and Seven (7) in Ireton Fruit Farms, as shown by the plat thereof recorded in Volume 5, Five on Page 3, record of Town Plats for Marion County, Oregon.

(If more space required, attach separate sheet)

(a) Character of soil ..... red

(b) Kind of crops raised ..... Clover Garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. .... (Legal Subdivision)

Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of) and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_ 1

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ \_\_\_\_\_ 30092
- 12. Construction work will begin on or before \_\_\_\_\_ One year after approval
- 13. Construction work will be completed on or before \_\_\_\_\_ Two Yrs. " "
- 14. The water will be completely applied to the proposed use on or before \_\_\_\_\_ 3 " " "

(Sgd) W. W. Mendenhall  
(Signature of applicant)

Remarks: \_\_\_\_\_ Spring is on my property. Use of water as proposed  
\_\_\_\_\_ under this application will not affect existing rights

(Sgd) W. W. Mendenhall

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 194\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 194\_\_\_\_\_

STATE ENGINEER

172106

Application No. 21892

Permit No. 17210

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 19th day of August

1946 at 2:56 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

October 1, 1946

Recorded in book No. 42 of

Permits on page 17210

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 76R

Fees Paid \$14.50

PERMIT

STATE OF OREGON,

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Croisan Creek and an unnamed spring

The use to which this water is to be applied is irrigation and domestic, being 0.10 c.f.s. from creek for irrigation and 0.01 c.f.s. from spring for domestic

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 19, 1946

Actual construction work shall begin on or before October 1, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 1st day of October, 1946

CHAS. E. STRICKLIN

STATE ENGINEER