

* APPLICATION FOR PERMIT

17111

To appropriate the Public Waters of the State of Oregon

I, J. P. Adams and Carson Adams
(Name of applicant)
of Route 3, Junction City,
(Mailing address) State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River
(Name of stream)
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 6
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 528 ft. S and 1100 ft. E from the NW
(N. or S.) (E. or W.)
corner of Section 8
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW of the NW of Sec. 8, Tp. 15 S,
(Give smallest legal subdivision) (N. or S.)
R. 14 W., W. M., in the county of Benton and Lane
(E. or W.)

5. The pipe line to be 5800 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the see remarks of Sec. , Tp. ,
(Smallest legal subdivision) (N. or S.)
R. , W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Fair Banks-Morris, 6"
(Size and type of pump)
70 Horse Cat
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2400 ft.; size at intake, 8 in.; size at 2400 ft. from intake 8 in.; size at place of use 2600-6 in.; difference in elevation between intake and place of use, none ft. Is grade uniform? Yes Estimated capacity, 6 sec. ft.

8. Location of area to be irrigated, or place of use Benton & Lane County

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
15	4 W	6	S $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$	10
		7	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	40
		7	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	10
			SW $\frac{1}{4}$ of NE $\frac{1}{4}$	2
			SE $\frac{1}{4}$ of NE $\frac{1}{4}$	26
		8	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	38 (Overlaps Kuehner rights)
			SW $\frac{1}{4}$ of NW $\frac{1}{4}$	19
			NW $\frac{1}{4}$ of SW $\frac{1}{4}$	2
				<u>147</u>

(If more space required, attach separate sheet)

(a) Character of soil Willamette loam

(b) Kind of crops raised Irrigated truck crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Mtge No. 23421

Beginning at the Northwest Corner of Lot Seventeen Plat of Noraton as platted and recorded in Book 4 page 79, Lane County records of plats and running thence South 0°25' West along the West line of said lot Seventeen, 19.45 chains, thence East parallel with the North line of said Lot 10.93 chains to the East line of said Lot, thence North 0°25' East 19.45 chains to the Northeast Corner of said Lot and thence West along the North line of said Lot 10.65 chains to the place of beginning, containing 20.968 acres of land in Plat of Noraton, Lane County, Oregon.

Also beginning at a point 20 feet West and 15.076 chains South 0°25' West from the Northeast Corner of Lot Sixteen, of the Plat of Noraton as platted and recorded in Book 4 page 79, Lane County records of Plats, and running thence West 8.002 chains, thence South 4.374 chains, thence East 8.00 chains, thence North 4.374 chains to the place of beginning, containing $3\frac{1}{2}$ acres of land in Lot Sixteen, of Noraton, as the same is platted and recorded in Lane County, Oregon.

Deed No. 46978

Beginning at the Northwest corner of Lot 19 of the Plat of Noraton as platted and recorded in Book 4, page 79, Lane County Record of Plats, and running thence S 0°25' E along the Western boundary of said Lot 24.99 chs. to the Southwest corner of said Lot 19; thence S 89°04' E. along the South boundary of said Lot 19, 4.00 chs; thence N 0°25' W parallel to the West boundary of said Lot 25.04 chs. to the North boundary thereof; thence West on said North boundary 4.00 chs. to the place of beginning.

Containing 10.00 acres of land in the Plat of Noraton, Lane County, Oregon.

Certificate of Title No. 7753

Beginning at a point 20 feet West of a point on the East line of Lot No. 16 of the Plat of Noraton as platted and recorded in Book 4, page 79, Lane County records of Plats 4.81 Chains South of the Northeast corner of said Lot No. 16, thence South parallel to the East line of said Lot and 20 feet West from it 5.25 chains, thence West 4.93 chains, thence North parallel to the East line of said Lot No. 16 5.25 chains, thence East 4.93 chains to the place of beginning containing 2.59 acres of land in Lane County Oregon.

T. A. Cantrell Contract

Lot Seven (7) in Section Eight (8), Township Fifteen (15) South Range Four (4) West of Willamette Meridian, containing according to the Government survey thereof Fifty-four and $\frac{31}{100}$ acres (54.31), a portion of which has been washed away by the river leaving forty-five and $\frac{81}{100}$ acres (45.81), more or less, except two acres heretofore sold to McCard.

R. L. Heustis Deed

Beginning at the Northwest corner of Lot No. 17 of the Plat of NORATON as platted and recorded on Page 79 of Book 4, Lane County record of plats, and being in Sec. 7, Tp, 15 S.R. 4.W. Will, Mer, and running thence East 10.65 chains to the Northeast corner of said Lot #17, thence North 1.96 chains to the South line of C.S.52, thence West along the South line of said survey 10.65 chains, thence South 2.04 chains to the place of beginning, containing 2.13 acres of land in Benton County, Oregon.

Ralph Hone Deed

Commencing at the Northeast corner of the Northwest quarter of the Northeast quarter of Section Seven (7) in Township Fifteen (15) South, Range Four (4) West of the W.M., running thence West twenty-Two rods more or less, thence South Eighty-six (86) rods, more or less to the county line between Lane and Benton Counties in the State of Oregon, thence East Twenty-two (22) rods, more or less, along said county line; thence North Eighty-six rods, more or less, to the place of beginning, containing twelve acres, more or less. Excepting, however, a strip of land Twenty (20) feet wide extending from the Southeast corner of said tract North to a point Thirty feet North of the Southeast corner of the Northwest quarter of the Northeast quarter of said Section Seven (7), excepting also a private roadway heretofore granted on the South end of said tract, being 20 feet wide and extending the entire width of tract, situate in the County of Benton, State of Oregon.

Ernest H. Craig Contract

The Northeast fourth of the Northeast quarter of Section SEVEN and a strip 5 chains wide off the entire South side of the Southeast fourth of the Southeast quarter of Section SIX all in Township FIFTEEN, South, Range FOUR West of the Willamette Meridian, and containing 50 acres, more or less of land in Benton County, State of Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 10,000.00
- 12. Construction work will begin on or before Completed
- 13. Construction work will be completed on or before Completed
- 14. The water will be completely applied to the proposed use on or before 1945

(Sgd) Carson G. Adams
(Signature of applicant)

(Sgd) By J. P Adams

Remarks:

- (5) 2400 ft. of 8" pipe terminating in NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec 7
- 2600 ft of 6" pipe terminating in SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec 8
- 800 ft of 6" pipe terminating in NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec 8

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
completion
maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-
September 12, 1946
tions on or before March 2, 1946, 194.....

WITNESS my hand this 12th August 6
31st day of January, 194. 6.

CHAS. E. STRICKLIN
STATE ENGINEER

By
Ed K. Humphrey, Assistant
ci

Application No. 21394

Permit No. 17216

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 29th day of January

1946 at 8:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

December 16, 1946

Recorded in book No. 42 of

Permits on page 17216

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 64B

Fees Paid \$22.35

PERMIT

STATE OF OREGON, } ss
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.84 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 17, 1946

Actual construction work shall begin on or before December 16, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 16th day of December, 1946.

CHAS. E. STRICKLIN

STATE ENGINEER