

*** APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Arthur L. Schrweid (Name of applicant)
of Route 1, Dayton, Box 241 (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Yamhill River (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is .375 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 10 ft. N. and 10 ft. E. from the northwest corner of SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 11, of Township 4, Range 3, Willamette Meridian, Yamhill County. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$ of Sec. 11, Tp. 4, R. 3, W. M., in the county of Yamhill

5. The pipe line to be 1000 feet in length, terminating in the SW $\frac{1}{4}$ of Sec. 11, Tp. 4, R. 3, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gould, 15 HP, 3 phase, 2" pump outlet, 4" intake. One pump only, stationary pump. (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake, 4 in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 60 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	3 W	11	SW $\frac{1}{4}$ SW $\frac{1}{4}$	30
<p>Beginning at an iron pipe on the South line of the Louis LaBonte Donation Land Claim No. 76 in Township 4 South, Range 3, West of the Willamette Meridian, at a point South 73° 30' East 59.011 chains from the Southwesterly Corner of said claim, thence south 73° 30' East along the South line of said Claim 18.956 chains to an iron pipe set for the Southeast Corner of the Willard Tract, thence North 28° 54' East 22.812 chains to an iron pipe on the division line of the Claim from which a Maple 50" bears South 44° West 45$\frac{1}{2}$ links, thence North 73° 40' West along the division line of Claim 23.858 chains to an iron pipe, thence South 16° 30' West 22.21 chains to the place of beginning.</p>				

(If more space required, attach separate sheet)

(a) Character of soil Amity Silt Loam

(b) Kind of crops raised Pasture and corn

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2500.00

12. Construction work will begin on or before work is completed.

13. Construction work will be completed on or before has been completed.

14. The water will be completely applied to the proposed use on or before using at present.

(Sgd) Arthur L. Sohrweid

(Signature of applicant)

Arthur L. Sohrweid

Box 241, Route 1, Dayton, Oregon

Remarks: None

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

STATE ENGINEER

Application No. 21954

Permit No. 17271

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of September, 1946 at 8:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

December 16, 1946

Recorded in book No. 42 of

Permits on page 17271

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 86

Fees Paid \$2.50

PERMIT

STATE OF OREGON,

County of Marion,

} ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Yamhill River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 10, 1946

Actual construction work shall begin on or before December 16, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 16th day of December, 1946.

CHAS. E. STRICKLIN

STATE ENGINEER