

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Robert V. Jewett (Name of applicant) of 1101 Weatherly Bldg. Portland (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unamed (Name of stream), a tributary of Tryon Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1850 ft. S and 1500 ft. W from the NE corner of Section 29 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 29, Tp. 1 S (Give smallest legal subdivision) (N. or S.)

R. 1 E, W. M., in the county of Multnomah (E. or W.)

5. The Pipe line (Main ditch, canal or pipe line) to be 300 (Miles or feet) in length, terminating in the SW 1/4 of Sec. 29, Tp. 1 S (Smallest legal subdivision) (N. or S.)

R. 1 E, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 350 gal. per hour piston pump (Size and type of pump)

1/4 horsepower electric motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Total head about 20 feet

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 300 ..... ft.; size at intake, 3/4 ..... in.; size at ..... ft. from intake ..... in.; size at place of use 3/4 ..... in.; difference in elevation between intake and place of use, 20 ..... ft. Is grade uniform? No ..... Estimated capacity, 0.02 ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 S	1 E	29	SW 1/4 NE 1/4	2
All that part of Tax Lot 4, Section 29, Township 1 South, Range 1 East of the Willamette Meridian, in the County of Multnomah and State of Oregon, described as follows: Beginning at a point on the Southerly line of S. W. Taylor's Ferry Road, as now established, 150 feet Easterly from the Northeasterly corner of that certain tract of land conveyed to S. H. Graham by deed recorded August 25, 1916 in Deed Book 722, page 15; thence South 74° 17' West along the said Southerly line of S. W. Taylor's Ferry Road, 150 feet to the Northeasterly corner of the said Graham tract; thence South 14° 52' East, along the Easterly line of the said Graham tract, 214.27 feet to the Southeasterly corner thereof; thence South 68° 32' West, along the Southerly line of the said Graham tract, 217.04 feet to the Southwesterly corner thereof; thence South 61° 05' East along the Northeasterly line of that certain tract of land conveyed to Eva B. Clark, by deed recorded December 23, 1931 in P. S. Deed Book 154, page 247, 554.89 feet to the re-entrant corner of that certain tract of land conveyed to Portland Trust and Savings Bank by deed recorded February 27, 1936 in P. S. Deed Book 327, page 117, thence North 71° 21' East along the Northerly line of the said Portland Trust and Savings Bank tract, 50 feet to a point; thence Northwesterly to the point of beginning;				

(If more space required, attach separate sheet)

(a) Character of soil clay

(b) Kind of crops raised Fruit, Berries, and Domestic vegetable garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 100.00 \_\_\_\_\_

12. Construction work will begin on or before January 1, 1947 \_\_\_\_\_

13. Construction work will be completed on or before January 1, 1948 \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before January 1, 1948 \_\_\_\_\_

(Sgd) Robert V Jewett  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 194\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 194\_\_\_\_\_

STATE ENGINEER

17277 c

Application No. 21967

Permit No. 17277

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of September, 1946 at 8:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

December 16, 1946

Recorded in book No. 42 of

Permits on page 17277

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 22 Page 76-R

Fees Paid \$9.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed Stream

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.02 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 16, 1946

Actual construction work shall begin on or before December 16, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948 Extended to Oct. 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 16th day of December, 1946

CHAS. E. STRICKLIN

STATE ENGINEER

**Municipal or Domestic Supply—**

10. (a) To supply the city of .....

..... County, having a present population of .....  
(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... 3 .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ ..... 700.00 .....

12. Construction work will begin on or before ..... June 1947 .....

13. Construction work will be completed on or before ..... June 1948 .....

14. The water will be completely applied to the proposed use on or before ..... June 1949 .....

O R Gullion

(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 194.....

WITNESS my hand this ..... day of ....., 194.....

STATE ENGINEER

Application No. 21972

Permit No. 17278

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of September, 1946 at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

December 16, 1946

Recorded in book No. 42 of Permits on page 17278

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 28 C

Fees Paid \$14.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.12 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Canyon Creek

The use to which this water is to be applied is Domestic supply for 3 families, fish pond, and irrigation, being 0.03 c.f.s. for domestic, 0.03 c.f.s. for fish pond and 0.06 c.f.s. for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 17, 1946

Actual construction work shall begin on or before December 16, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before October 1, 1949

Extended to Oct. 1, 1950

WITNESS my hand this 16th day of December, 1946

CHAS. E. STRICKLIN

STATE ENGINEER