

CERTIFICATE NO. 20763

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, The Consumers Co-operative Assoc.
(Name of applicant)
of Swishome,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation State of Kansas,
April 15, 1931.

1. The source of the proposed appropriation is Count Creek
(Name of stream)
, a tributary of Siuslaw River

2. The amount of water which the applicant intends to apply to beneficial use is 3.78
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic, Mill operation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
and Fire Protection.

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the _____
(N. or S.) (E. or W.)
corner of bears N. 43* 48' W. 4205 feet from the southeast corner
(Section or subdivision)
of Section 30, T. 17 S., R. 9 W. W. M.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the Lot 3 of Sec. 30, Tp. 17 S.,
(Give smallest legal subdivision) (N. or S.)
R. 9 W., W. M., in the county of Lane
(E. or W.)

5. The Pipe line to be 2000 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N.W. 1/4 of S.E. 1/4 of Sec. 30, Tp. 17 S.,
(Smallest legal subdivision) (N. or S.)
R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— See accompanying application for Reservoir Construction.

6. (a) Height of dam 2.5 feet, length on top 182 feet, length at bottom 10 feet; material to be used and character of construction compacted earth
(Loose rock, concrete, masonry, fill dam, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 12 inch steel pipe protrudes into reservoir.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Phone 5210-J

FOLLET & FORD
Engineering & Surveying
1563 Grant St. - Route 3, Box 573
EUGENE, OREGON

August 12, 1946.

Consumers Co-operative.

Beginning at the intersection of the North line of Lot 2, Section 30, Township 17 South, Range 9 West, Willamette Meridian, with the West township line of said township; thence South along township line to its intersection with the Siuslaw Highway; thence follow the Siuslaw Highway in a general Southerly and Easterly direction to its intersection with the East line of Lot 5 of said Section 30 if extended due South to the Highway; thence North along said line and along the East line of Lot 5 to a line coincident with the North line of Lots 2 and 3 if extended East; thence due West and along the North line of Lots 2 and 3 to the point of beginning.

Except that part of Lot 4 lying West of Count Creek.

Also, beginning at the intersection of the Siuslaw Highway with the East line of Lot 5 if extended South to the Highway and thence East to a point 100 ft. East of the East line of Lot 5 extended South; thence North 700 ft.; thence East 50 ft.; thence North 600 ft.; thence West 50 ft.; thence North to the North line of the Southeast $\frac{1}{4}$ Northeast $\frac{1}{4}$ of Section 30; thence West to the Northeast corner of the tract described in the first description herein; thence South to the point of beginning in Section 30, Township 17 South, Range 9 West of the Willamette Meridian, reserving unto grantors the right to use a certain log road now existing on the Eastern boundary of the last described tract, subject to the easements of record.

Except tract conveyed to the State of Oregon by and through State Highway Commission by deed recorded January 1942.

Municipal or Domestic Supply—

10. (a) To supply the city of Camp and Millsite of Consumers Co-op Assoc.
Lane County, having a present population of 150
(Name of)
 and an estimated population of 300 in 1948

(b) If for domestic use state number of families to be supplied 30 now—60 planned
 when material is available.
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 20,500
- 12. Construction work will begin on or before completed
- 13. Construction work will be completed on or before —
- 14. The water will be completely applied to the proposed use on or before now

THE CONSUMERS COOPERATIVE ASSOCIATION
 By (Sgd) Howard A. Cowden M.W.
(Signature of applicant) RZ
 President

Remarks: This dam... as constructed from some material that
was in the submerged area of the dam, making about a three and
one half foot deep settling basin. This makes the maximum depth
of water 12.5 feet with only 9 feet of it available for use.

| (1) DOMESTIC: | Units | Estimated Rates | Total |
|--------------------------|-------|-----------------|-----------|
| Family housing units | 32 | 0.01 cfs. | 0.32 cfs. |
| Cook house | 1 | 0.04 | 0.04 |
| Cooks apartment | 1 | 0.01 | 0.01 |
| Bunk houses (4 man) | 4 | 0.005 | 0.02 |
| Bath houses | 3 | 0.01 | 0.03 |
| Water fountains | 5 | 0.002 | 0.01 |
| Offices | 1 | 0.01 | 0.01 |
| Superintendents quarters | 2 | 0.02 | 0.02 |
| Total Domestic | | | 0.46 cfs. |

(2) INDUSTRIAL:

| | | | |
|---|---|------|------|
| Truck & Trailer supply | 1 | 0.04 | 0.04 |
| Boilers (800 H.P. now) | | | |
| (2000 H.P. planned) | | | 0.31 |
| Pond & fire protection | | | 2.97 |
| Fire protection is indeterminate, the permanent requirement being that the Count Creek Reservoir be kept filled, and that pipe lines be of sufficient size to furnish the required nozzle pressure at the fire hydrants. This factor will automatically determine the amount that can be used for other purposes. | | | |

Total Industrial 3.32
 TOTAL REQUIREMENTS 3.78 cfs.

STATE OF OREGON, }
 County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22005

Permit No. 17322

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of October, 1946 at 12:00 o'clock Noon.

Returned to applicant:

Corrected application received:

Approved:

December 16, 1946

Recorded in book No. 42 of

Permits on page 17322

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 26 A

Fees Paid \$13.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.78 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Count Creek

The use to which this water is to be applied is Domestic, including the irrigation of not to exceed 1/2 acre domestic lawns or gardens for each family, mill operation and fire protection, being 0.46 c.f.s. for domestic and 3.32 c.f.s. for mill operation and fire protection.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 1, 1946

Actual construction work shall begin on or before December 16, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 16th day of December, 1946

CHAS. E. STRICKLIN STATE ENGINEER