

* APPLICATION FOR PERMIT

CERTIFICATE NO. 20762

To appropriate the Public Waters of the State of Oregon

I, The Consumers Co-op. Assoc. (Name of applicant)
of Swisshome (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation State of Kansas,
April 15, 1931

1. The source of the proposed appropriation is Un-named Creek (Name of stream),
a tributary of Siuslaw River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.78
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic, Mill operation and
Fire Protection (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the _____
corner of _____ bears N. 24° 48' W. 2563 feet from the southeast corner of _____
Section 30, T. 17 S., R. 9 W. W. M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N. E. 1/4 of S. E. 1/4 of Sec. 30, Tp. 17 S.,
R. 9 W., W. M., in the county of _____
(E. or W.) (N. or S.)

5. The pipe line (Main ditch, canal or pipe line) to be 2000 feet (Miles or feet)
in length, terminating in the N. W. 1/4 of S. E. 1/4 of Sec. 30, Tp. 17 S.,
R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 5.0 ft. feet, length on top 50 ft. feet, length at bottom
5 ft. feet; material to be used and character of construction compacted earth fill dam
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 4 inch steel pipe protrudes into reservoir
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ...2000 ft. ft.; size at intake, ...4 inch in.; size at2000 ft. from intake 4 inch to 12 inch in.; size at place of use in.; difference in elevation between intake and place of use, ...76.7 ft. ft. Is grade uniform? No Estimated capacity,78 sec. ft.

8. Location of area to be irrigated, or place of use ...see attached description.....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
17 S	9 W	30	Lot 5	
			SW ¹ / ₄ SE ¹ / ₄	
			Lot 4	
			Lot 3	
			NE ¹ / ₄ SE ¹ / ₄	
			SE ¹ / ₄ SE ¹ / ₄	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PHONE 5210-J

FOLLETT & FORD
ENGINEERING & SURVEYING
1563 GRANT ST. . ROUTE 3, BOX 573
EUGENE, OREGON

August 12, 1946.

Consumers Co-Operative.

Beginning at the intersection of the North line of Lot 2, Section 30, Township 17 South, Range 9 West, Willamette Meridian, with the West township line of said township; thence South along township line to its intersection with the Siuslaw Highway; thence follow the Siuslaw Highway in a general Southerly and Easterly direction to its intersection with the East line of Lot 5 of said Section 30 if extended due South to the Highway; thence North along said line and along the East line of Lot 5 to a line coincident with the North line of Lots 2 and 3 if extended East; thence due West and along the North line of Lots 2 and 3 to the point of beginning.

Except that part of Lot 4 lying West of Count Creek.

Also, beginning at the intersection of the Siuslaw Highway with the East line of Lot 5 if extended South to the Highway and thence East to a point 100 ft. East of the East line of Lot 5 extended South; thence North 700 ft.; thence East 50 ft.; thence North 600 ft.; thence West 50 ft.; thence North to the North line of the Southeast $\frac{1}{4}$ Northeast $\frac{1}{4}$ of Section 30; thence West to the Northeast corner of the tract described in the first description herein; thence South to the point of beginning in Section 30, Township 17 South, Range 9 West of the Willamette Meridian, reserving unto grantors the right to use a certain log road now existing on the Eastern boundary of the last described tract, subject to the easements of record.

Except tract conveyed to the State of Oregon by and through State Highway Commission by deed recorded January 1942.

Municipal or Domestic Supply—

10. (a) To supply the city of Camp and Millsite of Consumers Co-op. Assoc.
Lane County, having a present population of 150
(Name of)
and an estimated population of 300 in 19 48.

(b) If for domestic use state number of families to be supplied 30 now— 60 planned
when material is available.
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 3000.00
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before now.

THE CONSUMERS COOPERATIVE ASSOCIATION

By (Sgd) Howard A. Cowden M.W.
(Signature of applicant) RZ

Remarks: The purpose of this dam is not for water storage but is
simply a catch basin, and is the same dam built in conjunction
with the existing water right.

The new work consists almost entirely of pipe line work.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22006

Permit No. 17323

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of October 1946 at 12:00 o'clock Noon M.

Returned to applicant:

Corrected application received:

Approved:

December 16, 1946

Recorded in book No. 42 of Permits on page 17323

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 26 A

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.78 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is domestic, including the irrigation of not to exceed 1/2 acre domestic lawns or gardens for each family, mill operation and fire protection, being 0.60 c.f.s. for domestic and 0.18 c.f.s. for mill operation and fire protection.

If for irrigation, this appropriation shall be limited to - - - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 1, 1946

Actual construction work shall begin on or before December 16, 1947 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1948

Complete application of the water to the proposed use shall be made on or before

October 1, 1949

WITNESS my hand this 16th day of December, 1946

CHAS. E. STRICKLIN STATE ENGINEER