*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Kenneth Yoder
(viente or abbricant)
of Woodburn Rt 1 (Mailing address)
State of Oragon , do hereby make application for a permit to appropriate th
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Pudding River (Name of stream)
, a tributary of Molalla R.
2. The amount of water which the applicant intends to apply to beneficial use isQ.Q8
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
• · · · · · · · · · · · · · · · · · · ·
**3. The use to which the water is to be applied is
4. The point of diversion is locatedftandftfrom the
corner ofany_point_where Pudding River touches property described herein
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SWINE & SEINWI of Sec. 10 , Tp. 5 S (Give smallest legal subdivision)
R, W. M., in the county of
5. The
(Main ditch, canal or pipe line) in length, terminating in the
(Smallest legal subdivision) (N. or S.) R, W. M., the proposed location being shown throughout on the accompanying map.
(M. or W.)
DESCRIPTION OF WORKS
Diversion Works— No dam
6. (a) Height of dam feet, length on top feet, length at botton
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate
(c) If water is to be pumped give general description 5 HP gas engine (Size and type of pump)
(Size and type of pump) 2 x 1½ pump (Size and type of engine or motor to be used, total head water is to be lifted, std.)
• •
Will use 10 6 gpm sprinklers

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

ieadgate. At head	dgate: width or	n top (at water	line)	feet; width on botto
1	feet: depth of u	ater .	feet: grade	feet fall per o
housand feet.	-			
(b) At		. miles from he	adgate; wiath on top (at wo	iter line)fe
News "	feet; width on	bottom	feet; depth o	f water fe
rade	feet fa	ll per one thous	and feet.	
(c) Length	of pipe,	ft.;	size at intake,	in.; size at
rom intake	in.	; size at place o	f use in.;	difference in elevation betwe
ntake and place o	of use	ft. Is	grade uniform?	Estimated capaci
	or the signature			
	11.	ભારેહાર સ્ટ્રાયા <i>લા કરે</i> ક	· · · · · · · · · · · · · · · · · · ·	and water builty to the officer
1		1	ice of use	Number Acres To Be Irrigated
Township	Range	~	Forty-acre Tract	
5 S	<u>1. W</u>	10	$SW_{4}^{1}NE_{4}^{1}$	
	g '		$\mathtt{SE}^{1}_{4}\mathtt{NW}^{1}_{4}$	1
······				
	eng Ombalish in king diweksi galebisa		🐫 - To the self substitute of the first	January Company Compan
	· · · · · · · · · · · · · · · · · · ·			
operty on whi		l I	s.a.part of that more	explicitly described
				·
endryx, record regon; running adding River; orth line of t	led April 3, thence Sou thence East he Hendryx	1894 in Vol. th along the erly along the	West line of said cla ie Northerly bank of P point is 30.75 chains	ords for Marion County im to the bank of Judding River to the
endryx, record regon; running adding River; orth line of t	led April 3, thence Sou thence East he Hendryx of beginnin ace of begin	1894 in Vol. th along the erly along the claim, which g; thence Wes nning.	West line of said cla West line of said cla West line of said cla West line of P Point is 30.75 chains Sterly along the North	ords for Marion County im to the bank of udding River to the more or less, Easterly line of the Hendryx
endryx, record regon; running adding River; orth line of t rom the place laim to the pl	led April 3, thence Sou thence East he Hendryx of beginning ace of begin	1894 in Vol. th along the erly along the claim, which g; thence Wes nning.	. 58, Page 88 Deed Rec West line of said cla me Northerly bank of P point is 30.75 chains sterly along the North	ords for Marion County in to the bank of Cuding River to the more or less, Easterly line of the Hendryx
endryx, record regon; running adding River; orth line of t rom the place aim to the pl	led April 3, thence Sou thence East he Hendryx of beginning ace of begin	1894 in Vol. th along the erly along the claim, which g; thence Wes nning.	. 58, Page 88 Deed Rec West line of said cla me Northerly bank of P point is 30.75 chains sterly along the North	ords for Marion County in to the bank of Cuding River to the more or less, Easterly line of the Hendryx
endryx, record regon; running adding River; orth line of t rom the place aim to the pl	led April 3; thence Sou thence East he Hendryx of beginnin ace of begin	1894 in Vol. th along the erly along the claim, which g; thence Wes nning. (E more space r	West line of said cla West line of said cla West line of said cla West line of said cla West line of said cla Point is 30.75 chains Sterly along the North	ords for Marion County im to the bank of udding River to the more or less, Easterl line of the Hendryx
endryx, record regon; running adding River; orth line of t rom the place laim to the pl	led April 3, thence Southence East. The Hendryx of beginnin ace of beginner ter of soil	189% in Vol. th along the erly along the claim, which g; thence Wes hning. (More space r	West line of said cla West line of said cla West line of said cla West line of said cla West line of said cla Point is 30.75 chains Sterly along the North	ords for Marion County im to the bank of udding River to the more or less, Easterl line of the Hendryx
endryk, record regon; running adding River; orth line of t rom the place laim to the pl (a) Charac (b) Kind o	led April 3; thence Southence East. he Hendryx of beginnin ace of begin ter of soil	189% in Vol. th along the erly along the claim, which g; thence Wes nning. (More space r Sandy los	West line of said cla West line of said cla West line of said cla West line of said cla West line of said cla Point is 30.75 chains Sterly along the North	ords for Marion County im to the bank of Cudding River to the more or less, Easterl line of the Hendryx
endryx, record regon; running adding River; orth line of the place laim to the place (a) Charac (b) Kind of the place (c) Kind of th	led April 3; thence Southence East. he Hendryx of beginnin ace of begin ter of soil frops raised	1894 in Vol. th along the erly along the claim, which g; thence Wes nning. (More space r Sandy los	West line of said cla ie Northerly bank of P point is 30.75 chains sterly along the North	ords for Marion County im to the bank of udding River to the more or less, Easterl line of the Hendryx
endryx, record regon; running adding River; orth line of the place laim to the place (a) Charac (b) Kind of the place (c) Kind of th	led April 3; thence Southence East. he Hendryx of beginnin ace of begin ter of soil frops raised	1894 in Vol. th along the erly along the claim, which g; thence Wes nning. (More space r Sandy los	West line of said cla ie Northerly bank of P point is 30.75 chains sterly along the North	ords for Marion County im to the bank of udding River to the more or less, Easterly line of the Hendryx
cendryx, record regon; running adding River; orth line of the place laim to the place laim to the place (b) Kind of Power or Mining 19. (a) Tota (b) Qua	thence Southence Easterner Hendryx of beginning ace of beginning ace of beginner for the soil	th along the erly along the laim, which g; thence Weshning. (M'more space response to be used for	West line of said cla ie Northerly bank of P point is 30.75 chains sterly along the North aquired, attach separate sheet) un loped power	theoretical horsepou
cendryk, record regon; running adding River; orth line of the place laim to the place laim to the place (b) Kind of the place (c) Total (c) Total records (c) Total records (c) Total records (d) Qual records (d) Total records (d) Qual records (d	thence Southence East thence East the Hendryx of beginning ace of beginning ace of beginner of soil	th along the erly along the claim, which g; thence Westing. (E more space r. Sandy loss berries ower to be deve to be used for lized	West line of said cla le Northerly bank of F point is 30.75 chains sterly along the North equired, attach separate sheet) loped power feet.	the order to the bank of sudding River to the more or less, Easterly line of the Hendryx theoretical horsepoursec. ft.
cendryk, record regon; running adding River; orth line of the place laim to the place laim to the place (b) Kind of the place (c) Total (c) Total records (c) Total records (c) Total records (d) Qual records (d) Total records (d) Qual records (d	thence Southence East thence East the Hendryx of beginning ace of beginning ace of beginner of soil	th along the erly along the claim, which g; thence Westing. (E more space r. Sandy loss berries ower to be deve to be used for lized	West line of said cla le Northerly bank of F point is 30.75 chains sterly along the North equired, attach separate sheet) loped power feet.	theoretical horsepou
cendryx, record regon; running adding River; orth line of the place laim to the place laim to the place laim to the place (b) Kind of the cower or Mining I g. (a) Tota (b) Qua (c) Tota (d) The	thence East thence East thence East the Hendryx of beginnin ace of beginnin ace of beginner of soil	th along the erly along the laim, which g; thence Weshning. (More space response) Sandy loss berries ower to be devento be used for lized works by means	West line of said cla	theoretical horsepout
cendryx, record regon; running adding River; orth line of the place laim to the place laim to the place (a) Charac (b) Kind of the cower or Mining I g. (a) Tota (b) Quan (c) Tota (d) The	thence Southence East. The Hendryx of beginning ace of beginning ace of beginning ace of soil	th along the erly along the laim, which g; thence West and the laim, which g; thence West and loss berries ower to be deve to be used for lized works by means	West line of said cla	theoretical horsepout sec. ft.
cendryx, record regon; running adding River; orth line of the place laim to the place laim to the place (b) Kind of the Cower or Mining I g. (a) Tota (b) Qua (c) Tota (d) The (e) Such	thence Southence Easterne Hendryx of beginning ace of beginning ace of beginning ace of soil	th along the erly along the laim, which g; thence Westerning. (More space of Sandy loss berries ower to be deve to be used for lized works by means ocated in	West line of said cla ie Northerly bank of F point is 30.75 chains sterly along the North equired, attach separate sheet) loped power feet. (Head) c of which the power is to b (Legal Subdivision)	theoretical horsepout sec. ft.
cendryx, record regon; running adding River; orth line of the place laim to the place laim to the place (b) Kind of the Cower or Mining I g. (a) Tota (b) Qua (c) Tota (d) The (e) Such (fp. No. N. or S.)	thence Southence Easterne Hendryx of beginning ace of the active of the a	th along the erly along the laim, which g; thence Westerning. (More space respectively) (More space respectively) (More space respectively) Sandy loss berries ower to be deverto be used for lized works by means ocated in	West line of said cla le Northerly bank of F point is 30.75 chains sterly along the North equired, attach separate sheet) loped power (Head) s of which the power is to b (Legal Subdivision) f.	theoretical horsepout sec. ft. of Sec.
cendryx, record regon; running adding River; orth line of the place laim to the place laim to the place laim to the place (b) Kind of the Cower or Mining I g. (a) Tota (b) Qua (c) Tota (d) The (e) Such (f) Is we consider the constant of the place laim to the place	thence Southence Easter the Hendryx of beginning ace of the active of the ac	th along the erly along the laim, which g; thence Weshning. (Hemore space resonance of the last space for lized space for liz	West line of said cla le Northerly bank of P point is 30.75 chains sterly along the North equired, attach separate sheet) loped power (Head) s of which the power is to b (Legal Subdivision) (Legal Subdivision)	theoretical horsepout sec. ft. of Sec.
cendryx, record regon; running adding River; orth line of the place laim to the place laim to the place laim to the place (b) Kind of the Cower or Mining I g. (a) Tota (b) Qua (c) Tota (d) The (e) Such (f) Is we (g) If s	thence Southence Easterne Hendryx of beginning ace of beginning ace of beginning ace of soil	th along the erly along the laim, which claim, which g; thence West thence West and located in	West line of said cla ie Northerly bank of P point is 30.75 chains sterly along the North equired, attach separate sheet) loped power (Head) (Clegal Subdivision) f. (Yes or No) nt of return	theoretical horsepout
cendryx, record regon; running rading River; orth line of the place laim to the place laim to the place laim to the place (b) Kind of Power or Mining I g. (a) Tota (b) Qua (c) Tota (d) The (e) Such (f) Is we (g) If s	thence Southence Easterne Hendryx of beginning ace of beginning ace of beginning ace of soil	th along the erly along the laim, which claim, which g; thence West thence West and located in	West line of said cla ie Northerly bank of P point is 30.75 chains sterly along the North equired, attach separate sheet) loped power (Head) (Clegal Subdivision) f. (Yes or No) nt of return	theoretical horsepout sec. ft.
cendryx, record regon; running adding River; orth line of the place laim to the place laim to the place laim to the place (b) Kind of (c) Tota (d) The (e) Such (f) Is we (g) If s	thence Southence East the Hendryx of beginning ace of beg	th along the erly along the laim, which g; thence Weshning. (Hemore space resonance of the space resonance of the lased for lized works by means ocated in	West line of said cla ie Northerly bank of F point is 30.75 chains sterly along the North squired, attach separate sheet) loped power (Head) s of which the power is to b (Legal Subdivision) I. ream? (Yes or No) nt of return (No. N. or S.	theoretical horsepout sec. ft. of Sec.

STATE ENGINEER

Municipal or Domestic Supply— 10. (a) To supply the city of	lation of
(Name of) County, having a present population of in	lation of
(b) If for domestic use state number of familiary (Answer questions 11, 12, 13, and 11. Estimated cost of proposed works, \$500.00	es to be supplied
(Answer questions 11, 12, 13, and 11. Estimated cost of proposed works, \$500.00	14 in all cases)
(Answer questions 11, 12, 13, and 11. Estimated cost of proposed works, \$500.00	14 in all cases)
	· ·
	year after approval
13. Construction work will be completed on or bef	
14. The water will be completely applied to the pro	posed use on or before 3.yrs."
······································	,
(Sgċ) Kenneth Yoder
	(Signature of applicant)
· · · · · · · · · · · · · · · · · · ·	
Remarks:	
\$	
	· · · · · · · · · · · · · · · · · · ·
	······································
	to a like the second of the se
	· · · · · · · · · · · · · · · · · · ·
The second of th	
STATE OF OREGON, \	
County of Marion,	The production of the south
This is to certify that I have examined the foregoin	
maps and data, and return the same for	***
In order to retain its priority, this application must	
tions on or before, 1	94
WITNESS my hand this day of	, 19 4 ,

Applicatio	n No. 22056	
Permit No	17363	

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No.
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 25th day of October,
	194_6. at 11:450'clock A. M.
•	Returned to applicant:
	Corrected application received:
	<u></u>
	Approved:
term of the first	December 31, 1946
	Recorded in book No42 of
	Permits on page17363
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No2 Page 34
	Fees Paid \$9.50
	Tees I that the same same same same same same same sam
STATE OF OPECON)	PERMIT
STATE OF OREGON, ss	
SUBJECT TO EXISTING R	I have examined the foregoing application and do hereby grant the same IGHTS and the following limitations and conditions: ted is limited to the amount of water which can be applied to beneficial us
	cubic feet per second measured at the point of diversion from th
stream, or its equivalent in	case of rotation with other water users, from Pudding River
The use to which this	water is to be applied is irrigation
The use to which this	
If for irrigation, this a secondor its equival	ppropriation shall be limited to
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea	ppropriation shall be limited to $1/80$ th of one cubic foot pe ent for each acre irrigated and shall be further limited to a end $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea	ppropriation shall be limited to $1/80$ th of one cubic foot pe ent for each acre irrigated and shall be further limited to a end $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the ch year,
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea and shall be subject to such	ppropriation shall be limited to $1/80$ th of one cubic foot pe ent for each acre irrigated and shall be further limited to a end $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the ch year,
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea and shall be subject to such The priority date of the	ppropriation shall be limited to 1/80th of one cubic foot peent for each acre irrigated and shall be further limited to a ead $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the ch year, reasonable rotation system as may be ordered by the proper state officer. is permit is October 25, 1946
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea and shall be subject to such The priority date of the Actual construction w	ppropriation shall be limited to 1/80th of one cubic foot per ent for each acre irrigated and shall be further limited to a seed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the ch year, reasonable rotation system as may be ordered by the proper state officer. is permit is October 25, 1946 ork shall begin on or before December 31, 1947 and shall
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea and shall be subject to such The priority date of the Actual construction w	ppropriation shall be limited to 1/80th of one cubic foot peent for each acre irrigated and shall be further limited to a ead $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the ch year, reasonable rotation system as may be ordered by the proper state officer. is permit is October 25, 1946
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea and shall be subject to such The priority date of the Actual construction we thereafter be prosecuted with October 1, 1948	ppropriation shall be limited to 1/80th of one cubic foot peent for each acre irrigated and shall be further limited to a ead 2½ acre feet per acre for each acre irrigated during the ch year, reasonable rotation system as may be ordered by the proper state officer. is permit is October 25, 1946 ork shall begin on or before December 31, 1947 and shall reasonable diligence and be completed on or before
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea and shall be subject to such The priority date of the Actual construction we thereafter be prosecuted with October 1, 1948 Complete application	ppropriation shall be limited to 1/80th of one cubic foot peent for each acre irrigated and shall be further limited to a end 2½ acre feet per acre for each acre irrigated during the ch year, reasonable rotation system as may be ordered by the proper state officer. is permit is October 25, 1946 ork shall begin on or before December 31, 1947 and shall reasonable diligence and be completed on or before
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea and shall be subject to such The priority date of the Actual construction we thereafter be prosecuted with October 1, 1948 Complete application October 1, 1949	ppropriation shall be limited to
If for irrigation, this a second or its equival diversion of not to excirrigation season of ea and shall be subject to such The priority date of the Actual construction we thereafter be prosecuted with October 1, 1948 Complete application October 1, 1949	ppropriation shall be limited to 1/80th of one cubic foot peent for each acre irrigated and shall be further limited to a end 2½ acre feet per acre for each acre irrigated during the ch year, reasonable rotation system as may be ordered by the proper state officer. is permit is October 25, 1946 ork shall begin on or before December 31, 1947 and shall reasonable diligence and be completed on or before