CHRIFICATE NO. 3.5.39

Permit No. 17370

Partial Assignation See Misc. Rec. Vol.

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, E. R. Woods	Oferna of availa				
ofCorvallis	Commence of approx	*******			
of Corvallis (Mailing address)	do hanaha ma	leo amplication	for a normit	de ammanutada dha	
ate ofOragon, do hereby make application for a permit to appropriate th					
following described public waters of th	re State of Oregon, S	UBJECT TO	EXISTING 1	RIGHTS:	
If the applicant is a corporation,	give date and place o	f incorporation	J		
	·····			e e e e e e e e e e e e e e e e e e e	
1. The source of the proposed app	propriation is Lucki	amute River			
, , , , , , , , , , , , , , , , , , , ,					
2. The amount of water which th	<del>-</del> -				
cubic feet per second	(If water is to be used from mo	re than one source, gi	ve quantity from e	ach)	
**3. The use to which the water is	to be applied is irri	gation	. manufacturing	iomestic supplies, etc.)	
4. The point of diversion is located	ted ft	and	ft	from the	
	· ·				
corner ofanypointonproperty.					
in SWINNI Sec. 16, NEISEI & SE	表SE表 Sec. 17, NE表	neż, swineż	& SEANEA 6	& NW4SE4 Sec. 2	
T 10 S., R 6 W., W.M.			****************	*********************************	
•					
(If prefer	rable, give distance and bearing	to section corner)			
(If there is more than one point	•	• • • •			
being within the(Give smallest l	legal subdivision)	of Sec		Tp(N. or S.)	
R, W. M., in the county of	Benton	***************************************	the state of		
5. The(Main ditch, ca	mal or pipe line)	to be	(Mile	es or feet)	
in length, terminating in the(San				i contract of the contract of	
R, W. M., the proposed		and the second s		The second secon	
( <b>E</b> . or <b>W</b> .)					
:	DESCRIPTION OF	WORKS			
Diversion Works—	in the state of th				
No dem  6. (a) Height of dam	feet length o			t length at hottom	
feet; material to be use	ed and character of co	nstruction	(Lo	ose rock, concrete, masonry	
rock and brush, timber crib, etc., wasteway over or aroun	nd dam)				
(b) Description of headgate					
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 =-			
(c) If water is to be pumped give	e general description	450 gpm	Olimp. (Size and type of	pump)	
	gine or motor to be used, total h				
Will use sprinklers — detail.		•			
	GO DOLINETIQU.				

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

headgate. At head	lgate: width or	top (at water	line)	anged in size, stating miles fro
feet; depth of water			feet fall per on	
housand feet. (b) At	<u> </u>	miles from he	adgate: width on top (at u	vater line)
	eet midth on	hottom	feet: denth	of water fee
rade			-	, waver
				in.; size at
		,		
				difference in elevation between
		ft. Is	s grade uniform?	Estimated capacit
***************************************	·**	i Historia (Neverti Pili	enista en la ciencia de la composicia de l La composicia de la compo	
			ice of use	Number Acres
Township	Range	Section	Forty-acre Tract	To Be Irrigated
10 S	6 W	16	Se <del>i</del> nwi	4.5
	***************************************		SW4NW4	12
	i desperanțe	17	NE <sup>1</sup> <sub>4</sub> SE <sup>1</sup> <sub>4</sub>	1.5
•	to or it. Morros as	a protection day of the form	SE <sup>1</sup> / <sub>4</sub> SE <sup>1</sup> / <sub>4</sub>	10.5
হুতে পি টু ছুটে ১ চনকৈ উইচাক ব	The grant of the sector	20	NE LNE L	5
,			NW <sup>1</sup> NE <sup>1</sup> / <sub>4</sub>	<u>8</u>
	***	ž.	sw <u>ł</u> ne <u>ł</u>	10
		.Tue (44.7	nw¦se}	
			•	56.5
u van				and the second s
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	State Control	ng Aligner (1996) ging best on kyrring	
-	ing 15 felagan + ™olinio	' 1		
			equired, attach separate sheet)	······
(a) Charact	ter of soilS	andy loam		
(b) Kind of	crops raised	pásture <i>a</i> n	d seed crops	
Power or Mining I	55 W.		<del>-</del>	
2 55 min 2 5 C	=	,	loped	theoretical horsepowe
*		•	power	\$ 1. * * *
			(Head)	· · · · · · · · · · · · · · · · · · ·
			(Head) s of which the power is to	be developed
			Maria de la companya	german et al. 1985 et al.
/al Cual	venerales to he l		Swamper at the Same S	of Sec
			(Legal Subdivision)	of Sec
(No. N. or S.)				and the second of the second o
(f) Is w	ater to be retu	rned to any str	eam?(Yes or No)	
(g) If so	o, name stream	and locate poi	nt of return	
***************************************		, Sec	, <i>Tp</i> (No. N. or	, R, W, W
(h) The	use to which 1	power is to be d	applied is	
			,	

Beginning at a 1" galvanized pipe at the S.W. corner of L.C. Norton D.L.C. No. 43, Tp. 10 S.R. 6 W. of the Will. Mer. in Benton County, Oregon, and running thence N. 3' E. 38.220 chains to a point .340 chains S. 0° 3' W. of the D.L.C. corner an angle in the West line of said claim, thence East 29.400 chains to the center of the Luckiamute River, thence with the meanderings of said river up the center to a point on the South line of said Claim No. 43 which point is 1.000 chains South 86° 48' E. of a 3/4" pipe on the West bank also 42.744 chains S. 86° 48' E. of the S. W. corner of Claim No. 43, thence N. 86° 48' W. 2.263 chains along the South line of said claim to a 3/4" pipe, thence S. 78° 02' W. 47.258 chains to a point on the West line of Charles Allen D.L.C. No. 42, thence N. 25° 45' E. along the West line of Claim No. 42 13.406 chains to the place of beginning, containing 108.70 acres, more or less. Also

Beginning at a 3/4" pipe the southwest corner of Roland Chambers' D.L.C. No. 46 T. 10 S. R. 6 W. of the Will Mer. in Benton County, Oregon, and running thence N. 8° 55' E. 45.09 chains to a quart bottle which is on the West line and 20.75 chains S. 8° 55' W. of the Northwest corner of said Claim No. 46, thence N. 82° 36' E. 38.009 chains on the south line of F. J. Chambers! land to an iron pin in the center of the County Road, thence along the center of said road S. 1° 49' E. 11.515 chains to an iron pin the Northeast corner of a one-half acre tract, thence S. 81° 43' W. 3.25 chains to an iron, thence S. 1° 45' E. 1.625 chains to an iron pin, thence along the North line of the Mill property S. 81° 43' W. 14.75 chains, thence S. 59° 56' W. 4.11 chains, thence S. 2° 14.75 chains, thence S. 59° 56' W. 4.11 chains, thence S. 2°
26' W. 3.21 chains to the center of the Luckiamute River, thence with the meanderings up the center of said stream S. 41° 56' W 6.4 chains, S. 19° 30' W. 2 chains, S. 8° 10' W. 4.8 chains, S. 28° 40' E. 2 chains, South 1.3 chains, S. 26° 30' W. 3.5 chains, S. 35° 30' W. 8.4 chains, South 1.3 chains, South 45° 30' E. 6.9 chains, S. 15° 49' E. 623 chains to a point on the South line of said claim No, 46, which is 17.768 chains S. 81° 13' E. of the Southwest corner of said claim No. 46, thence on the south line of Claim No. 46, S. 81° 13' E. 14.732 chains to a 1½" iron rod, thence S. 0° 29' W. 20.598 chains to an iron, thence S. 89° 58' W. 26.136 chains to the center of the Luckiamute River, thence along the center of said river N. 21° 56' E. mute River, thence along the center of said river N. 21° 56' E. 1.123 chains to the Northeast corner of a tract of land sold to E. R. Woods by Richard Dunn, thence S. 89° 58' W. along the North line of said tract 29.40 chains to a quart bottle on the West line of the L.C. Norton D.L.C. No. 43, thence North .34 chains to an iron rod the exterior angle corner on the West line of said claim No. 43, thence N. 52° 31' E. 24.176 chains to a stone the interior angle corner on the West line of said claim No. 43, thence N. 22° 42' E. 10.30 chains to the Northwest corner of said claim No. 43, the place of beginning, containing 200 acres, in Benton County, State of Oregon.

STATE ENGINEER

1888 guiller (1885 1997) (198<mark>) 真</mark>植物色成岩

Permit No. 17370

## PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No	<del>www.s</del> ps.se.
	This instrument was first received in office of the State Engineer at Salem, Ore	
	on the15th day of .November	
	1946 at 11:26 o'clock A. M.	<u>Capter of profession</u>
	Returned to applicant:	<del></del>
(	34 4 6 37 5 8 1 7 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	
	Corrected application received:	
and the second s	Approved:	<u></u>
Successify to the	December 31, 1946	
	Recorded in book No42	
	Permits on page17370	
	CHAS. E. STRICKLIN STATE ENGINE	
****	STATE ENGINE	EER
·	Drainage Basin No2 Page15	<b>A</b>
· · · · · · · · · · · · · · · · · · ·	Fees Paid\$13.55	
	PERMIT	
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
County of Marion,		
This is to certify that SUBJECT TO EXISTING RI	I have examined the foregoing application GHTS and the following limitations and c	n and do hereby grant the same, onditions:
	ed is limited to the amount of water whic	
and shall not exceed 0.71	cubic feet per second measured o	at the point of diversion from the
	case of rotation with other water users, fro	
The use to which this	water is to be applied isirrigation	
If for irrigation, this ap	propriation shall be limited to1/80tb	of one cubic foot per
second or its equivalen	t for each acre irrigated and shal	l be further limited to a
diversion of not to exe	eed 21 acre feetper acre for each	ecre-irrigated during the
	ch year,	
		1
	7.7	
•	reasonable rotation system as may be orde	
	s permit is November 15, 1946	
48	ork shall begin on or before December	
thereafter be prosecuted with	n reasonable diligence and be completed on	or before
October 1. 1948 Exte	nded to Oct. 1, 1951	
Complete application	the water to the proposed use shall be m the water to the proposed use shall be m the social 1, 1950 Extended to Oct. 1, 1953 anded to Oct. 1, 1951	aae on or vejore
Uctober 1, 1949	ended to Oct. 1, 1952	The state of the second of the
WITNESS my hand th	is 31st day of December	, 194. 6.
Distriction of the second	CHAS. E. S	TRICKLIN