## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, Floyd W. Nelson	
(Name of applicant)	
of Rt. 2 Box 131 Dallas (Mailing address)	
State ofOregon, do hereby make application for a permit to appropri	ite the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	,
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is Little Luckiamite River	***********
(Name of stream)	
, a tributary ofInckiamute	••••••
2. The amount of water which the applicant intends to apply to beneficial use isQ.	*********
cubic feet per second	*********
**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, of	ita.)
4. The point of diversion is located 1800 ft. S and 600 ft. E from the 1 (N. or S.)	W.
corner of Sec. 26, T. 8 S., R. 6 W., W.M. approximately (Section or subdivision)	
(Section or subdivision)	
	••••••
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	**********
being within the SW4NW4 (Give smallest legal subdivision) of Sec. 26 , Tp. 8 S. (N. or	<b>S.</b> )
R6_W, W. M., in the county ofPolk	
5. Theto be(Miles or feet)	
in length, terminating in the	
R, W. M., the proposed location being shown throughout on the accompanying may	0.
DESCRIPTION OF WORKS	
Diversion Works—	
	مندوطهم
6. (a) Height of dam feet, length on top feet, length at l	
feet; material to be used and character of construction	masonry
rock and brush, timber crib, etc., wasteway over or around dam)	
	,
(Timber, concrete, etc., number and size of openings)	
	***********
(c) If water is to be pumped give general description	
	********
Victima min A Ne. on authors As verbore to the million to make when the second section is seen to see a second section.	
(b) Description of headgate	•••••

ieadgate. At hea	dgate: width on	feet; width on bottom		
feet; depth of water feet; grade				
housand feet.				
(b) At	<u>* </u>	. miles from he	eadgate: width on top (at wate	er line)
	feet; width on	bottom	feet; depth of i	vater feet;
grade				
(c) Length	of pipe,	ft.;	size at intake,	in.; size at ft.
		· ·		fference in elevation between
				Estimated capacity,
	e de la companya del companya de la companya del companya de la co		s grade unijorni:	Estimatea capacity,
		m jaget skend jajoba (1965).	an katatang najarah barah kagemer	
8. Location	of area to be	irrigated, or pl	ace of use	
Township	Range	Section	<del></del>	Number Acres To Be Irrigated
8 S	6 W	26	ne‡nw‡	7
A		A TOTAL AND A STATE OF THE STAT	NM <del>†</del> NM <del>↑</del>	25
	. Turk di Ar	man very egy e	courlanus.	35 50 00 00 00 00 00 00 00 00 00 00 00 00
	A		DW JUN J	35 % 2 % % % % % % % %
roperty on whapplicant as f		to be used	is a part of that more	explicitly described by
		tion Ind.C	Toim of Wilson Lee and	mife. Not. No. 5159.
				ette Meridian in Polk
			to-wit:	
Beginning	at a point	17-Jul chain	- Marie - Paris Carrie - La Ca	d
			s worth of the Southeas	t corner of said Donation
and Claim the	nce North 9	90 chains;	thence South 89° 55° We	st 46.30 chains; thence
South O° 25′ W	est 9.85 ch	90 chains; ins; thence	thence South 89° 55° Wei North 89° 59° East 46.	st 46.30 chains; thence
South 0° 25' Woeginning, cor	taining 45.6	90 chains; ins; thence	thence South 89° 551 Wes North 89° 591 East 46. re or less, excepting re	st 46.30 chains; thence 34 chains to the place of ads and railroads rights
South 0° 25' Woeginning, cor	taining 45.6	90 chains; ins; thence	thence South 89° 55° Wei North 89° 59° East 46.	st 46.30 chains; thence 34 chains to the place of ads and railroads rights
South 0° 25' Wooginning, cor of way. Also, Baginning	taining 45.6	90 chains; ins; thence 0 acres, mo	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting ro r of the Adam Brown D.L.	st 46.30 chains; thence 34 chains to the place of ads and railroads rights .C. Not. No. 5158, Claim
South 0° 25' Weginning, core of way. Also,  Beginning  Beginning  Beginning  Beginning	taining 45.6 taining 45.6 at the Nort	90 chains; ins; thence 00 acres, mon heast corner of Range 6	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette	st 46.30 chains; thence 34 chains to the place of ads and railroads rights .C. Not. No. 5158, Claim Meridian, Polk County,
South 0° 25' Weginning, core of way. Also,  Beginning  Beginning  Beginning  Beginning	taining 45.6 taining 45.6 at the Nort	90 chains; ins; thence 00 acres, mon heast corner of Range 6	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette	st 46.30 chains; thence 34 chains to the place of ads and railroads rights .C. Not. No. 5158, Claim Meridian, Polk County,
South 0° 25' Weginning, core of way. Also,  Beginning  Beginning  Beginning  Beginning	taining 45.6 taining 45.6 at the Nort	90 chains; ins; thence 00 acres, mon theast corner 1 of Range 6 1 th 17.50 ch	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette ains to the Luckiamute I	st 46.30 chains; thence 34 chains to the place of ads and railroads rights .C. Not. No. 5158, Claim Meridian, Polk County,
South 0° 25' Weginning, con of way. Also,  Beginning  Beginning  Beginning  Beginning  Beginning  Beginning	taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6	yo chains; ins; thence oo acres, mon theast corne of Range 6 oth 17.50 ch	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting ro r of the Adam Brown D.L. West of the Willamette ains to the Luckiamute 1	st 46.30 chains; thence 34 chains to the place of ads and railroads rights .C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)
South 0° 25' Weginning, con of way. Also, Beginning So. 46 in Town oregon, thence	taining 45.6  at the North Ship 8 South running South ter of soil	90 chains; ins; thence bo acres, mon theast corne of Range 6 th 17.50 ch	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting rer. of the Adam Brown D.L. West of the Willamette ains to the Luckiamute I	st 46.30 chains; thence 34 chains to the place of ads and railroads rights  .C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)
South 0° 25' Weginning, con of way. Also,  Beginning No. 46 in Town Oregon, thence	taining 45.6  at the North Ship 8 South running South ter of soil	90 chains; ins; thence bo acres, mon theast corne of Range 6 th 17.50 ch	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting rer. of the Adam Brown D.L. West of the Willamette ains to the Luckiamute I	st 46.30 chains; thence 34 chains to the place of ads and railroads rights .C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)
Bouth 0° 25' Weginning, con of way. Also, Beginning No. 46 in Town Oregon, thence (a) Charace (b) Kind o	taining 45.6  taining 45.6  at the North ship 8 South running South ter of soil	90 chains; ins; thence bo acres, mon theast corne of Range 6 th 17.50 ch	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting ror of the Adam Brown D.L. West of the Willamette ains to the Luckiemute of the Luckie	st 46.30 chains; thence 34 chains to the place of ads and railroads rights  .C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)
South 0° 25' Weginning, con of way. Also, Beginning No. 46 in Town Oregon, thence (a) Charac (b) Kind of Power or Mining	taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 8 South running South ter of soil frops raised	90 chains; ins; thence 00 acres, mon heast corne of Range 6 th 17.50 ch	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette ains to the Luckiamute I	st 45.30 chains; thence 34 chains to the place of ads and railroads rights.  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)
South 0° 25' Weginning, con of way. Also,  Beginning No. 46 in Town Oregon, thence  (a) Charac  (b) Kind of Power or Mining  9. (a) Total	taining 45.6  taining 45.6  at the North ship 8 South running South ter of soil	90 chains; ins; thence bo acres, mon cheast corne of Range 6 th 17.50 chains fine pasture	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting reconstruction of the Adam Brown D.L. West of the Willamette ains to the Luckiemute I required, attach separate abset)	st 45.30 chains; thence 34 chains to the place of ads and railroads rights .C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)
South 0° 25' Weginning, corof way. Also, Beginning No. 46 in Town Oregon, thence (a) Charac (b) Kind of Power or Mining 9. (a) Total	taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 50 ter of soil ter of soil f crops raised Purposes— al amount of po	over to be devet	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting ror of the Adam Brown D.L. West of the Willamette ains to the Luckiemute I required, attach separate sheet)  hay truck	st 45.30 chains; thence 34 chains to the place of ads and railroads rights .C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)
South 0° 25' Weginning, corof way. Also, Beginning No. 46 in Town Oregon, thence (a) Charac (b) Kind of Power or Mining 9. (a) Tota (b) Qua (c) Tota	taining 45.6  taining 45.6  taining 45.6  taining 45.6  taining 45.6  taining 50  the North South Funning South forops raised  Purposes— al amount of po- antity of water al fall to be util	of Range 6  the 17.50 character  fine  pasture  ower to be deve	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette ains to the Luckiemute I required, attach separate sheet)  hay truck  cloped  power  feet.	st 45.30 chains; thence 34 chains to the place of ads and railroads rights.  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)  theoretical horsepower.  sec. ft.
South 0° 25' Weginning, con of way. Also, Beginning No. 46 in Town Oregon, thence (a) Charac (b) Kind of (b) Kind of (c) Tota (d) The	taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 50 the North South Funning South fer of soil ferops raised Purposes— al amount of pountity of water al fall to be util the nature of the re-	of Range 6 the 17.50 ch  fine  pasture  ower to be deve  to be used for  lized  works by mean	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette ains to the Luckiemute I required, attach separate sheet)  hay truck  cloped  power  feet.  GHead)  s of which the power is to be	st 45.30 chains; thence 34 chains to the place of ads and railroads rights.  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)  theoretical horsepower.  sec. ft.
South 0° 25' Weginning, con of way. Also, Beginning No. 46 in Town Oregon, thence (a) Charac (b) Kind of (b) Kind of (c) Tota (d) The	taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 50 the North South Funning South fer of soil ferops raised Purposes— al amount of pountity of water al fall to be util the nature of the re-	of Range 6 the 17.50 ch  fine  pasture  ower to be deve  to be used for  lized  works by mean	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette ains to the Luckiemute I required, attach separate sheet)  hay truck  cloped  power  feet.	st 45.30 chains; thence 34 chains to the place of ads and railroads right.  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)  theoretical horsepower.  sec. ft.
South 0° 25' Weginning, core of way. Also, Beginning No. 46 in Town Oregon, thence  (a) Charac  (b) Kind of the core of Mining  9. (a) Tota  (b) Qua  (c) Tota  (d) The	test 9.85 chestaining 45.6  Lat the North Ship 8 South Funning South Funning South Funning South Furposes—al amount of pointity of water al fall to be utilized the south function of the south functi	yo chains; thence of acres, more spaces of Range 6 of Range 6 of the 17.50 ohis construction of the pasture over to be developed to be used for lized works by mean	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re re of the Adam Brown D.L. West of the Willamette ains to the Luckiemute  required, attach separate sheet)  hay truck  cloped  power  feet.  (Head)  s of which the power is to be	st 45.30 chains; thence 34 chains to the place of ads and railroads rights  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)  theoretical horsepower.  sec. ft.  developed
South 0° 25' Vocation of way. Also, of way. Also, so the segment of way. Beginning No. 46 in Town Oregon, thence (b) Kind of (c) Total (d) The (e) Suc	taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 45.6 taining 8 South running South ter of soil fcrops raised Purposes— al amount of po- antity of water al fall to be util the nature of the taining the south	ocated in	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette ains to the Luckiemute I required, attach separate sheet)  hay truck  cloped  power  feet.  (Head) s of which the power is to be	st 45.30 chains; thence 34 chains to the place of ads and railroads rights.  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)  theoretical horsepower.  sec. ft.
South 0° 25' V Deginning, cor of way. Also, Beginning No. 46 in Town Oregon, thence  (a) Charac  (b) Kind o  (c) Toto  (d) The  (e) Suc	ter of soil  ter of soil  ter of soil  ferops raised  Purposes—  al amount of pointity of water  al fall to be util  nature of the rail  h works to be la	ocated in	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette ains to the Luckiemute I required, attach separate sheet)  hay truck  cloped  power  feet.  (Head) s of which the power is to be  (Legal Subdivision) M.	st 45.30 chains; thence 34 chains to the place of ads and railroads rights  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks  theoretical horsepower.  sec. ft.  developed
South 0° 25' Vocaginning, corof way. Also, Beginning No. 46 in Town Oregon, thence  (a) Charac  (b) Kind o  (c) Toto  (d) The  (e) Suc  (p) (no. N. or s.)  (f) Is w	taining 45.6  ter of soil  ter of soil  f crops raised  Purposes— al amount of pointity of water al fall to be util  nature of the another of the another to be returned.	ocated in	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re re of the Adam Brown D.L. West of the Willamette ains to the Luckiemute  required, attach separate sheet)  hay truck  cloped  power  feet.  (Head)  s of which the power is to be  (Legal Subdivision)  M.  ream?  (Yes or No)	st 45.30 chains; thence 34 chains to the place of sads and railroads right.  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)  theoretical horsepower.  sec. ft.  developed  of Sec.
South 0° 25' Vocaginning, core of way. Also, so the segment of the	ter of soil  ter of soil  ter of soil  f crops raised  Purposes—  al amount of pointity of water  al fall to be util  nature of the relation o	ocated in	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette ains to the Luckiemute  required, attach separate sheet)  hay truck  cloped  power  feet.  (Head)  s of which the power is to be  (Legal Subdivision)  M.  ream?  (Yes or No)  int of return	st 45.30 chains; thence 34 chains to the place or ads and railroads right.  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks  theoretical horsepower.  sec. ft.  developed  of Sec,
South 0° 25' Vocation of Way. Also, of Way. Also, so the segment of Way. Also, so the segment of	ter of soil  ter of soil  ter of soil  f crops raised  Purposes—  al amount of pointity of water  al fall to be util  nature of the relation o	ocated in	thence South 89° 55' Wei North 89° 59' East 46. re or less, excepting re r of the Adam Brown D.L. West of the Willamette ains to the Luckiemute  required, attach separate sheet)  hay truck  cloped  power  feet.  (Head)  s of which the power is to be  (Legal Subdivision)  M.  ream?  (Yes or No)  int of return	st 45.30 chains; thence 34 chains to the place or ads and railroads right.  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks  theoretical horsepower.  sec. ft.  developed  of Sec,
South 0° 25' Vocaginning, core of way. Also, so the segment of way. Also, so the segment of the	ter of soil  ter of soil  ter of soil  f crops raised  Purposes—  al amount of pountity of water  al fall to be util  nature of the relation o	ocated in	North 89° 59' East 46.  North 89° 59' East 46.  re or less, excepting re  r of the Adam Brown D.L.  West of the Willamette  iins to the Luckiemute  required, attach separate sheet)  hay truck  cloped  power  feet.  (Head)  s of which the power is to be  (Legal Subdivision)  M.  ream?  (Yes or No)  int of return  (No. N. cr. S.)	st 45.30 chains; thence 34 chains to the place of ads and railroads rights.  C. Not. No. 5158, Claim Meridian, Polk County, River, thence North 68° (Continued under Remarks)  theoretical horsepower.  sec. ft.  developed  of Sec.

Municipal or Domestic Supply-10. (a) To supply the city of ..... County, having a present population of ...... and an estimated population of ...... in 19...... in 19...... (b) If for domestic use state number of families to be supplied (Answer questions 11, 12, 13, and 14 in all cases) 11. Estimated cost of proposed works, \$....not.astimated. 12. Construction work will begin on or before One year after approval 13. Construction work will be completed on or before ... Two yrs ... " 14. The water will be completely applied to the proposed use on or before 3 yrs " (Sgd) Floyd W. Nelson (Signature of applicant) Remarks: (Continued from Item 8) West along the North bank of said stream 6.27 chains; thence North 7º 34! East 15.33 chains; thence East 3.81 chains to the place of beginning, containing 8.00 acres more or less. ì' STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying

maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-

STATE ENGINEER

Application	No22105
Dommit No	T 7271.

## PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	we are the second
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 23rd day of November,	
	194 6. at 10:48 o'clock A. M.	Community of the Commun
	Returned to applicant:	
20 m in 1970	Corrected application received:	414 - 1
	Approved:	
in the second of	December 31, 1946	
• • • • • • • • • • • • • • • • • • • •	Recorded in book No42 of	
	Permits on page17374	•
	CHAS. E. STRICKLIN STATE ENGINEER	
gradient with the second	Drainage Basin No 2 Page	en e
All the state of	Fees Paid \$10.25	
•		
STATE OF OREGON, )	PERMIT	
County of Marion,		
SUBJECT TO EXISTING RI The right herein grant	I have examined the foregoing application and d GHTS and the following limitations and condition ed is limited to the amount of water which can be	s: e applied to beneficial use
and shall not exceedQ.	cubic feet per second measured at the po	oint of diversion from the
The use to which this u	vater is to be applied is irrigation	
second or its equivalen	propriation shall be limited to 1/80th to for each acre irrigated and shall be feed 2½ acre feet per acre for each acre	urther limited to a
the irrigation season o	f each year,	
	and the second s	
		The second secon
•	reasonable rotation system as may be ordered by t	
The priority date of thi	s permit is November 23, 1946	***************************************
Actual construction wo	ork shall begin on or before December 31, 194	7 and shall
thereafter be prosecuted with	reasonable diligence and be completed on or before	re
Complete application	19)18 Extended to Oct. 1, 1951 Extended to Oct. 1, 1953  f the water to the proposed use shall be made on o	m hefore
Complete application of	Extended to Oct. 1, 1951  Extended to Oct. 1, 1953  Extended to Oct. 1, 1950  Extended to Oct. 1, 1950	Consider the state of the
	Extended to Oct. 1, 1902	
WITNESS my hand the	is 31st day of December ,	194.Ω
	CHAS. E. STRICKLI	STATE ENGINEER