certer all conget in rise, stating miles from

CERTIFICALE ARE CONTINUED

APPLICATION FOR PERMIT

MANGEMENT See Miles Ben Vol _3__ Page 849:51

To Appropriate the Public Waters of the State of Oregon

I,	K. Rosenblad and Thomas H. Boone (Name of applicant)
of B	
State of	Indon (Mailing address) , do hereby make application for a permit to appropriate th
The state of	ti di da 1960 ng 1960 ng tinggan nganggan ng Palaman ng Palaman ng Palaman ng Palaman ng Palaman ng Palaman ng
-	ng described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
I	the applicant is a corporation, give date and place of incorporation
1	The source of the proposed appropriation is Ferry Creek (Name of streem)
	(Name of stream) , a tributary of Coquille River
2	The amount of water which the applicant intends to apply to beneficial use isQ.9.
cubic fe	et per second. (If water is to be used from more than one source, give quantity from each)
**3	The use to which the water is to be applied is irrigation of cranberries (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4	The point of diversion is located 525 ft. S and 500 ft. E from the W
	(N. or S.) (E. or W.)
сотпет	of Sec. 29, T. 28 S., R 14 W., W. M. (Section or subdivision)
Rl.	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ithin the NWL SWL of Sec. 29 , Tp. 28 S (Give smallest legal subdivision) (N. or S.) W. M., in the county of Coos. or W.) The (Main ditch, canal or pipe line) (Miles or feet)
in lengt	h, terminating in the of Sec, Tp(N. or S.)
R	, W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversi	on Works—
6	(a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
rock and b	ush, timber crib, etc., wasteway over or around dam)
	Description of headgate
11	e) If water is to be pumped give general description 2½ in cent pump (Size and type of pump) HP elec motor (Size and type of engine or motor to be used, grad typed spacer is to be lifted, stc.)
•	(Size and type of engine or motor to be used, uptal head water is to be lifted, with.) apply water by sprinklers and flood 70 ft static head
	THE PART TO THE TAXABLE VIEW TO BY DOWN TO B

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

^{*}A different form of application is provided where storage works are contemplated.

feet; depth of water feet feet feet feet feet feet feet fe	Sees	headgate. At headgate: width on top (at water line)				feet; width o	
feet; width on bottom feet; deth of water grade feet fall per one thousand feet. (c) Length of pipe, 700 ft.; size at tintake, 4 in.; size at from intake in.; size at place of use 4 in.; difference in elevation intake and place of use, 70 ft. Is grade uniform? Sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Range Rection Township Rectio	feet; width on bottom feet; width on woo (at water line) feet; width on bottom feet; feet; depth of water grade feet fall per one thousand feet. (c) Length of pipe, 700 fe, size at intake, A in, size at from intake in, size at place of use in, difference in elevation intake and place of use, 70 ft. Is grade uniform? Estimated see, ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Ranges Rection Fourty-area Treat To Be brigated 28. S. 14. To 29 NT EX STA NTA 9 Froperty to be irrigated is more explicitly described by applicant as 28. S. 14. To 29 NT EX STA NTA 1 EX NTA NTA 1 EX NTA NTA 1 (b) Kind of crops raised Granberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theory of water to be used for power see. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed feet. (e) Such works to be located in Granberty-in the control of Sec. (a) If so, name stream and locate point of return (b) Is water to be returned to any stream? (c) If so, name stream and locate point of return (c) If so, name stream and locate point of return (c) Sec. Tp. (c) Rec. No. 25. (c) Rec.	feet; depth of water feet fa					
grade feet fall per one thousand feet. (c) Length of pipe, 700 ft.; size at intake, 4 in.; size at from intake in.; size at place of use 4 in.; difference in elevation intake and place of use, 70 ft. is grade uniform? Estimated sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Banke Section Forty-acre Tract To Be irrigated. 28. 8 1.4 W 29 SW NW 29 SW NW 4 SW	grade feet fall per one thousand feet. (c) Length of pipe, 700 fe, size at intake, A in, size at from intake in, size at place of use A in, difference in elevation intake and place of use, 70 ft. Is grade uniform? Estimated see, ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Rungs Section Footward to be irrigated, or place of use Township Rungs Section Footward to be irrigated, at the section Footward to be irrigated at more explicitly described by applicant as 28 S 14 W 29 W 29 W 25 SW W W 29 W 29 SW	(b) At		miles from he	adgate: width on top (at w	ater line)	
grade feet fall per one thousand feet. (c) Length of pipe, 700 ft.; size at intake, 4 in.; size at from intake in.; size at place of use 4 in.; difference in elevation intake and place of use, 70 ft. is grade uniform? Estimated sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Banke Section Forty-acre Tract To Be irrigated. 28. 8 1.4 W 29 SW NW 29 SW NW 4 SW	grade		feet; width on	bottom	feet; depth o	of water	
(c) Length of pipe, 700 ft.; size at intake, 4 in.; size at from intake in.; size at place of use 4 in.; difference in elevation intake and place of use, 70 ft. Is grade uniform? Estimated sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Range Section Fort-are Treet Number Against State	(c) Length of pipe, 700 ft. is size at intake, A in.; size at from intake in.; size at place of use A in.; difference in elevation intake and place of use, 70 ft. Is grade uniform? Estimated sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Range Section Fourthers Tried To Be Irrigated						
from intake in.; size at place of use 4. in.; difference in elevation intake and place of use, 70. ft. Is grade uniform? Estimated sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Rease Section Forty-are Tract Township 9 Property to be irrigated is more explicitly described by applicant as 28 S 14 W 29 W 25 SW 10 W 10 SW	from intake in.; size at place of use A in.; difference in elevation intake and place of use, 70 ft. Is grade uniform? Estimated seed. Sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Range Section Follows 28 S L4 W 29 SWA MWA 9 Property to be irrigated is more explicitly described by applicant as 28 S L4 W 29 WA EA SWA NWA 100 SEA WA SWA NWA 100 SEA WA					in : size at	
Sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Range Section Forty-are Tract Number Area 28. S. 14. W. 29 SW NM NM 9 Property to be irrigated is more explicitly described by applicant as 28. S. 14. W. 29 W NM E SW NM NM 1 Property to be irrigated is more explicitly described by applicant as 28. S. 14. W. 29 W NM E SW NM NM 1 E NM SW NM NM 1 (a) Character of soil PARL (b) Kind of crops raised Granberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical he (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed	Intake and place of use, 70 ft. Is grade uniform? Estimated. Sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Rame Section Potts Treat Treat Township Reme Section Potts According to the Irrigated Section Potts According to the Irrigated Section Property to be irrigated is more explicitly described by applicant as 28 s 14 w 29 will be a section of a sectio	_				•	
Sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Range Section Fort-acre Tract Township 9 Property to be irrigated is more explicitly described by applicant as 28 S 14 W 29 W 29 W 24 SW NW 29 Property to be irrigated is more explicitly described by applicant as 28 S 14 W 29 W 25 SW NW NW 25 SW 25	Sec. ft. pump to pipe 8. Location of area to be irrigated, or place of use Township Range Section Township Range Section Township Range Section Forty-acre Tract To Be Irrigated 28. S. 14. W. 29 SWA NWA 9 Property to be irrigated is more explicitly described by applicant as 28. S. 14. W. 29 WA EA SWA NWA 9 EA WA SWA NWA 9 (a) Character of soil (b) Kind of crops raised Cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return (No. M. or S.) (No. M. or S.) R. (No. E. or W.) (g) If so, name stream and locate point of return (No. M. or S.) (No. M. or S.) R. (No. E. or W.)						
8. Location of area to be irrigated, or place of use Township Range Section Forty-acre Tract Township Property to be irrigated is more explicitly described by applicant as 28 S 14 W 29 W 29 W 24 SW 3W 3W 4 E2 W 5W 5W 5W 5W 5W 5W 5W 6W	8. Location of area to be irrigated, or place of use Township Range Section Forty-sere Tract To Be brigate 28. S. 14. W. 29. SN N N N 29 Property to be irrigated is more explicitly described by applicant as 28. S. 14. W. 29. W E SN N N N N N E SN N N N N N N N N N N				CALL STATE OF THE STATE OF STATE OF STATE OF		
Township Range Section Forty-acre Tract Runber For Be Irrigate 28 S 14 W 29 SW 18 SW 29 SW 29 SW 20 S	Township Range Section Forty-acre Tract To Be Intigated 28 S 14 W 29 SW 107 9 Property to be irrigated is more explicitly described by applicant as 28 S 14 W 29 W 12 SW 10 SW 10 W 12 S			v de Proposition de	The teachers the return	State of the Agriculture	
Property to be irrigated is more explicitly described by applicant as 28 S 14 W 29 W E S S W N N S S S S S S S S S S S S S S S	Property to be irrigated is more explicitly described by applicant as 28 S 14 W 29 Wh E4 SW NW NW E2 Wh SW NW NW E2 Wh SW NW NW (a) Character of soil (b) Kind of crops raised 28 S 28 Panberries & garden Power or Mining Purposes 9. (a) Total amount of power to be developed (b) Quantity of water to be used for power (c) Total fall to be utilized (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in (b) Such works to be located in (c) Such works to be located in (d) Such works to be returned to any stream? (e) Such works to be returned to any stream? (f) Is water to be returned to any stream? (Resear No) (g) If so, name stream and locate point of return (No. N. or S.) (Ro. N. or S.)			T		Number Acres	
Property to be irrigated is more explicitly described by applicant as 28 S 1/4 W 29 W½ E¾ SWÅ NWÅ E¾ SWÅ NWÅ E¾ SWÅ NWÅ (a) E¾ SWÅ NWÅ (b) Kind of crops raised Cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical he (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized (Gend) feet. (d) The nature of the works by means of which the power is to be developed	Property to be irrigated is more explicitly described by applicant as 28 S 14 W 29 W 25 SW 10 W 2 B 2 W 3 SW 2 W 3 SW 2 W 3 B 2 W 3 SW 2 W 3 SW 3 W 4 (a) Character of soil past (b) Kind of crops raised cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical home (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Cased Subdivision) (e) Such works to be located in Cased Subdivision) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return (g) If so, name stream and locate point of return (g) If so, name stream and locate point of return (g) Record Subdivision (No. E. or W).					To Be Imgated	
(If more space required, attach separate sheet) (a) Character of soil paak. (b) Kind of crops raised cramberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical ho (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized the works by means of which the power is to be developed	28 S 14 W 29 Wh. E. S.			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	wall part that they be you	<u>9</u>	
(a) Character of soil	(a) Character of soil			le salari e co	A CONTRACT OF THE PROPERTY OF	ed by applicant as	
(If more space required, attach separate sheet) (a) Character of soil past. (b) Kind of crops raised cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horizontal formula for the works by means of which the power is to be developed (d) The nature of the works by means of which the power is to be developed	(a) Character of soil	28 8	14 W	. 29		Assessment of the	
(a) Character of soil past. (b) Kind of crops raised Cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical had (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized Geed (Geed) (d) The nature of the works by means of which the power is to be developed	(a) Character of soil		Harm to the state of the state	t Ja: `` ·	EZ WZ SWZ NWZ	1	
(a) Character of soilpast. (b) Kind of crops raisedcranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical how	(a) Character of soilpeat. (b) Kind of crops raised cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical had (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed of Sec (e) Such works to be located in (Legal Subdivision) of Sec Tp No No (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return, Sec, Tp, R, No. E. or W.)	ാ പ്രവർദ്ദേഹമ വിജാമ	er, erdant same	A Committee of the second of t	The state of the s		
(a) Character of soilpast. (b) Kind of crops raisedcranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical how	(a) Character of soilpeat. (b) Kind of crops raised cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical had (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed of Sec (e) Such works to be located in (Legal Subdivision) of Sec Tp No No (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return, Sec, Tp, R, No. E. or W.)		***************************************				
(a) Character of soil	(a) Character of soilpaat. (b) Kind of crops raised cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical had (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed of Sec (e) Such works to be located in (Legal Subdivision) of Sec Tp No No No (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return, R, No, R, No, R, No	, it is a dance of	1 1 2 2 2				
(a) Character of soilpast. (b) Kind of crops raisedcranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical how theoretical how sec. ft. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed	(a) Character of soilpeat. (b) Kind of crops raised Cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical had be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed of Sec Tp of Sec W. M. (e) Such works to be located in (Legal Subdivision)			Arto et al Cala	and the second s		
(a) Character of soil	(a) Character of soil						
(a) Character of soil	(a) Character of soilpeat_ (b) Kind of crops raisedcranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical had						
(a) Character of soil	(a) Character of soil				en e		
(a) Character of soil	(a) Character of soil			**************************************			
(a) Character of soil	(a) Character of soil		1 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(If more space	required, attach separate sheet)		
(b) Kind of crops raised cranberries & garden Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical how (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed	(b) Kind of crops raised Cranberries & garden Power or Mining Purposes						
Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical had sec. ft. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed	Power or Mining Purposes— 9. (a) Total amount of power to be developed		•				
9. (a) Total amount of power to be developed theoretical horizontal for the developed sec. ft. (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed	9. (a) Total amount of power to be developed	C'⊅y* √	A CONTRACTOR			and and a second secon	
(b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed	(b) Quantity of water to be used for power	7 12 mm 12	_		and the second of the second o	theoretical ho	
(c) Total fall to be utilizedfeet. (d) The nature of the works by means of which the power is to be developed	(c) Total fall to be utilized					NA HOLD	
(d) The nature of the works by means of which the power is to be developed	(d) The nature of the works by means of which the power is to be developed			-	-	·	
Septimination of the distriction of the contraction	(e) Such works to be located in	(d) The	mature of the	anorks ha maan	(Head)	he developed	
	(e) Such works to be located in			works by mean			
	(Legal Subdivision) Tp. (No. N. or S.) (No. E. or W.) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return Sec. , Tp. (No. N. or S.) (No. E. or W.)	***************************************		. wid in the			
	(f) Is water to be returned to any stream?	Tp(No. N. or S.)	, R	E. or W.)	M.	er die Gregoriaansk gebruik († 1862). Gebeure	
Tp, R, W. M. (No. E. or W.)	(g) If so, name stream and locate point of return , Sec, Tp, R, No. E. or W.)				ream?	and the state of t	
(f) Is water to be returned to any stream?	, Sec. , Tp. (No. N. or S.) , R. (No. E. or W.)	(g) If s	o, name strear	n and locate po	• • • • •		
(f) Is water to be returned to any stream?(Yes or No)				_	-	, wa jiya basasay , R.	
(f) Is water to be returned to any stream?(Yes or No) (g) If so, name stream and locate point of return							

Application No. Municipal or Domestic Supply-10. (a) To supply the city of and an estimated population of in 19...... in 19...... (b) If for domestic use state number of families to be supplied. (Answer questions 11, 12, 13, and 14 in all cases) 11. Estimated cost of proposed works, \$ __not_extimated. 12. Construction work will begin on or before One year after approval 13. Construction work will be completed on or before Two yrs " " 14. The water will be completely applied to the proposed use on or before __3 __" __" (Sgd) K. Rosenblad and (Sgd) Thomas H. Boone By (Sgd) K. Rosenblad Water to be pumped from stream to tank and distributed from tank. Details of distribution not determined STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194....,

STATE ENGINEER

Permit No.17380.....

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 28th day of August,	
	194 6, at 3:34 o'clock R. M.	
	Returned to applicant:	
	Corrected application received:	
	<u> </u>	
and the second s	Approved:	
ede Arriva (1996)	January 31, 1947	
en e	Recorded in book No42 of	
	Permits on page 17380	
	CHAS. E. STRICKLIN STATE ENGINEER	
The second secon	Drainage Basin No. 17. Page 22 B	
and the second of the second o	Fees Paid \$9.50	
. And the second of the second		
STATE OF OREGON,	PERMIT	
County of Marion,		
and shall not exceed0.9!	ed is limited to the amount of water which ca 2	e point of diversion from the
The use to which this	vater is to be applied isirrigation of	cranberries
second or its equivaled diversion of not to except the stimulation of shall be stimulated from the state of t	opropriation shall be limited to	be further limited to a gated in any 30-day not to exceed 6 acre-
• • • •		
and shall be subject to such	reasonable rotation system as may be ordered	
The priority date of th	s permit is August 28, 1946	
	ork shall begin on or beforeJanuary. 31,	
thereafter be prosecuted wit	h reasonable diligence and be completed on or b	*
Complete application of	of the water to the proposed use shall be made a	on or before
	is3lst day ofJanuary	, 1947
Tigatin palitida (193	CHAS. E. STRICK	LIN STATE ENGINEER