

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Wm. H. Steen, W. Lowell Steen, Eva Steen Shannon (Name of applicant) of Milton (Post office), County of Umatilla, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Dry Creek (Name of stream), a tributary of Pine Creek and Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is 250 gallons per minute cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 100 ft. W. and ft. from the NE corner of the SW4 of the SW4 of Sec. 23, T. 5 N., R. 35, E. W. M. and other nearby points (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW4 of SW4 and NW4 of SW4 of Sec. 23, Tp. 5 N., R. 35 E., W. M., in the county of Umatilla (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe line to be 510 ft. in length, terminating in the SW4, and NW4 of SW4 and SW4 of NW4 23, Tp. 5 N., R. 35 E., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam No dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Sprinkling system (Size and type of pump) 15 H. P. Gas Engine (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Applications for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydro-electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1500⁰⁰.....
- 12. Construction work will begin on or before Apr 15 1947.....
- 13. Construction work will be completed on or before Apr 15 1948.....
- 14. The water will be completely applied to the proposed use on or before July 1, 1948.....

(Sgd) Wm H. Steen
(Signature of applicant)

(Sgd) W. Lowell Steen.....

(Sgd) Eva Steen Shannon.....

Signed in the presence of us as witnesses:

(1) (Sgd) F. A. Fullerton Milton, Oregon.....
(Name) (Address of witness)

(2) (Sgd) A. G. Wrinkle. Milton, Oregon.....
(Name) (Address of witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 1, 1947.....

WITNESS my hand this 31 day of March, 1947.....

CHAS. E. STRICKLIN
STATE ENGINEER

By (Sgd) Ed K Humphrey
Ed K. Humphrey, Assistant

rn

Application No. 22364

Permit No. 17386

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 25th day of March, 1947, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1947

Recorded in book No. 42 of Permits on page 17386

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 7 Page 7

Fees Paid \$9.80

STATE OF OREGON } ss County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.54 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Dry Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60th of one cubic foot per second or its equivalent for each acre irrigated and shall be limited to a diversion of not to exceed 1 acre foot per acre for each acre irrigated during any 30-day period and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season from April 1, to October 1, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 25, 1947

Actual construction work shall begin on or before April 15, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1950

WITNESS my hand this 15th day of April, 1947.

CHAS. E. STRICKLIN

STATE ENGINEER