

CERTIFICATE NO. 15515

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Edward F. Heinrich (Name of applicant) of R#1 Box 904 (Mailing address), Grants Pass, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring (Name of stream), a tributary of Rogue River, Misc.

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 580 ft. N and 1130 ft. E from the S 1/4 corner of section 5 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 5, Tp. 36 S (Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of Josephine (E. or W.)

5. The pipe line to be 1100 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 NE 1/4 of Sec. 8, Tp. 36 S (Smallest legal subdivision) (N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, Sump, 6'x8'x2' deep. Wasteway over rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Valve in 2" pipe (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) none feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1100 ft.; size at intake, 2 in.; size at 300 ft. from intake 1 1/2 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 60 ft. Is grade uniform? No Estimated capacity, 0.05 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	5 W	8	NW 1/4 NE 1/4	Domestic
<p>The Northwest quarter of the Northwest quarter of the Northeast quarter of Section 8 in Township 36 South Range 5 West of the Willamette Meridian in Oregon.</p> <p>Excepting a strip of land to be used for roadway purposes, being 20 feet in width or 10 feet on each side of a center line described as follows: Beginning 10 feet East of the Northwest corner of the above described tract; thence running South 198 feet.</p> <p>Including a water system consisting of a concrete structure at the Spring and a pipe line, together with a right of way for said water system, described as follows: Beginning at the Northeast corner of said Spring structure said corner being approximately 580 feet North and 1130 feet East of the South one Quarter corner of Section 5 in Township 36 South Range 5 West of the Willamette Meridian; thence running along the lines of the existing structure Westerly 10 feet; Southerly 10 feet; Easterly 10 feet and</p>				
(Continued under Remarks)				
(If more space required, attach separate sheet)				

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000
- 12. Construction work will begin on or before Oct. 24, 1947 (work completed)
- 13. Construction work will be completed on or before Oct. 24, 1947
- 14. The water will be completely applied to the proposed use on or before Oct. 24, 1947

(Sgd) Edward F Heinrich
(Signature of applicant)

Remarks: Applicant has received consent of owner to appropriate
water from the Spring

(Continued from Item 8)

Northerly 10 feet. Also a right of way for the pipe line
being 6 feet in width or 3 feet on each side of a center
line described as follows: Beginning at the Westerly
center end of the above described structure and running
Westerly and Southerly at the location of the present
existing pipe line, being on a general course of South 55°
West for a distance of 1100 feet more or less to the Section
line between Sections 5 and 8.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22058

Permit No. 17407

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 28th day of October

1946 at 8:30 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1947

Recorded in book No. 43 of

Permits on page 17407

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 78 F

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 28, 1946

Actual construction work shall begin on or before April 15, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before

October 1, 1950

WITNESS my hand this 15th day of April, 1947.

CHAS. E. STRICKLIN

STATE ENGINEER