

24297

*** APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, V. D. Klockars (Name of applicant)
of North Bend, Oregon, 2678 Stanton Avenue, (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is an un-named creek (Name of stream)
_____, a tributary of North Slough
2. The amount of water which the applicant intends to apply to beneficial use is 0.032
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation of cranberry bog
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. (N. or S.) and _____ ft. (E. or W.) from the corner of _____ (Section or subdivision)
S. 82° 25' E. 643 feet from the Northwest corner of the Northeast
quarter of the Southwest quarter of Section 11, Township 24 South,
Range 13 West of Willamette Meridian.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N E 1/4 S W 1/4 of Sec. 11, Tp. 24 S.
(Give smallest legal subdivision) (N. or S.)
R. 13 W., W. M., in the county of COOS
(E. or W.)

5. The Pipe line (Main ditch, canal or pipe line) to be 775 feet (Miles or feet)
in length, terminating in the N W 1/4 S E 1/4 of Sec. 11, Tp. 24 S.
(Smallest legal subdivision) (N. or S.)
R. 13 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 15 feet, length at bottom 3 feet; material to be used and character of construction earth dam with (Loose rock, concrete, masonry, wooden spillway over top of dam rock and brush, timber crib, etc., wasteway over or around dam)
- (b) Description of headgate Suction pipe to pump (Timber, concrete, etc., number and size of openings)
- (c) If water is to be pumped give general description gasoline driven pump (Size and type of pump)
to raise water over a hump 50 feet high (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 775 ft.; size at intake, 2" in.; size at ^{suction} outlet ft. from intake 1 1/2" in.; size at place of use 1 1/2" in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? NO Estimated capacity, 0.04 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
24 S	13 W	11	SW 1/4 NE 1/4	0.65 acres,
24 S	13 W	11	NE 1/4 SW 1/4	0.21 "
24 S	13 W	11	NW 1/4 SE 1/4	1.71 "
				2.57

Property on which water is to be used is a part of that more explicitly described by applicant as follows:
 Description of the Virgil D. Klockars lands.
 South half of the Southwest quarter of the Southwest quarter of the Northeast quarter of Section 11, Township 24 South, Range 13 West of Willamette Meridian. Containing 5.00 acres, more or less.
 Also:- Beginning at a point on the north boundary of the Northwest quarter of the Southeast quarter of Section 11, Township 24 South, Range 13 West of Willamette Meridian, a distance of 100.0 feet west of the northeast corner of the said Northwest quarter of the Southeast quarter of Section 11:- and running thence west along the north boundary of the said Northwest quarter of the Southeast quarter of Section 11 for a distance of 2190 feet, more or less, to a point which is 350 feet east of the northwest corner of the Northeast quarter of the Southwest quarter of the said Section 11; thence South along a line parallel to and 350 feet east of the west
 (Continued under Remarks)

(If more space required, attach separate sheet)

(a) Character of soil Peat bog

(b) Kind of crops raised Cranberries

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$...300.00.....
- 12. Construction work will begin on or before June 1, 1947.....
- 13. Construction work will be completed on or before June 1, 1946.....
- 14. The water will be completely applied to the proposed use on or before June 1, 1948.....

(Sgd) V D Klockars
(Signature of applicant)

Remarks: (Continued from Item 8)

boundary of the said Northeast quarter of the Southwest quarter of Section 11 for a distance of 891 feet, more or less, to a point which is 429 feet north of the south boundary of the said Northeast quarter of the Southwest quarter of Section 11; thence East along a line parallel to and 429 feet north of the south boundary of the said Northeast quarter of the Southwest quarter and of the Northwest quarter of the Southeast quarter of Section 11 for a distance of 2190 feet, more or less, to a point which is 100 feet west of the east boundary of the said Northwest quarter of the Southeast quarter of Section 11; thence North along a line parallel to and 100 feet west of the said east boundary of the Northwest quarter of the Southeast quarter of Section 11 for a distance of 891 feet, more or less, to the point of beginning.

Containing 44.80 acres, more or less, and being a portion of the Northwest quarter of the Southeast quarter and of the Northeast quarter of the Southwest quarter of Section 11, Township 24 South, Range 13 West of Willamette Meridian.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before
January 6, 1947
December 12, 1946

WITNESS my hand this 12th day of November, 1946.

(Sgd) CHAS. E. STRICKLIN

STATE ENGINEER

by
(Sgd) Ed K. Humphrey
Assistant

Application No. 22064

Permit No. 17411

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 29th day of October

1946 at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1947

Recorded in book No. 43 of

Permits on page 17411

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 10 C

Fees Paid \$9.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.032 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is irrigation of cranberries

If for irrigation, this appropriation shall be limited to 0.1 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 0.75 acre-foot for each acre irrigated in any 30-day period and shall be still further limited to a diversion of not to exceed 6 acre-feet per acre during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.032 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 29, 1946

Actual construction work shall begin on or before April 15, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before October 1, 1950

WITNESS my hand this 15th day of April, 1947

CHAS. E. STRICKLIN STATE ENGINEER