

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, George W. Strawn (Name of applicant)
 of Rt. 1 Box 41 Dayton (Mailing address),
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Lambert Slough (Name of stream)
 _____, a tributary of Willamette River
 2. The amount of water which the applicant intends to apply to beneficial use is 0.29
 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 250 ft. S (N. or S.) and 250 ft. E (E. or W.) from the W¹/₄
 corner of Sec. 10, T. 5 S., R. 3 W., W.M. approximately (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW¹/₄ SW¹/₄ (Give smallest legal subdivision) of Sec. 10, Tp. 5 S (N. or S.)
 R. 3 W (E. or W.), W. M., in the county of Yamhill

5. The _____ (Main ditch, canal or pipe line) to be _____ (Miles or feet)
 in length, terminating in the _____ (Smallest legal subdivision) of Sec. _____, Tp. _____ (N. or S.)
 R. _____ (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— No dam

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
 _____ feet; material to be used and character of construction _____ (Loose rock, concrete, masonry,
 rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____ (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1¹/₂" pump (Size and type of pump)
15 HP elec. motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
15 No. 40 Rainbird Sprinklers
 Cap. of pump 200 gpm

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S	3 W	9	NE $\frac{1}{4}$ SE $\frac{1}{4}$	23
Property on which water is to be used is a part of that more explicitly described by applicant as follows: The following described real property situated in Yamhill County, State of Oregon, to-wit: Beginning at a point on West boundary line of Enoch Cooper Donation Land Claim, Claim No. 53, Notification No. 1490, in Township 5 South, Range 3 West of the Willamette Meridian, in said Yamhill County, Oregon, and said beginning point being 42.82 chains North of the Southwest corner of said Donation Land Claim, thence East on the South line of Lot No. One (1), 70.70 chains to Southeast corner of said Lot No. One (1) and Northeast corner of Lot No. Two (2) from which a balm tree bears North 56° East 24 links distant and marked "C.S. 1463 B.T." an ash 14 inches in diameter bears South 10 $\frac{1}{2}$ ° West 32 links distant marked "C.S. 1463 B.T."; thence South 7.26 chains to the Easterly Southeast corner of said Lot No. Two (2); thence West 17.50 chains to the angle corner of said Donation Land Claim; thence South 5.39 chains to the Southeast corner of said Lot 2 and Northeast corner of Lot No. 3 from which a fir 30 inches in diameter bears South 45° and 50' East 48 links marked "C.S.B.T."; (See Remarks)				

(If more space required, attach separate sheet)

(a) Character of soil Willamette

(b) Kind of crops raised Berries Corn Alfalfa truck Grain

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 2200.00
- 12. Construction work will begin on or before Has been commenced
- 13. Construction work will be completed on or before Two yrs after approval
- 14. The water will be completely applied to the proposed use on or before ...3 yrs " "

(Sgd) George W. Strawn
(Signature of applicant)

Remarks: (Continued from Item 8)

thence West 53.20 chains to a stake on West line of said Donation Land Claim and Southwest corner of said Lot No. Two (2) and Northwest corner of said Lot No. Three (3) above referred to; thence running North 12.65 chains to the place of beginning and containing 80 acres, more or less said premises above described being Lot No. Two (2) above referred to as described in County Survey No. 1463 of the County Surveys of said County.

(Saving and Excepting from said 80 acres above described 42.49 acres heretofore sold and conveyed to A. T. Wilson and E. T. Wilson by the said S.C. Dixon and Mary E. Dixon; said 42.49 acres being all that part of said 80 acres above described lying West of the County Road)

(Also Saving and Excepting from the 80 acre tract above described that part conveyed to the State of Oregon by deed recorded in Book 112 at page 595, Deed Records of Yamhill County, Oregon.)

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22118

Permit No. 17424

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 29th day of November

1946 at 2:28 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

April 15, 1947

Recorded in book No. 43 of

Permits on page 17424

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 76 R.

Fees Paid \$9.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.29 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lambert Slough

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 29, 1946

Actual construction work shall begin on or before April 15, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before October 1, 1950

WITNESS my hand this 15th day of April, 1947.

CHAS. E. STRICKLIN STATE ENGINEER