

32501
21381

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. V. Chamberlin (Name of applicant) of Rt 1 Box 52 B Turner (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Santiam River (Name of stream), a tributary of Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is 0.35 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1500 ft. S and 1600 ft. E from the NW corner of Sec 35, T. 9. S., R. 2. W., W. M. approximately (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. , Tp. R. , W. M., in the county of

5. The to be in length, terminating in the of Sec. , Tp. R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

No dam

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" cent pumps (Size and type of pump) 7 1/2 HP elec 9 HP Gas engine (Size and type of engine or motor to be used, total head water is to be lifted, etc.) 50 8.8 gpm sprinklers

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3500.00

12. Construction work will begin on or before Have commenced

13. Construction work will be completed on or before Two yrs after approval

14. The water will be completely applied to the proposed use on or before 3 " " "

(Sgd) W. V. Chamberlin
(Signature of applicant)

Remarks:

Property on which water is to be used is a part of that more explicitly described by applicant as follows: Beginning at a point on the East line of the Donation Land Claim of Isreal Chamness and wife, 24.36 chains South from the Northeast corner of said Claim in Township 9, South, Range 2, West of the Willamette Meridian, Marion County, Oregon; thence North 58°30' East, 13.24 chains along the County road leading from Marion to Stayton; thence South 19.50 chains; thence South 0°50' East 13.94 chains; thence East to the meander line of the Santiam River; thence South westerly following said meander line to the Southwest corner of Lot #3 of Sec. 35; thence North to the Northwest corner of Lot #3 of said Section; thence West to the East line of the Donation Land Claim of Isreal Chamness; thence North following said line to place of beginning, and containing 88 acres, more or less; Save and except the following: Beginning at a point 5.05 chains South and 14.69 chains South 42°19' East and 7.29 chains South from the corner of Sections 26, 27, 34 and 35 in Township 9, South, Range 2, West of the Willamette Meridian, Marion County, Oregon; thence East 13.69 chains; thence South 38°25' West .21 chains; thence South 46°18' West 2.06 chains; thence South 32°35' West 3.32 chains; thence South 53°25' West 2.31 chains; thence South 60°02' West 3.40 chains; thence South 76°14' West 2.67 chains; thence South 88°24' West 5.85 chains; thence North 5°20' East 8.03 chains; thence North 2°40' West .25 chains; thence East 2.24 chains to the place of beginning and containing 10 acres of land, more or less.

16 acres are to be irrigated from the north channel of the North Santiam above the Sidney Ditch diversion works.

12 acres are to be irrigated from the middle channel of the North Santiam

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22141

Permit No. 17435

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of December, 1946 at 3:34 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved: April 15, 1947

Recorded in book No. 43 of Permits on page 17435

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 46

Fees Paid \$9.50

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.35 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Santiam River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 16, 1946

Actual construction work shall begin on or before April 15, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before October 1, 1950

WITNESS my hand this 15th day of April, 1947.

CHAS. E. STRICKLIN STATE ENGINEER