* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Arden E. Harms (Name of applicant)	
of Canby Rt 1 (Malling address)	
(Malling address) State ofQregon, do hereby make application for a permit to appropriate	e the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	-
1. The source of the proposed appropriation is Gribble Creek (Name of stream)	
, a tributary of Molalla	
2. The amount of water which the applicant intends to apply to beneficial use is0.50	
cubic feet per second. (If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied isirrigation, power, mining, manufacturing, domestic supplies, etc.	 .)
4. The point of diversion is located ft. and ft. from the from the	
corner of any point where Cribble Creek touches property described herein (Section or subdivision)	
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the $\frac{NW_{4}^{2}SW_{4}^{2}}{SW_{4}^{2}SW_{4}^{2}} = \frac{SW_{4}^{2}SW_{4}^{2}}{SW_{4}^{2}SW_{4}^{2}} = \frac{SW_{4}^{2}SW_{4}^{2}}{SW_{4}^{2}} = \frac{SW_{4}^{2}SW_{4}^{2}}{SW_{4}^{2}} = \frac{SW_{4}^{2}SW_{4}^{2}$)
R. 1 E , W. M., in the county of Clackamas	
5. The to be (Miles or feet)	
in length, terminating in the of Sec, Tp(N. or S.)	
R, W. M., the proposed location being shown throughout on the accompanying map.	
DESCRIPTION OF WORKS	
Diversion Works—	
No dam 6. (a) Height of dam feet, length on top feet, length at bo	ttom
feet; material to be used and character of construction	3 8 0nry,
rock and brush, timber crib, etc., wasteway over or around dam)	·····
(b) Description of headgate(Timber, concrete, etc., number and size of openings)	
(c) If water is to be pumped give general description	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.) Will use sprinklers — details not determined	·

^{*}A different form of application is provided where storage works are contemplated.

	pe Line— dimansiana a	st anch maint of	agmal sub one materially.	amand in aims atation
4		•	•	anged in size, stating miles fron
				feet; width on botton
fec	et; depth of ı	vater	feet; grade	feet fall per on
(b) At		miles from he	eadgate: width on top (at v	vater line)
fe	et; width on	bottom	feet; depth	of water feet
grade	feet fo	all per one thous	sand feet.	
(c) Length o	f pipe,	ft.;	size at intake,	in.; size at ft
from intake	in	; size at place o	of use in.	; difference in elevation betweer
intake and place of	use,	ft. Is	s grade uniform?	Estimated capacity
		•		
	•	irrigated or al	ace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
				16
			SW 1 SW 1	40
	•			40
pplicant as fol eginning at the	lows: Southwest	t corner of s	ection nine, township	p four south, range one,
eginning at the ast of the Will	lows: Southwest amette Mer rods, then beginning	t corner of s ridian, runni ce South 160 , and contain	ection nine, township hg.thence.North.160 rods to the section hing.60.acres, more.o	p four south, range one, rods to the Quarter post, line, thence West 60 rods
pplicant as fol eginning at the ast of the Will hence East 60 r	lows: Southwest amette Mer rods, then beginning	t corner of s ridian, runni ce South 160 , and contain	ection nine, township ng thence North 160 rods to the section ning 60 acres, more o	p four south, range one, rods to the Quarter post, line, thence West 60 rods
pplicant as fol eginning at the ast of the Will thence East 60 r	lows: Southwest amette Mer rods, then beginning	t corner of s ridian, runni ce South 160 , and contain	ection nine, township hg thence North 160 rods to the section ning 60 acres, more o	p four south, range one, rods to the Quarter post, line, thence West 60 rods
pplicant as fol- eginning at the ast of the Will hence East 60 r	lows: Southwest amette Mer rods, then beginning	t corner of s ridian, runni ce South 160 , and contain	ection nine, township ng thence North 160 rods to the section ning 60 acres, more o	p four south, range one, rods to the Quarter post, line, thence West 60 rods
pplicant as fol- eginning at the ast of the Will hence East 60 r	lows: Southwest amette Mer rods, then beginning	t corner of s ridian, runni ce South 160 , and contain	ection nine, township ng thence North 160 rods to the section ning 60 acres, more o	p four south, range one, rods to the Quarter post, line, thence West 60 rods
eginning at the ast of the Will hence East 60 roothe place of	lows: Southwest amette Mer ods, then beginning	t corner of s ridian, runni ce South 160 , and contain	ection nine, township hg thence North 160 rods to the section ning 60 acres, more o	p four south, range one, rods to the Querter post, line, thence West 60 rods reless.
eginning at the ast of the Will hence East 60 roothe place of the Will (a) Characte	Southwest amette Mer ods, then beginning	t corner of s ridian, runni ce South 160 , and contain	ection nine, township hg thence North 160 rods to the section ning 60 acres, more o	p four south, range one, rods to the Querter post, line, thence West 60 rods reless.
pplicant as following at the ast of the Will thence East 60 representation to the place of the control of the c	Southwest amette Merrods, then beginning	t corner of s ridian, runni ce South 160 , and contain (If more space) Willamette	ection nine, township hg thence North 160 rods to the section ning 60 acres, more o	p four south, range one, rods to the Querter post, line, thence West 60 rods reless.
eginning at the ast of the Will thence East 60 root the place of the Characte (a) Characte (b) Kind of composition of the Characte	Southwest amette Merrods, then beginning r of soil	t corner of s ridian, runni ce South 160 , and contain (H more space) Willamette Alfalfa	ection nine, township hg thence North 160 rods to the section ning 60 acres, more o	p four south, range one, rods to the Querter post, line, thence West 60 rods ress.
(a) Characte (b) Kind of co	Southwest amette Merrods, then beginning rof soil crops raised amount of p	corner of sridian, runnice South 160, and contain (Hemore space) Willamette Alfalfa	ection nine, township hg thence North 160 rods to the section ning 60 acres, more o	p four south, range one, rods to the Querter post, line, thence West 60 rods r less. theoretical horsepower
(a) Characte (b) Kind of company of the place of the plac	Southwest amette Merrods, then beginning rof soil	(H more space) Willamette Alfalfa ower to be dever	ection nine, township hg thence North 160 rods to the section ning 60 acres, more of the section ning 60 acres	p four south, range one, rods to the Querter post, line, thence West 60 rods r less. theoretical horsepower
(a) Characte (b) Kind of co Power or Mining Pu 9. (a) Total (b) Quant (c) Total	Southwest amette Merrods, then beginning rof soil	Corner of striction, runnice South 160, and contain Willamette Alfalfa ower to be dever to be used for ilized	ection nine, township hg thence North 160 rods to the section ning 60 acres, more of the section ning 60 acres of the section ning 60 acre	p four south, range one, rods to the Querter post, line, thence West 60 rods r less. theoretical horsepower sec. ft.
eginning at the ast of the Will thence East 60 rotate (a) Characte (b) Kind of correct (b) Quant (c) Total	Southwest amette Merrods, then beginning rof soil	(Memore space) Willamette Alfalfa ower to be dever to be used for ilized works by mean	ection nine, township hg_thence_North_160 rods to the section hing_60_acresmore_o required, attach separate sheet) cloped power	p four south, range one, rods to the Querter post, line, thence West 60 rods ruless. theoretical horsepower sec. ft.
(a) Characte (b) Kind of co (c) Total (d) The n (d) The n	Southwest amette Merrods, then beginning rof soil	(Henore space) Willamette Alfalfa ower to be dever to be used for ilized works by mean	ection nine, township hg_thence_North_160 rods to the section hing_60_acresmore_o required, attach separate sheet) eloped power	p four south, range one, rods to the Quarter post, line, thence West 60 rods ruless. theoretical horsepower sec. ft. be developed
(a) Characte (b) Kind of co (c) Total (d) The n (e) Such	Southwest amette Merrods, then beginning r of soil	(Memore space) Willamette Alfalfa ower to be dever to be used for ilized works by mean	ection nine, township hg_thence_North_160 rods to the section hing_60_acresmore_o required, attach separate sheet) eloped powerfeet. (Head) s of which the power is to	p four south, range one, rods to the Quarter post, line, thence West 60 rods ruless. theoretical horsepower sec. ft. be developed
(a) Characte (b) Kind of co Power or Mining Pu 9. (a) Total (b) Quant (c) Total (d) The n (e) Such	Southwest amette Merrods, then beginning rof soil	(Memore space) (Memore space) (Memore space) Willamette Alfalfa ower to be deve r to be used for ilized works by mean located in E or W.)	ection nine, township hg_thence_North_160 rods to the section hing_60_acresmore_o required, attach separate sheet) eloped powerfeet. (Head) s of which the power is to	theoretical horsepower sec. ft.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served _____

STATE ENGINEER

Municipa	d or Domestic Supply—	
10.	(a) To supply the city of	······································
		nt population of
	timated population of	
	(b) If for domestic use state number of	families to be supplied
	(Answer questions 11, 1	2, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$ Not	estimated
12.	Construction work will begin on or before	one year after approval
		or before Two yrs " "
		he proposed use on or before 3 " " "
		(Sgd) Arden E. Harms
		(Signature of applicant)
Ran	marke:	
1067		
	•	
		<u>. </u>
		
		······································
		······································
		•••••••••••••••••••••••••••••••••••••••
		•••••••••••••••••••••••••••••••••••••••
		•••••••••••••••••••••••••••••••••••••••
	.	······································
		•••••••••••••••••••••••••••••••••••••••
		······································
		······································
STATE C	OF OREGON, \ss	
County	y of Marion,	
Thi	s is to certify that I have examined the fo	regoing application, together with the accompanying
maps and	data, and return the same for	
In o	order to retain its priority, this application	n must be returned to the State Engineer, with correc-
tions on o	r before	, 194
WI'	TNESS my hand this day o	f 194

Application	No	22193
Permit No.	1747	<u>'6</u>

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE

	OF OREGON	
	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	,
	on the 20th day of January,	
	194.7. at 10:40 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	April 15, 1947	
	Recorded in book No of	
	Permits on page17476	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No2	
	Fees Paid \$11.00	
STATE OF OREGON,	PERMIT	
County of Marion,	8	
This is to certify that SUBJECT TO EXISTING R	t I have examined the foregoing application and do hereby RIGHTS and the following limitations and conditions:	
The right herein gran	rted is limited to the amount of water which can be applied	to beneficial use
	Communication cubic feet per second measured at the point of de	
stream, or its equivalent in	case of rotation with other water users, from Gribble Cr	·eek
The use to which this	water is to be applied is irrigation	
	appropriation shall be limited to 1/80th of	
* *	ent for each acre irrigated and shall be further	· -
	ceed $2rac{1}{2}$ scre feet per acre for each acre irrigat	
irrigation season of e	ach year,	
	h reasonable rotation system as may be ordered by the prope	
	his permit is January 20, 1947	••
	work shall begin on or before April 15, 1948	
	ith reasonable diligence and be completed on or before	
<u>-</u>		
	of the water to the proposed use shall be made on or before .	
• • •		
	his 15th day of April ,194.7.	
· · · · · · · · · · · · · · · · · · ·	CHAS. E. STRICKLIN	
	,	STATE ENGINEER