* APPLICATION FOR PERMIT

a.	, , , , , , , , , , , , , , , , , , ,	5.54	33.	23862
			7.90	0386Z

To Appropriate the Public Waters of the State of Oregon

I, J. R. Ritter (Name of applicant)
of Davs Creek
(Mailing address) State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is South Umpqua (Name of stream)
, a tributary of
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second(If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is Irrication (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 200 ft. If and 3000 ft. along the 300 ft. (E. or W.)
corner ofS3O(Section or subdivision)
2 diversions in lot 6 1 diversion in lot 7
Lot 6 diversion terminates in Lot 6 Diversion lot 7 Terminates Fand Claim 39
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the Lot 8 3 diversions in lot 8 of Sec. 30 , Tp. 30 S (Give smallest legal subdivision) (N. or S.)
R. 3 W
5. The Portable Pipe to be 500 at + sprl system (Main ditch, canal or pipe line)
5. The Portable Pipe to be 500 ft. + sprl. system (Main ditch, canal or pipe line) also lot 4 S 25 (Miles or feet) T30 SR4W 30 S (Smallest legal subdivision) (N. or S.)
R. 3. W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description his head two (Size and type of pump)
Portable all operations on my property 25 H. P. Casoline direct connection (Size and type of engine of motor to be used, total head water is to be lifted, etc.)
Maximum 30 ft. lift Some land must be sprinkled some will be flooded

^{*}A different form of application is provided where storage works are contemplated.

headgate. At headgate: width on top (at water line) feet; width on botton feet; depth of water feet; grade feet fall per on thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use intake, in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use Township Range Section Footy-acre Tract Number Acres for Be irrigated. 30. S. 1. V. 25. Lot 1. (Saland) 10. 30. S. 3. V. 30. Lot 1. (Saland) 2. Lot 2. (Saland) 2. Lot 3. (Saland) 2. Lot 7. (Saland) 2. Lot 7. (Saland) 3. Lot 7. (Saland) 4. Lot 7. (Saland) 4					anged in size, stating mile	
thousand feet. (b) At						
feet; width on bottom	fe thousand feet.	et; depth of	water	feet; grade	feet fall p	er on
grade	(b) At		miles from he	eadgate: width on top (at u	oater line)	•••
(c) Length of pipe, ft.; size at intake, in.; size at from intake in.; size at place of use in.; difference in elevation between the place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use Township Range Section Forty-acre Tract Number Acres To Be Irrigated 30. S. 1. W 25 Lot. It (SCHINE) 10. 30. S. 3. W 30. NELSWE in DIC. 2 NUMBER OF SECTION OF SECT	fe	eet; width or	n bottom	feet; depth	of water	feet
from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use Township Range Section Forty-acre Tract Number Acres To Be Irrigated 30. S. J. W. 25 Lot J. (STAN) 1.0 30. S. J. W. 30 NEAR IN DIC. 2 INTERVAL IN DIC. 15 Lot 9 (SWINE) 2 Lot 7 (STAN) 2 (See attached shout for description)	grade	feet f	all per one thou	sand feet.		
intake and place of use, ft. Is grade uniform? Estimated capacity sec. ft. 8. Location of area to be irrigated, or place of use Township Range Section Forty-acre Tract Number Acres To Be Irrigated 30.5. 1. W 25. Lot. 1: (30 10 10 10 2 2 10 10 10 2 2 10 10 10 2 2 10 10 10 10 10 10 10 10 10 10 10 10 10	(c) Length o	of pipe,	ft.;	size at intake,	in.; size at	f
Sec. ft. Standard Section Se	from intake	ir	ı.; size at place o	of use in.,	difference in elevation be	etweer
8. Location of area to be irrigated, or place of use Township Range Section Forty-acre Tract Number Acres To Be Irrigated	intake and place of	use,	ft. Is	s grade uniform?	Estimated ca	pacity
Township Range Section Forty-acre Tract Number Acres To Be Irrigated	•••••	sec. ft.				
Township Range Section Forty-acre Tract Number Acres To Be Irrigated	8. Location	of area to be	e irrigated, or pl	ace of use		
30 S 3 W 30 NELSW in DIC 2 MELSW in DIC 15 15 2 10t 8 (SW SW) 2 60 2 60 15 10t 7 (SEAM) 2 60 15 10t 7 (SEAM) 2 60 60 60 60 60 60 60					Number Acres	
30 S 3 W 30 NELSW in DIC 2 MELSW in DIC 15 15 2 10t 8 (SW SW) 2 60 2 60 15 10t 7 (SEAM) 2 60 15 10t 7 (SEAM) 2 60 60 60 60 60 60 60	30.S.	7' M	25	Lot 1 (STIME)	10	
NELSWE in DIC 15 Lot 8 (SWESTE) 29 Lot 7 (SEENLE) 2 60 (See attached short for description)						
Iot 8 (SwiSW) & Solution See attached short for description)						
Int. 7 (SEE ALL) 2 60 (See attached shoet for description)						
Lot. 7 (SEEN) 2 60 (See attached shoet for description)			1		•	
(See attached shoet for description)						
					60	
			(See attac)	ned shoet for descrip	tion)	
			•	•		
			1			
			<u> </u>			
	(b) Kind of	crops raised	Alfalfa II:	ay and Ladino Clover	° grass pasture	
(b) Kind of crops raised Alfalfa Hay and Ladino Clover & grass pasture	Power or Mining P	urposes—	,			
	_	-	power to be deve	eloped	theoretical horse	power
	(b) Quan	atity of wate	r to be used for	power	sec. ft.	
Power or Mining Purposes—	(c) Total	fall to be ut	tilized	feet.		
Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower (b) Quantity of water to be used for power sec. ft.				,	be developed	
Power or Mining Purposes— 9. (a) Total amount of power to be developed		-	***************************************			
Power or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepower (b) Quantity of water to be used for power sec. ft.			7		of See	
Power or Mining Purposes— 9. (a) Total amount of power to be developed	(e) Such	works to be	located in		Uj Dec	

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

BEGINFUNG AT A POINT 13.50 CHAINS MOST OF THE HORTHEAST CORMER OF DECLATED IAMO CLAIM NO. 39, THENCE SOUTH PARALLEL FITTH THE EAST LINE OF MAID CLAIM 18.05 CHAINS TO THE SOUTH LINE OF SAID CLAIM; THENCE MORTH 18.05 CHAINS TO THE MORTHEAST CORPER OF SAID CLAIM; THENCE MORTH 18.05 CHAINS TO THE MORTHEAST CORPER OF SAID CLAIM THENCE WIST TO THE PLACE OF BECINGHO, CONTAINING 24.90 ACRES, MORE OR LESS, AND THENCE PART OF THE DOMATION LAND CLAIM NO. 39 IN SECTION 30, SOUTH RANGE 3, WEST, WILLAUETTE MERIDIAN.

ted

ALSO, BECTINING AT THE HORTHWEST CORVER OF THE SOUTHWEST QUARTER OF THE NORTHAST QUARTER OF SECTION 30, SOUTH RANGE 3, WEST, W.W. D'HENCE SOUTH 52° 58' EA T 5.833 CHAINS TO A ROCK LO" XLO" X 21 ST 18" IN THIS CROUND AND FROM WHICH A FIR 21" IN DIAMETER BEARS SOUTH 52° 17' WEST 123 LINKS AND A FIR 10 JUCKES IN DIAMETER BEARS MORTH 10° 29' FASST 118 LINKS, BOTH PLAZED AND SORTEST C S. B T; THISTOT SOUTH 7° 57' EAST 3.633 CHAINS TO A ROCK 6" X 8" X 21 ST 18 JECUES IN THE CROUND AND FROM WHICH A FIR 30" IN DIAMETER BEARS MORTH 71 " 1' YEST 85 LINKS BLAZED C S B T; THEOLOG SOUTH 25° 18' WEST 10.291 CHAINS TO ALX CHISTOD OF A ROCK LEDGE A FIR 18 INCURS HIGH ON THE MORTH RIGHT OF VAY LINE OF THE COUNTY ROAT, AUT FROM WHICH A FIR 18 THOMS IN DIAMETER BEARS MORTH 28° 12' WEST 10 LINKS; AND A FIR 12 " IN DIAMETER BEARS MORTH 55° 15' WEST 73 LINKS: THEOLOGY 33° 23' WEST 1.21 CHAINS ALONG SATE PLEATE OF THE WEST LINE TO THE WEST LINE TO THE WEST LINE OF THE SOUTHWEST QUARTER OF THE MORTHEAST QUARTER OF SAID SECTION 30; THENCH MORTH O'17' EAST 17.548 CHAINS ALONG SAID WEST LINE OF THE SOUTHWEST QUARTER OF THE MORTHEAST QUARTER OF SAID SECTION 30, TOWNSHIP 30, SOUTH BANGE 3, WEST W.M. ALL IN TOUGLAS COUNTY, STATE OF ORECON, CONTAINING 5.69 ACRES, MORE OF LINES.

ALSO, THE SOUTHEAST QUARTER OF THE CORTUMNET QUARTER AND LOTS SIX, SEVER AND EXCHE OF SECTION 30.

EXCEPTING THEREIROM THAT PART OF LOTS 6, 7 AND 8 DESCRIBED IN THAT CERTAIN WARRANTY DEED WERREIN VERHOU M. POOLE, AND BISIE M. POOLE, HIS WIFE, ARE GRANTORS, AND DELBERT N. POOLE, SAID PEED BUING RECORDED IN VOLUME 92, PAGE 239, DEED RECORDS OF HOUGHAS 1. in 7 COUNTY ORECON.

ALL OF THE ADOVE DESCRIBED PRESTSES BELVE SITUATED IN SECTION 30, TOWNSHIP 30, SOUTH FOR THE RANGE 3, WEST, WILLAMETTE MERIDIAN.

ALSO, LOT 4 OF SECTION 25, TOWNSHIP 30, SOUTH RANGE 4, WEST OF THE WILLAUETTE MERIDIAN, OREGON COMTAINING 11.26 ACRES.

RESERVING UNTO THE UNITED STATES, ITS PERMITTEE OR LICENSEE, THE PIGHT TO ENTER UPON, OCCUPY AND USE ANY PART OR ALL OF SAID LANDS FOR THE PURIOSES PROVIDED IN THE CONDITIONS AND LIMITATIONS DESCRIPTION 21, ACT OF JUNE 21, 1920 (1,1 STAT. 1063) AND SUBJECT TO THE CONDITIONS AND LIMITATIONS OF SECTION 21, OF MAID ACT.

Municipal or Domest	ic Supply—	
-		
(Name of)	County, having a pr	resent population of
and an estimated pop-	ulation of	in 19
(b) If for	domestic use state numbe	er of families to be supplied
	(Answer questio	ons 11, 12, 13, and 14 in all cases)
11. Estimated	cost of proposed works, \$1	Pump & Pipe :110000
12. Construction	on work will begin on or b	efore
13. Construction	on work will be completed	d on or before
14. The water	will be completely applied	l to the proposed use on or beforeThisSurmer
		(Sgd) I. R. Hitter (Signature of applicant)
		(Signature of applicant)
	-	donation claim & very irregular in regard
		possible toget the river & lines right on a
		egular.
Enclosed is a	cut that covers my	land on enclosed Plat. (Please return Plat
after examination	1.)	
,,		
,		
,		
<u></u>		
STATE OF OREGO	٧,]	
County of Marion,	88	
This is to certif	y that I have examined th	he foregoing application, together with the accompanying
•		completion
		cation must be returned to the State Engineer, with correc
	Marvh 1/4	-
		lay ofFebruary, 1947
WII NESS WY	u	
		CHAS. E. STRICKLIN

Application N	o. 22235
Permit No	175/12

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 10th day of February,
	194.7. at 8:30 o'clock M.
	Returned to applicant:
	Corrected application received:
	Approved:
	July 3, 1947
	Recorded in book No. 13 of
	Permits on page 17542
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 16 Page 30 A
	Fees Paid 31.00
	PERMIT
STATE OF OREGON, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
County of Marion,	I have enamined the foresting amplication and de house, want the same
SUBJECT TO EXISTING R	I have examined the foregoing application and do hereby grant the same, IGHTS and the following limitations and conditions:
	ed is limited to the amount of water which can be applied to beneficial use
	75 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in	case of rotation with other water users, fromSouth Umpqua River
The was to applied this	water is to be applied is irrigation
The use to which this	Dater is to be applied is
If for irrigation, this ap	opropriation shall be limited to 1/80th of one cubic foot per
second or its equivalen	t for each acre irrigated and shall be further limited to a
diversion of not to exc	eed 2 acre feet per acre for each acre irrigated during the
irrigation season of ea	ch year,
	······································
and shall be subject to such	reasonable rotation system as may be ordered by the proper state officer.
The priority date of th	is permit is February 10, 1917
Actual construction we	ork shall begin on or before July 3, 1918 and shall
thereafter be prosecuted wit	h reasonable diligence and be completed on or before
October 1, 1949	
Complete application of	of the water to the proposed use shall be made on or before
October 1, 1950	
WITNESS my hand th	is
	CHAS. E. SIRTCKLIN STATE ENGINEER