

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, J. D. Burrenoughs, of 321 Court St, Salem, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Little Sardine Creek, a tributary of North Santiam R.

2. The amount of water which the applicant intends to apply to beneficial use is 1.00 cubic feet per second.

**3. The use to which the water is to be applied is Domestic use in trailer and auto camp.

4. The point of diversion is located 325 ft. N. and 250 ft. E. from the SW corner of Sec. 26, T. 9 S., R. 1 E., approximately.

being within the SW 1/4 of Sec. 26, Tp. 9 S., R. 1 E., W. M., in the county of Marion.

5. The pipe to be 500 in length, terminating in the of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 1 feet, length on top 15 feet, length at bottom feet; material to be used and character of construction earth.

(b) Description of headgate gravity.

(c) If water is to be pumped give general description.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
9 S	1 T	35	
		26	S. SW. SW. SW. SW.	

(If more space required, attach separate sheet)

(a) Character of soil
(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ...100.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$... Not estimated
- 12. Construction work will begin on or before ...One year after approval.....
- 13. Construction work will be completed on or before ...Two yrs " ".....
- 14. The water will be completely applied to the proposed use on or before ...3 " " ".....

(Sgd) J. D. Burroughs.....
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22242

Permit No. 17545

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of February, 1947 at 1:55 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

July 3, 1947

Recorded in book No. 43 of

Permits on page 17545

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 600

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.00 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Little Sardine Creek

The use to which this water is to be applied is domestic use in trailer and auto camp

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 11, 1947

Actual construction work shall begin on or before July 3, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before October 1, 1950

WITNESS my hand this 3rd day of July, 1947

CHAS. E. STRICKLIN

STATE ENGINEER