* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

	I, Alois Kir	sch					
of.	Mt. Angol		of applicant)				
		·					
State	ate of <u>Orazon</u> , do hereby make application for a permit to appropriate t						
follo	wing described public	c waters of the State of Ore	gon, SUBJECT To	O EXISTING RIGHTS:			
	If the applicant is a	corporation, give date and n	place of incorporat	ion			
	., upp	good and and p					
	1. The source of the	proposed appropriation is	Pudding River	(Name of stream)			
				(waite of stream)			
	2. The amount of w	pater which the applicant int	ends to apply to be	eneficial use is <u>0.80</u>			
cubic	e feet per second	(If water is to be used	from more than one source	give quantity from each)			
				ning, manufacturing, domestic supplies, etc.)			
			(Irrigation, power, mi	ning, manufacturing, domestic supplies, etc.)			
	4. The point of div	ersion is located f	t and	ft from the			
corne	er ofAny	oint where Pudding Riv	er touches				
		· ·					
	· · · · · · · · · · · · · · · · · · ·	, Court of the Local Court of th					
				······································			
		/96	4 L				
	•	(If preferable, give distance an	d bearing to section corner;	•			
	•	more than one point of diversion, each mu		,			
being	g within theS	(Give smallest legal subdivision)	MSEESES of Sec	8, Tp6.S,			
R	1 W. M., in	the county of <u>Marion</u>					
	5. The		to he				
		(Main ditch, canal or pipe line)					
in le	ngth, terminating in t	he(Smallest legal subdivision	of Sec	, Tp. (N. or S.)			
R	, W. M.	, the proposed location being	shown throughou	t on the accompanying map.			
	(E. or W.)						
		DESCRIPTION	1 OF WORKS				
Dive	rsion Works—			•			
DIVE		No dam					
			-	feet, length at bottom			
				(Loose rock, concrete, masonry,			
rock ar	nd brush, timber crib, etc., wast	eway over or around dam)					
	(b) Description of l	headgate		ber and size of openings)			
			Fimber, concrete, etc., num	ber and size of openings)			
	(c) If water is to be	e pumped give general descr	iption 25" Cent	்றப்பூர் " (Size and type of pump)			
.T.	eere Tractor 27	מנו '					
		Size and type of engine or motor to be use	ed, total head water is to be	lifted, etc.)			
30	9 gpn snrinkl	ers about 20 ft.	static head				

^{*}A different form of application is provided where storage works are contemplated.

ousand feet.	feet; depth of u	oater	feet; grade	feet fall per one
•	8°	. miles from h	eadgate: width on top (at wo	iter line)
	feet; width on	bottom	feet; depth of	f water feet;
ade	feet fa	ll per one thou	ısand feet.	
				in.; size at ft.
				difference in elevation between
				Estimated capacity,
		,	g	
	•	irrigated or n	lace of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
			and and	
		1		3
1,				J .0
				6
		1		14.
				22
		22	SW ₁ SW±	9
arion Count,	v. Oregon; the	ence 27 degr	rees. 3! Enst. 7.816.chai.	ns to an iron har; thence
arion Count; orth 66 deg. 103 chains naft in the ine of said river rence North	v. Oregon; the rees he East he tenen iron be center of the road 12:285 c r. south 78 de r. for degrees we	ence 27 degr (.)(03 chains tr; shence 1 e county ros chains to the egrees West est 500 cha	rees 3! Enst. 7.816 chaires to an iron bar; then borth 61 degrees 30 Ead; thence North 53 degreenter of Pudding Right 1 inks; thence North 78 degrees; thence North 78 degrees;	ns to an iron har; thence ce North 61; degrees 1: East et 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 5.50 chains; degrees West 1.60 chains;
arion Count; orth 66 deg	v. Oregon; the rees he East he to an iron be center of the road 12.285 or r, south 78 de 70 degrees we 70 degrees we	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.104 county ros 1.105 chains to the 1.105 chains 1.105 chains 1.105 chains 1.105 chains 1.105 chains	rees 3! East 7.816 chairs to an iron bar; then borth 60 degrees 30! East; thence North 53 degree of Pudding Right 10 links; thence North 10 degrees; thence South 32 degreeured, attach separate sheet)	ns.to.an iron har; thence ice North 64 degrees 4! East st. 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 6.50 chains; segrees West 1.60 chains; (Cont'd under Rema
arion Count; orth 66 deg	v. Oregon; the rees he East he to an iron be center of the road 12.285 or r, south 78 de 70 degrees we 70 degrees we	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.104 county ros 1.105 chains to the 1.105 chains 1.105 chains 1.105 chains 1.105 chains 1.105 chains	rees 3! East 7.816 chairs to an iron bar; then borth 60 degrees 30! East; thence North 53 degree of Pudding Right 10 links; thence North 10 degrees; thence South 32 degreeured, attach separate sheet)	ns to an iron har; thence ice North 64 degrees 4! East et 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 5.50 chair grees West 8.70 chains; egrees West 1.60 chains;
arion Count; orth 66 deg	v. Oregon; the rees he East he center of the road 12.285 or south 78 do 70 degrees we acter of soil	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.104 county ros 1.104 chains to the 1.105 chains 1.106 chains 1.107 chains 1.108	rees 3! East 7.816 chairs to an iron bar; then borth 60 degrees 30! Earl; thence North 53 degree center of Pudding Right 11 inks; thence North 78 dearns; thence South 32 degreeuted, attach separate sheet) River Bottom	ns.to.an iron har; thence ice North 64 degrees 4! East st. 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 6.50 chains; segrees West 1.60 chains; (Cont'd under Rema
arion Count; orth 66 deg h03 chains noft in the ine of said f said rive; nence Forth hence South (a) Char (b) Kind ower or Minin	v. Oregon; the rees he fast he en iron by denter of the road 12.285 or south 78 degrees we acter of soil! of crops raised g Purposes—	ence 27 degr 1.103 chains 1.103 chains 1.103 chains e county ros chains to the est 5.00 cha est 7.50 cha (M more space	rees 3! East 7.816 chairs to an iron bar; then borth 60 degrees 30! East; thence North 53 degree of Pudding Richards; thence North 78 degrees; thence South 32 degreeuted, attach separate sheet) River Bottom	ns.to.an iron har; thence ice North 64 degrees 4! East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 6.50 chain grees West 8.70 chains; egrees West 1.60 chains; (Cont'd under Rema
arion Count; orth 66 deg 103 chains anft in the ine of said f said rive; nence North hence South (a) Chara (b) Kind ower or Minin 9. (a) To	rees le East le rees le East le center of the road 12.285 center of 285 center of degrees we acter of soil	ence 27 degr 1.103 chains 1.103 chains 2.103 chains 2.104 chains to the grees West 2.105 cha 2.106 cha 2.106 cha 2.106 chains 2.107 cha	rees 3! East 7.816 chairs to an iron bar; then brth 61 degrees 30! East; thence North 53 degree center of Pudding Right 177 links; thence North 78 deaths; thence South 32 degree state attach separate sheet) River Bottom	ns.to.an iron har; thence ice North 64 degrees 4 East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 6.50 chain grees West 8.70 chains; legrees West 1.60 chains; (Cont'd under Remains) theoretical horsepower.
arion Count; orth 66 deg 103 chains noft in the ine of said f said rive; nence North hence South (a) Chare (b) Kind ower or Minin 9. (a) To	rees le East le rees le East le rees le East le rest le rest le rees l	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.104 chains to the 1.105 cha 1.106 chains 1.107 chains	rees 3! East 7.816 chairs to an iron bar; then strong bar; then be degrees 30! East, thence North 53 degrees center of Pudding Rivers; thence North 78 degrees; thence North 32 degree strong River Bottom. River Bottom.	ns.to.an iron har; thence ice North 64 degrees 4 East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 6.50 chain grees West 8.70 chains; legrees West 1.60 chains; (Cont'd under Remains) theoretical horsepower.
arion Count; orth 66 dec; 103 chains haft in the ine of said f said rive; hence Morth hence South (a) Char (b) Kind ower or Minin 9. (a) To (b) Q (c) To	center of the center of the road 12.285 or south 78 de ross was acter of soil	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.104 chains to the 1.105 chains to the 1.106 chains to the 1.107 chains to the 1.107 chains to the 1.108 chains	rees 3! East 7.816 chairs to an iron bar; then brth 60 degrees 30! East; thence North 53 degree of Pudding Ri 77 links; thence North 78 deains; thence South 32 degreeutred, attach separate sheet) River Bottom reloped reloped reloped feet. (Head)	ns.to.an iron har; thence ice North 61; degrees 1; East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 6.50 chain grees West 8.70 chains; egrees West 1.60 chains; (Cont'd under Remains) theoretical horsepower. sec. ft.
arion Count, orth 66 deg haft in the ine of said river hence North hence South (a) Chara (b) Kind ower or Mining 9. (a) To (b) Q (c) To	center of the center of the road 12.285 or south 78 de ross was acter of soil	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.104 chains to the 1.105 chains to the 1.106 chains to the 1.107 chains to the 1.107 chains to the 1.108 chains	rees 3! East 7.816 chairs to an iron bar; then brth 60 degrees 30! East; thence North 53 degree of Pudding Ri 77 links; thence North 78 deains; thence South 32 degreeutred, attach separate sheet) River Bottom reloped reloped reloped feet. (Head)	ns.to.an iron har; thence ice North 64 degrees 4 East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 6.50 chain grees West 8.70 chains; legrees West 1.60 chains; (Cont'd under Remains) theoretical horsepower.
orth 66 deg halos haft in the ine of said river hence Month hence South (a) Chara (b) Kind ower or Minin 9. (a) To (b) Q (c) To (d) To	center of the center of the road 12.285 or south 78 de 70 degrees we acter of soil	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.104 chains to the 1.105 chains to the 1.106 chains 1.107 chains 1.108 chai	rees 3! East 7.816 chairs to an iron bar; then brth 61 degrees 30! East; thence North 53 degree of Pudding Ric 77 links; thence North 78 deains; thence North 78 deains; thence South 32 degreeuted, attach separate sheet) River Bottom reloped reloped resof which the power is to be	ns to an iron har; thence ice North 64 degrees 4 East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 5.50 chain rees West 8.70 chains; legrees West 1.60 chains; (Cont'd under Remains theoretical horsepower. sec. ft.
arion Count; orth 66 deg h03 chains haft in the ine of said f said rive; hence North hence South (a) Char (b) Kind ower or Minin 9. (a) To (b) Q (c) To (d) Ti (e) Su	center of the center of the road 12.285 or south 78 degrees we acter of soil	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.104 chains to the 1.105 chains to the 1.106 chains 1.107 chains 1	rees 3! East 7.816 chails to an iron bar; then brth 61 degrees 30! East; thence North 53 degree center of Pudding Ri 77 links; thence North 78 deains; thence North 78 deains; thence South 32 degreeutred, attach separate sheet) River Bottom reloped repower (Head) ns of which the power is to be (Legal Subdivision)	ns.to.an iron har; thence ice North 61; degrees 1; East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 6.50 chain grees West 8.70 chains; egrees West 1.60 chains; (Cont'd under Remains) theoretical horsepower. sec. ft.
rion Count; orth 66 deg 103 chains oft in the re-of-said river rence North rence South (a) Char (b) Kind ower or Minin 9. (a) To (b) Q (c) To (d) Ti (e) Si	center of the center of the center of the condition of the center of the center of soil acter of soil acter of soil acter of soil amount of percental amount of percental fall to be utility of the center of the ce	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.104 chains to the 1.105 cha 1.106 chains 1.107 chains	rees 3! East 7.816 chais to an iron bar; then brth 61 degrees 30! Ea id; thence North 53 degree center of Pudding Ri 77 links; thence North ains; thence North 78 de ains; thence South 32 de required, attach separate sheet) River Bottom reloped reloped reson feet. (Head) ns of which the power is to b (Legal Subdivision) M.	ns to an iron har; thence ice North 64 degrees 4 East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 5.50 chain rees West 8.70 chains; legrees West 1.60 chains; (Cont'd under Remains theoretical horsepower. sec. ft.
arion Count; orth 66 deg 103 chains aft in the ine of said f said rive; nence North nence South (a) Char (b) Kind ower or Minin 9. (a) To (b) Q (c) To (d) Ti (e) Si	center of the center of the center of the condition of the center of the center of soil acter of soil acter of soil acter of soil amount of percental amount of percental fall to be utility of the center of the ce	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.104 chains to the 1.105 cha 1.106 chains 1.107 chains	rees 3! East 7.816 chails to an iron bar; then brth 61 degrees 30! East; thence North 53 degree center of Pudding Ri 77 links; thence North 78 deains; thence North 78 deains; thence South 32 degreeutred, attach separate sheet) River Bottom reloped repower (Head) ns of which the power is to be (Legal Subdivision)	ns to an iron har; thence ice North 64 degrees 4 East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 5.50 chain rees West 8.70 chains; legrees West 1.60 chains; (Cont'd under Remains theoretical horsepower. sec. ft.
arion Count; orth 66 dec; lost 66 dec; lost in the ine of said f said rive; nence Morth hence South (a) Char (b) Kind ower or Minin 9. (a) To (b) Q (c) To (d) Ti (e) Su p. (No. N. ors (f) Is	center of the center of the road 12.285 or south 78 de roes we acter of soil	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.104 chains to the 1.105 chains to the 1.106 chains to the 1.106 chains to the 1.106 chains to the 1.106 chains 1.107 ch	rees 3! East 7.816 chairs to an iron bar; then borth 60 degrees 30! East; thence North 53 degree center of Pudding Right 77 links; thence North 78 deains; thence South 32 degreeutred, attach separate sheet) River Bottom required, attach separate sheet) River Bottom feet. (Head) (Legal Subdivision) M. tream? (Yes or No)	ns to an iron har; thence ice North 64 degrees 4 East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 5.50 chain rees West 8.70 chains; legrees West 1.60 chains; (Cont'd under Remains theoretical horsepower. sec. ft.
arion Count; orth 66 deg haft in the ine of said f said rive; hence Morth hence South (a) Chara (b) Kind ower or Minin 9. (a) To (b) Q (c) To (d) Ti (e) Su p. (No. N. or; (f) Is (g) If	center of the center of the road 12.285 or south 78 de road 12.285 or south	ence 27 degr 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.103 chains 1.104 chains to the 1.105 chains to the 1.105 chains 1.1	rees 3! East 7.816 chais to an iron bar; then brth 61 degrees 30! Ea id; thence North 53 degree center of Pudding Ri 77 links; thence North ans; thence Worth 78 de ains; thence South 32 de required, attach separate sheet) River Bottom reloped reloped feet. (Head) (Legal Subdivision) M. tream? (Yes or No) pint of return	ns.to.an iron har; thence ice North 61; degrees 1; East st 9.203 chains to a steel rees West along the center ver; thence up the center 57 degrees West 6.50 chain mees West 8.70 chains; legrees West 1.60 chains; (Cont'd under Rema theoretical horsepower. sec. ft. e developed of Sec.

Municipal or Domestic Supply—	
10. (a) To supply the city of	······
	ent population of
and an estimated population of	
(b) If for domestic use state number of	of families to be supplied
(Answer questions I	1, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	1300.00
	oreOne year after approval
	n or before two wrs " "
14. I ne water will be completely applied to	the proposed use on or before3" " "
	(Scd) Alois Kirsch (Signature of applicant)
thence South 34 degrees East 7.40 chains thence South 34 degrees East 7.40 chains	; thence south 29 degrees East 6.60 chains; thence South 29 degrees East 6.60 chains;
hence South 11 dogrees West 3.10 chains	thence South 13 degrees West 1.30 chains; thence North 71 degrees West 5.10 chains;
hence North 45 degrees West 8.00 chains	; thence Morth 59 degrees West 3.30 chains;
dience South 87 degrees West 2.10 chains	; thence South 22 degrees West 2.30 chains; thence South 47 degrees East 10.86 chains;
thence leaving the river and running Mor	th 89 degrees 32' East 11.77 chains to an
iron bar; thence North 89 degrees the the	st 9.303 chains to an iron bar; thence Worth point of beginning containing 89.88 acres of
Land more or less, part of Sections 8 an	d 9 in Tomesto Six South of dange One West
of the Willamette Meridian, in Marion Co	unty, Oregon.
	· · · · · · · · · · · · · · · · · · ·
STATE OF OREGON,	
County of Marion,	
	foregoing application, together with the accompanying
maps and data, and return the same for	
	ion must be returned to the State Engineer, with correc-
•	
tions on or before	
WITNESS my hand this day	of, 194

Application	No. 2221.8
Permit No.	1751,8

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the	
	194. 7. at 11:23 o'clock	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	July 3, 1047	
	Recorded in book No of	
	Permits on page 17548	
	CHAS. E. STRICKLIN STATE ENGINEER	
>	Drainage Basin No2 Page3!	
· ·	Fees Paid	
•	1 603 1 600	
STATE OF OREGON,	PERMIT	
County of Marion,	•	
This is to certify that SUBJECT TO EXISTING R	I have examined the foregoing application and deGHTS and the following limitations and conditions ed is limited to the amount of water which can be	s:
	.0.80 cubic feet per second measured at the po	
	ease of rotation with other water users, fromP.	
The use to which this a	vater is to be applied isirrigation	
	ppropriation shall be limited to	•
•	nt for each acre irrighted no shall bo	
	sceed 25 acre foat por acre for auch acre	
irrigation season of e	ach yoar,	
,		
and shall be subject to such	reasonable rotation system as may be ordered by t	he proper state officer.
The priority date of the	s permit is February 14, 1247	
Actual construction we	ork shall begin on or before July 3, 1948	and shall
thereafter be prosecuted with	n reasonable diligence and be completed on or befor	'e
October 1, 1949		
	of the water to the proposed use shall be made on o	r before
October 1, 1950		
WITNESS my hand th	is 3rd day of July ,	1947
	CHAS. E. STRICKIIN	STATE ENGINEER