

CERTIFICATE NO. 19688

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, George E. Irving (Name of applicant) of Route 1, Box 863 (Mailing address), Astoria, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Small brook (Name of stream), a tributary of Willuski River

2. The amount of water which the applicant intends to apply to beneficial use is twenty five gallons a minute (If water is to be used from more than one source, give quantity from each) cubic feet per second.

**3. The use to which the water is to be applied is General ranch use (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of E of the South West 1/4 of North West 1/4 of Section 2, township 7 Range 9 West. Beginning at the North East corner of the North West 1/4 of Section 2 township 7 Range 9 west thence south 1566.2 thence West 1601.5 thence 344.9 South to point of diversion (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the 1/4 of S.W. 1/4 of NW 1/4 of Sec. 2, Tp. 7 N., R. 9 W., W. M., in the county of Clatsop

5. The Pipe line to be one thousand feet in length, terminating in the 1/4 of SW 1/4 of NW 1/4 of Sec. 2, Tp. 7 N., R. 9 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 horse electric Fairbanks Morse pump (Size and type of engine or motor to be used, total head water is to be lifted, etc.) twenty five gallons a minute

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..1200.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

(Sgd) Geo. F. Irving
(Signature of applicant)

Remarks: The water of this brook has been used on this place since before 1909.
and am now taking it from a above described point of diversion.

At present a 400 gallon Fairbanks Morse electric engine is used. This
amount of water is unadequat as I have a 20 cow barn with milk room a 40 ton freezing
room which required 4 inch pipe flow of water, 1000 mink and chicken house also
modern ranch home.

From point of diverson to Walluski River this brook is on my property and the
Walluski River is on my property for a distance of about one mile.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 194.....

WITNESS my hand this day of, 194.....

Application No. 22252

Permit No. 17550

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 11th day of February

1947 at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

July 3, 1947

Recorded in book No. 113 of

Permits on page 17550

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 24

Fees Paid \$10.00

PERMIT

STATE OF OREGON, } ss County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.055 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from small brook

The use to which this water is to be applied is domestic use, stock, mink and refrigeration, being 0.01 c.f.s. for domestic use, 0.01 c.f.s. for stock, 0.01 c.f.s. for mink and 0.025 c.f.s. for refrigeration

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 11, 1947

Actual construction work shall begin on or before July 3, 1948 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1949

Complete application of the water to the proposed use shall be made on or before October 1, 1950

WITNESS my hand this 3rd day of July, 1947.

CHAS. E. STRICKLIN

STATE ENGINEER